


SIKLE SCD™
Art bamboo life

SIKLE SCD™ FENCE

PROVIDE ROYAL BAMBOO QUALITY LIFE, ENJOY ART BAMBOO LIFE



PIANOPLYWOOD



WA BUINESS

WWW.PIANOPLYWOOD.COM



Shanghai Qin Ge Ceramic & Building Co., Ltd.

FENCE

PRODUCT SPECIFICATION INTRODUCTION



CONTENTS

- 01** / Bamboo Fence
- 02** / Solid Bamboo Fence
- 03** / Bamboo Benefits
- 04** / Frame Bamboo Fence
- 05** / Reed Fencing
- 06** / SIKLE Fence
- 07** / Carbonized Wooden Fence
- 08** / Pressure Treated Fence

FENCE

PRODUCT FENCE

 **SIKLE SCD™**
Art bamboo life



Solid Bamboo Fence



Reed Fence



Sikle Fence



Willow Fence



Frame Bamboo Fence



Bark Fence



Split Bamboo Fence



Pressure Treated Fence



Carbonization Wooden Fence



Expandable fence



Raffia Grass Woven Bamboo Mattress



Half bamboo fence



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO FENCE



Bamboo fence are installed in many gardens in worldwide as a decorative item. The bamboo is a very durable material which is easy to install and has a natural look, creating a relaxed and pleasant atmosphere in every garden.

Specification:

Product name: bamboo fence

Color: purple/black bamboo, white bamboo, carbonized Dyed bamboo

Length: 2- 5 meter

Height: 100/150/180/200

Diameter: 14-36mm

Use: bamboo is an ideal solution for fences, area separating partitions, shading, pergolas, and roof covers. The bamboo reeds are easily installed and durable for years under outdoors conditions.

MOQ: 20GP

Certificate:

Fumigation/disinfection certification

Phytosanitary certification



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO. 58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO FENCE

PRODUCT BAMBOO FENCE



BAMBOO FENCE

Material:	bamboo
Color:	light yellow
Usage:	Garden plant support
Use time:	more than 7 years in outside
Treatment:	Dry, Straight, cutting and antisepsis
Advantage:	good fiber density
Feature:	Straight, flexible, hard to decay
Size:	as customer require



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO FENCE

PRODUCT BAMBOO FENCE



For Tree Support and garen Decoration

- 1) The Split Bamboo is made by bamboo pole
- 2) Made with any color s and natural straight
- 3) Strong and Flexible.
- 4) Treatment :antiseptis, anti-mildew
- 5) These sizes under hot sale:3'--10/12mm 5'--12/14mm 10'—22/24mm



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



BAMBOO FENCE

Expandable fence



Natural Material Sustainable Biodegradable
Telescopic Bamboo Garden Trellis.

- Durable, eco-friendly sustainable Bamboo, hand crafted high quality
- Ease of installation and fitting
- Decoration for commercial and residential interior or exterior environments.
- Size: XL: 90 x 150 x D 1.6 - 2.6 CM
L: 72 x 120 x D 1.6 - 2.6 CM
M: 60 x 90 x D 1.6 - 2.6 CM
S: 40 x 60 x D 1.6 - 2.6 CM
- Color: Natural or customized
- MOQ: 1x20 Ft container.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

SOLID BAMBOO FENCE



Solid Bamboo Fence



White Bamboo fencing

Diameter:	14-16 / 18-22 / 30-35 mm
Height:	1000 / 1500 / 1800 / 2000 mm
Length:	2000 / 5000 mm



Bamboo lawn edging

Diameter:	14-16 / 18-22 / 30-35 mm
Height:	150 / 200 / 225 / 250 / 300 mm
Height(including spikes):	450mm
Length:	1000 mm



Natural Bamboo Border Edging

Diameter:	14-16 / 18-22 / 30-35 mm
Height:	150 / 200 / 225 / 250 / 300 mm
Length:	1000 mm



BAMBOO

The benefits are endless! In addition to being strong and renewable, bamboo is also naturally resistant to pests and requires little water to grow. This along with its ability to absorb relatively large amounts of CO₂ from the atmosphere makes bamboo a very environmentally friendly crop.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

SOLID BAMBOO FENCE

PRODUCT BAMBOO PRODUCTS & PACKING



White bamboo



Black bamboo



Dye bamboo



Carbonization bamboo



Diameter:14-16mm
Quantity:3500m²/40HC

Diameter:18-22mm
Quantity:3000m²/HC

Diameter:30-35mm
Quantity:2000m²/HC



Diameter:14-16mm
Quantity:2900m²/40HC

Diameter:18-22mm
Quantity:2200m²/HC

Diameter:30-35mm
Quantity:1500m²/HC



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUINESS

SOLID BAMBOO FENCE

PRODUCT PRODUCT APPLICATION



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



SOLID BAMBOO FENCE

PRODUCT BAMBOO PRODUCTIVE PROCESS



stock



selecting



cutting



cleaning



straighting



stock



drilling



wire through



tighting



packing application abroad



bundle



finished

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO BENEFITS

PRODUCT BAMBOO BENEFITS



Bamboo growth

Bamboo is a grass species known for its rapid growth and versatility. Bamboo species can grow up to 90cm per day and reach maturity in just a few years. Bamboo is considered one of the most sustainable and environmentally friendly plants in the world. Bamboo requires very little water, pesticides or fertilizer to grow, and it can be harvested without destroying the plant.



No Pesticides

Bamboo is generally considered a very low-maintenance plant that is resistant to most pests and diseases. Therefore, it does not require the use of pesticides to grow successfully.

One of the reasons why bamboo is considered a low-maintenance crop is that it has a very thick and dense canopy that helps keep out weeds and other potential resource competitors. In addition, bamboo has a very extensive root system that provides access to water and nutrients deep in the soil, making it less dependent on fertilizer.



Doesn't need much water

Bamboo is known for its drought tolerance and low water requirements. Many species of bamboo can grow well in areas with limited water resources and can thrive in both dry and wet climates.

Bamboo has a very deep and extensive root system that allows it to draw water and nutrients from deep within the soil, which helps it survive in times of drought. In addition, bamboo has a thick and dense canopy that helps to shade the soil and reduce evaporation, which in turn helps to conserve water.

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO BENEFITS

PRODUCT BAMBOO BENEFITS



Bamboo absorbs CO2

This is because bamboo is a fast-growing plant that can reach maturity in just a few years. To make that possible, bamboo can extract large amounts of CO2 from the air in a short period of time and use it to grow its leaves, stems and roots.

A study has shown that one hectare of bamboo can store about 60 tons of CO2 over a 20-year period, which is roughly equivalent to the amount of CO2 emitted by an average car that drives about 12,000 kilometers per year.



Easy composting

When bamboo is harvested, it leaves behind a large amount of organic material in the form of leaves, stem and root remnants that can be used in composting.

Bamboo contains a lot of cellulose and lignin, two important ingredients for good composting, and it breaks down quickly, creating a good balance of carbon and nitrogen. Also, because bamboo is a grass, it contains a lot of silica, which can improve the structure of compost.

 Fax/Tel: +86-21-50792750

 RobertWang@pianoplywood.com

 PHN/WA/WX: +86-133 1189 1208

 www.pianoplywood.com

 Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

FRAME BAMBOO FENCE




Frame bamboo fence



SIZE:

- Diameters: Ranging from 3/8"-5"
- Lengths: Ranging 4'-16'



DESCRIPTION

Tonkin bamboo is easy to work with and is available in a number of colors choices. The most common is a beautiful "even" honey appearance throughout the poles, and compared to other bamboo species, has the least amount of variations or scaring. The Natural Black Tonkin bamboo is a dark richer color option, that is more unique than the traditional "golden" color that is most often recognized. Compared to other bamboo, Tonkin is light weight making it ideal for overhead applications. Although available in larger diameters, this species of bamboo is thin walled. Performance of Tonkin is best when used outside of heavy guest contact areas and is widely used for exterior and interior applications.

APPEARANCE:

- Natural: Honey/Tan
- Brown
- Black
- Speckled

Colors will vary slightly based on harvesting and finish. Naturally straight versus milled.

APPLICATIONS:

Interior or Exterior Casing, wall cladding, ceiling coffer's, privacy fencing, batons/purlins, trim, retail fixtures, false ceiling beams

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

FRAME BAMBOO FENCE



Willow Fencing



SIZE:
Height: 6 feet
Length: 16 feet
with a 1/2 inch gap between each branch



DESCRIPTION

Willow fencing, durable, lightweight and, boasting a rich brown appearance is an ideal product selection whether rustic charm or contemporary appeal is the design intent. Constructed of individual freshwater willow's and fastened by a thin, discrete wire, willow fencing is ideal for wall and ceiling coverings, column cladding, privacy screening and is an excellent substitution for unsightly construction fencing. Easy to install... Willow Fencing can be easily secured to vertical and horizontal posts by utilizing the wire and fastening with an electrical staple. Overhead applications can be secured with pin nails directly through the willow and wire connection.

APPEARANCE:

Espresso

Colors will vary slightly based on environmental factors

APPLICATIONS:

Interior or Exterior

Construction and privacy fencing, wall and ceiling coverings, cabinet inlay, wrapping columns, framed room divider/infill.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO. 58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

REED FENCE



Reed Fencing



- 6 Foot Height
- 16 Foot Length (Total with both Fences is 32 Feet Length)

DESCRIPTION

Constructed of freshwater reed grown along riverbanks and wetlands that are fastened together by thin horizontal wires. Reed Fencing panels are ideal for adding a touch of authenticity to a tropical environment. The product is often used commercially as construction fencing in lieu of unsightly typical construction barriers and, for privacy screening. Reed fencing can also be used as a wainscoting wall treatment or ceiling treatments. To create a more custom look, consider staining or white washing our Woven Bamboo Plywood. Easy to install...Reed Fencing can be easily secured to vertical and horizontal posts by utilizing the wire and fastening with an electrical staple.

APPEARANCE:

Honey & light beige with speckles of mocha
Colors will vary slightly based on environmental factors

DURABILITY:

Best suited for interior applications or exterior applications covered and clear of direct exposure to the elements. Speak with your SIKLE SCD Rep to discuss the many ways that you can extend the life of the product and alter the appearance.

SIZE:

Sheets: 6' x 16'

APPLICATIONS:

Interior or Exterior

Construction and privacy fencing, wall and ceiling coverings, cabinet inlay, wrapping columns, framed room divider/infill.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

FENCE

REED FENCING APPLICATION



REED FENCING PACKING



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

SIKLE FENCE



SIKLE Fence



SIZE:

- Diameters: Ranging from 2"-3.5"
- Lengths: Ranging 4'-8'
- Height : Up to 8'

RELATED PRODUCTS

Our hearty SIKIE Fence poles are a choice selection when looking for a timber that is unlike the others. The variations of brown running vertically throughout the pole and "swirls or knots" provide a uniqueness that is sure to make your project a standout. SIKIE Fence also takes stain very easily and can be brought to a deep, rich finish by applying teak oil or paste wax.

APPEARANCE

Beige, medium and dark brown (with mahogany hues). Colors will vary slightly based on harvesting. Naturally straight versus milled; knuckles branch off slightly.

APPLICATIONS

Beige, medium and dark brown (with mahogany hues). Colors will vary slightly based on harvesting. Naturally straight versus milled; knuckles branch off slightly.



SIKLE Fence Application

Note: To ensure your fence has the longest useful lifespan and avoid accelerated rot, be sure to keep the bottom of the fence slightly raised above the ground level to avoid moisture being 'wicked' up into the fence. This is especially true for our SIKLE Fence.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

CARBONIZED WOODEN FENCE



Carbonized Wooden Fence



Carbonized Border

SIZE:

Length: 60cm/90cm/92cm/93cm

Wide: 35cm/50cm/75cm

Thickness: 1cm/1.1cm/1.2cm/1.4cm

•1 - For curved and straight garden edges, you can create any desired shape with the flexible U edging assembly.

•2 - Garden fence panels with natural colour and simple lines can make your garden, lawn more attractive and eye-catching.

•3 - This border fence can be used as a garde border, driveway barrier to protect your lawn. It can be easily used for decking and fencing.

•4 - This freestanding fence is built to last without much maintenance and maintenance. It can be cleaned with a damp cloth.

•5 - Adapts to any contour for custom landscaping around trees, flower beds, bushes gardens, yards and more.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

CARBONIZED WOODEN FENCE

PRODUCT RELATED PRODUCTS



CARBONIZED WOODEN FENCE

Height:	2438 / 1830 / 1524 / 1219 mm
Width:	2438 / 1219 mm
Thickness:	25 mm



CARBONIZED DECKING

Size:	300 × 300 × 261.6 mm
-------	----------------------



CARBONIZED PERGOLA ROOF

Length:	3600 mm
Wide:	3600 mm
Height:	2700 mm
Wall Thickness:	36 / 70 / 104 mm



CARBONIZED PLANTER

Length:	1500 / 1200 / 1000 / 800 / 600 / 530 mm
Wide:	500 / 490 / 420 / 290 / 200 mm
Height:	600 / 550 / 500 / 450 / 350 / 250 mm
Wall Thickness:	1040 / 700 / 360 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS


CARBONIZED WOODEN FENCE

PRODUCT RELATED PRODUCTS



CARBONIZED BORDER

Length:	85 cm
Wooden stakes:	21 pieces
Pile height:	10 / 15 cm



SPECIFICATIONS

Material:	Pine
Length:	120 cm (47.2 inch)
Pointed Stakes:	15 cm (6 inch)
Wooden Pile Width:	4.9 cm (2 inch)
Wooden Pile Thickness:	2.4 cm (1 inch)
Applicable Space:	Garden / Path / Plantbeds / Lawns / Balcony decor



CARBONIZED BARRIER

Process:	Splicing, Carbonization
Installation Method:	Land type (no need todig, just place the fence on the ground)
Specification:	150 × 120 cm / 150 × 60 cm / 150 × 90 cm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

PRESSURE TREATED FENCE



Pressure Treated Fence



The **Pressure Treated wooden fence panel** will make an excellent backdrop to any garden boundary or outdoor space. Featuring a continental style construction for added strength, rigidity and durability this excellent value garden fencing is simple to install, low maintenance, offers excellent levels of security and ultimately represents exception value for money.

Pressure Treated Wooden Fence Panel Specification

- Timeless design will suit any garden location where added security and privacy will prove beneficial
- Pressure treated timber construction for protection against wood rot
- Heavy duty continental panel type construction with 70mm x 40mm framing
- Attractive horizontal boarded profile

Pressure Treated Fencing Panel Size Options

- 180cm (width) x 180cm (height) x 4cm (depth)
- 180cm (width) x 150cm (height) x 4cm (depth)
- 180cm (width) x 120cm (height) x 4cm (depth)
- 90cm (width) x 180cm (height) x 4cm (depth)



Pressure Treated Fence Application



Pressure Treated Fence Packing



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

PRESSURE TREATED FENCE

PRODUCT YOU MAY ALSO LIKE




Pressure Treated Border Fence Edging 1000mm



*Spikes at each end for easy fixing
No need for additional fixing pegs
Pressure treated against rot
Natural timber finish*

*External Dimensions:
Height: 150mm, 225mm & 300mm
Height (Including Spikes): 450mm
Length: 1020mm*


1.8M Pressure Treated Border Roll Edging



*Pressure treated against rot
Natural timber finish*

*External Dimensions:
Height: 150mm, 225mm & 300mm
Length: 1800mm*

Easy Fix Spiked Border Edging Roll 1800mm



*Unique spiked design for easy fixing
No need for additional fixing pegs
Pressure treated against rot
Natural timber finish*

*External Dimensions:
Height: 150mm
Height (Including Spikes): 300mm
Length: 1800mm*

6" Slat Edging



*•Spikes at each end for easy fixing
•No need for additional fixing pegs
•Planter liner material attached to rear to aid soil retention
•Pressure treated against rot
•Natural timber finish*

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



SIKLE SCD™
Art bamboo life

Sikle SCD

Provide royal bamboo quality life,enjoy art bamboo life

WWW.PIANOPLYWOOD.COM

Fax/Tel: +86-21-50792750

Phone/WhatsApp/WeChat: +86-133 1189 1208

E-mail: RobertWang@pianoplywood.com

Add: Block F,Floor 8,NO.58,New Jinqiao RD,Pudong District,Shanghai 201206,China



WWW.PIANOPLYWOOD.COM

Shanghai Qin Ge Ceramic & Building Co., Ltd.

Sikle SCM

Fax/Tel: +86-21-50792750

Phone/WhatsApp/WeChat: +86-133 1189 1208

E-mail: RobertWang@pianoplywood.com

Add: Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China