

SIKLE SCD™
Art bamboo life

SIKLE SCD™

BAMBOO PRODUCT

PROVIDE ROYAL BAMBOO QUALITY LIFE, ENJOY ART BAMBOO LIFE



PIANOPLYWOOD



WA BUINESS

WWW.PIANOPLYWOOD.COM

ABOUT US



PIANOPLYWOOD

Our company's main products include Plywood, Film-faced Plywood, LVL, 3PLY, Blockboard, H20 Beam, Timber Wall panel, etc.

Applications: housing construction, building construction, bridge engineering, cement building formwork, home decoration and furniture, shopping shelves, packaging materials, handicraft supplies, container floors, stage formwork, outdoor construction, etc.



Eco-Friendly and Renewable



Resistance to Decay and Mold



Water Bolied Proof



20-year warranty



CE



ISO 9001

BAMBOO PRODUCT



01 /

BAMBOO DECKING



02 /

BAMBOO SOFFIT&CLADDING



03 /

BAMBOO FLOORING



04 /


BAMBOO FURNITURE



05 /

BAMBOO CRAFT





Shanghai Qin Ge Ceramic & Building Co., Ltd.

BAMBOO DECKING

PRODUCT INTRODUCTION & APPLICATIONS

BAMBOO DECKING

BAMBOO BAMBOO DECKING



OUTDOOR BAMBOO DECKING



Outdoor Bamboo Decking uses a unique high-temperature, high-intensity compression process to remove sugar molecules from the bamboo, making the bamboo free of fungi and microorganisms.


This solves the problem of anti-corrosion and insect resistance and by changing the water-absorbing groups inside the bamboo, thereby solving the problem of deformation and cracking, the material density, hardness and flexural strength are much higher than any wood.

Outdoor Bamboo Decking remains straight and very stable even after many years of installation.

Bamboo Decking is the ideal outdoor material.

PRODUCT PARAMETERS

LENGTH:	1860/2000/2500/3000/4000 mm
WIDTH:	68/140 mm
THICKNESS:	18/20/30/40 mm
DENSITY:	1200 kg/cm ³
SURFACE:	Flat/Small Groove/Small Waves/Big Waves
APPLICATION:	Private courtyard/garden/park/seaside/hotel/swimming pool



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING



SURFACE TEXTURE



FLAT

SMALLGROOVE

SMALLWAVES

BIGWAVES

ENDS TRUCTURE



MALE FEMALE T&G




FLAT

SIDE TRUCTURE



TYPE-01



TYPE-02



TYPE-03



TYPE-04



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING

BAMBOO

BAMBOO DECKING COLOR



NO.01 COGNAC

FRONT



BACK



NO.02 CHAMPAGNE

FRONT




BACK



NO.03 WHISKEY

FRONT



BACK



NO.04 GUINNESS

FRONT



BACK



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING


BAMBOO

BAMBOO DECKING COLOR



NO.05 BORDEAUX

FRONT



BACK



NO.06 PINOT

FRONT




BACK



NO.07 IRISH

FRONT




BACK



NO.08 TEQUILA

FRONT



BACK



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING


BAMBOO

BAMBOO DECKING COLOR




NO.09 X-CHOCOLATE

FRONT



BACK




NO.10 X-SMOKED

FRONT




BACK




NO.11 X-COMING SOON

FRONT




BACK



NO.12 X-SYRAH

FRONT



BACK



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING


BAMBOO

BAMBOO DECKING COLOR




NO.13 X-BAKU

FRONT




BACK




NO.14 MEDOC

FRONT




BACK



NO.15 SAINT EMILION

FRONT




BACK



NO.16 POMEROL

FRONT



BACK



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING


BAMBOO

BAMBOO DECKING COLOR




NO.17 LAFITE

FRONT



BACK




NO.18 PETRUS

FRONT




BACK




NO.19 ROMANCE CONTI

FRONT



BACK



NO.20 PENFOLDS

FRONT



BACK

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING

BAMBOO

BAMBOO DECKING COLOR

 **SIKLE SCD™**
Art bamboo life



NO.21 X-SMOKEN

FRONT



BACK

Shanghai Qin Ge Ceramic & Building Co., Ltd.



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUSINESS

BAMBOO DECKING



COGNAC

NO.01



CHAMPAGNE

NO.02

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING



WHISKEY

NO.03



IRISH

NO.07

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO DECKING

BAMBOO FASTENER



EACH BOX OF ACCESSORIES HAS:

- 1000pcs 5MM new brown plastic sprayed fasteners;
- 1000pcs 35MM plum blossom countersunk head self tapping screws suitable for wooden keel;
- 6pcs plum blossom screwdriver heads.
- 21pcs 7.5MM unilateral black plastic sprayed clips;



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING

BAMBOO SUBSTRUCTURE BAMBOO






Substructure in bamboo or aluminium - We show what is possible.

For stable and durable bamboo decking, a professionally executed substructure is of great importance. A substructure facilitates wood protection by creating a gap between the ground and the floor covering. You have the choice between a substructure made of bamboo or aluminium with and without pedestals.



ALUMINIUM SUBSTRUCTURE



Product specifications


Size: 22 x 119 x 3000 mm or more

Interval of 5 mm

Including the SIKLE SCD® installation system, consisting of aluminium joists (RAL 9005) (Dimensions: 39 x 63 mm)

with pre-mounted clips for placement at 50 cm intervals

(2 m joist per m²; may vary depending on the specific decking design)



Slightly curved for speedy draining

Please note: if board ends are not going to be protected by an edge board, always apply a water-based protective agent to protect them from end-checking and cracking



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS




BAMBOO DECKING

BAMBOO

QUANTITY / PACKING / MODEL



CONTAINER	SLOTTINGMODE	SHEETS	SQM	WEIGHT
20GP	Unilateral groove 	3273	852	22000Kgs
	Slot on both sides 	208	54	

NUMBER	MODEL	PHOTOS	ENDSTRUCTURE
NO.01 Cognac NO.02 Champagne NO.03 Whiskey	Flat+Small Waves 	  	
NO.07 Irish(moka)	Flat+Big Waves 		



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING



INSTALLATION PROCEDURES FOR OUTDOOR DECKING

1. PREPARATION OF CONCRETE FLOOR

Level the ground to be laid on the outdoor floor and pour 10-15CM thick concrete.

2. FIXING THE KEEL

Use an impact drill or electric hammer to punch holes (about 10-12mm*60mm) on the concrete floor, one every 40cm (less than 40cm is counted as 40cm), drive pine wood plugs into the holes, and place them on the keel. Punch holes on the keel, the hole diameter is the same as the steel nails used, and the hole distance is the same as the ground hole distance. Then use 4*80 round nails to drive through the keel.

The clear distance between the keels is not more than 500mm, and it is recommended to use 400mm for the interval; the installation of the keels should be kept horizontal to ensure that the entire decking installation is completed and the buckles are flat and there are no obvious bumps;


3. FIXING METHOD

1) Sweep fixing method (for floors with grooves on the side): When installing the first board, use flat-head stainless steel self-tapping screws 4*45 on the outward side at a 45-degree angle, and the rest can be connected and fixed with floor connectors: specific the fixing method is as follows: firstly insert one side of the floor fastener (face up, the hole is perpendicular to the ground) into the slot of the first floor, and then press the side of the second floor against the first row of planks. Fasteners, insert the second row of floor fasteners on the other side of the second floor (the number of floor fasteners is the same as the keel), and then insert the third decking board... Install in sequence, about 4-8 pieces, and then use self-tapping screws to pass through the decking fasteners to fix the decking on the keel; the decking is installed in this order. The installation method of the last piece at the end is the same as the first piece, and the outward side is fixed with a 45-degree oblique screw from the rose screw.


2) Direct fixing method (for floors without grooves on the side): The first step is to place the outdoor floor in the required position, and then punch 2-3 holes evenly on the board surface along the center of the keel, with a diameter of 4mm and a depth of 35-40mm; in the second step, use a drill with a diameter of 10mm to ream the top of the floor, and the depth is 2-3mm; in the third step, use 5*50 stainless steel countersunk head screws to drill the drilled holes to firm the floor.

户外竹材卡夹固定


Decking: Fixed with metal fittings



ACCESSORIES



BUCKLE/CLIPS/FASTENER



SCREW



SINGLE BUCKLE



TOOLHEAD

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO DECKING



FINISHED PRODUCT AND PACKAGING



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING



BAMBOO DECKING CHARACTERISTIC



High aczoiling



High density



Highwear-resisting



High hardness



High stable



High service life



High compressive strength




High bending strength



Termite proof



Fire retardant



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING



BAMBOO

MAINTENANCE OF OUTDOOR FLOORS

1.MAINTENANCE CYCLE

The first maintenance is carried out in the third month after the paving is completed; the second maintenance is carried out in the ninth month after the paving is completed. Subsequent maintenance can be carried out once a year.


2.MAINTENANCE METHOD

Choose a sunny day after the floor is dry (it is recommended to carry out at least one week of continuous sunny weather).

- 1) Check for tightness: Check the floor for looseness and reinforce loose floors.
- 2) Cleaning and Sweeping: Clean up all corrosion, dust, dirt, oil, coal ash and other impurities on the floor surface. Before protection, the surface must be completely cleaned; clean the debris around the floor and the keel to make the drainage smooth.
- 3) Sanding: Use a soft steel brush to sand and clean the floor surface.
- 4) Oiling: Use the first coat of wood wax along the length of the brush.
- 5) Grinding: Use 80-100 grit sandpaper to polish the surface burrs.
- 6) Second oiling: Use a brush to apply the second wood wax oil along the length.

3.PRECAUTIONS

- 1) Immediately after use, put rags, brushes, and waste into metal containers to keep them clean and hygienic.
- 2) The second pass of wood wax oil is carried out 12 hours after the first pass of brushing.




BAMBOO

OUTDOOR FLOOR CARE AND MAINTENANCE

If we can carry out regular maintenance in accordance with our company's maintenance precautions, we have reason to believe that our customers can use heavy bamboo outdoor "new floors" every year.

To reiterate, the first maintenance should be carried out in the third month after the installation of the heavy bamboo floor of our company; the second maintenance should be carried out in the ninth month after the installation is completed. Subsequent maintenance can be carried out once a year.



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO DECKING



BAMBOO BENEFITS

SIKLE bamboo is one of the fastest growing plants on earth. Although giant bamboo is formally not a wood but a grass, it has excellent hardwood-like characteristics. Discover the benefits that SIKLE Bamboo products can offer in your project!




ENDLESS RESOURCE

Bamboo is an 'endless' resource. It grows faster than any other plant; up to 1 meter per day! Each year the 4-5 year stems are harvested, providing room for the younger bamboo to grow to maturity. During growth SIKLE bamboo absorbs more CO₂ than is released during production. All solid SIKLE bamboo products are therefore guaranteed CO₂ neutral over the complete lifecycle.

NATURAL BEAUTY

The most striking feature of SIKLE Bamboo products is certainly its natural beauty. The beautiful natural grain gives bamboo a distinct design appearance. Combined with the vast choice of different styles, configurations and colors, there is always a SIKLE bamboo product available which will match your preferences.



HARD&DURABLE

Bamboo, after processing, is very hard and durable. This means SIKLE Bamboo flooring and decking can be used in heavy duty applications, where conditions such as high-traffic are expected. As well as this, several products are more than suitable for being used outdoors.

HIGH TABILITY

Due to the composition of individual strips, bamboo will shrink and swell less than most solid wood species, providing a very stable solution. This means that unique and intriguing solutions and creations can be developed.



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO DECKING



HIGH STABILITY

Due to the composition of individual strips, bamboo will shrink and swell less than most solid wood species, providing a very stable solution. This means that unique and intriguing solutions and creations can be developed.




HEALTHY AND FIRE RESISTANT

SIKLE Bamboo products are also a healthy choice as they are antistatic and anti-allergic. Furthermore, they have very low emissions of harmful VOCs (Volatile Organic Compounds). Due to the high density, several SIKLE Bamboo products fulfill stringent fire safety requirements and SIKLE has tested almost the full range of bamboo products.

A WIDE VARIETY OF CHOICE

Combined with the vast choice of different styles, configurations and colors, there is always a SIKLE Bamboo product available to match the desired needs. From commercial to domestic use and industrial applications to unlimited solutions, SIKLE SCD has both the knowledge and expertise to help you progress.



UP TO 20 YEARS GUARANTEE

Developing the best bamboo product is only possible through continuous attention for each detail during production. The Chinese SIKLE team was created just for that. Only because of their daily effort, a SIKLE Bamboo product is very different from a standard Chinese bamboo product. And in the unlikely case that something was overlooked, customers can count on our full support and guarantee up to 20 years.

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



Shanghai Qin Ge Ceramic & Building Co., Ltd.

BAMBOO CLADDING & SOFFIT

PRODUCT INTRODUCTION & APPLICATIONS

BAMBOO CLADDING

PRODUCT BAMBOO CLADDING



PRODUCT PARAMETERS

Length:	5800/2900 mm
Width:	140 mm
Thickness:	18 mm

Flame retardant grade reaches **Bf1**

OUTDOOR

outdoor anti-corrosion treatment, surface coated with oil.

INDOOR


Insect-resistant treatment, surface coated with oil.



SKSEC18-5 (OUTDOOR)



SKSC18-5 (INDOOR)



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING

PRODUCT BAMBOO CLADDING



PRODUCT PARAMETERS


Length:	5800/2900 mm
Width:	140 mm
Thickness:	18 mm



SKSEC35-12 (OUTDOOR)




SKSC35-12 (INDOOR)



BAMBOO CLADDING


PRODUCT BAMBOO CLADDING



SKSC-6

PRODUCT PARAMETERS


Length:	2000/2900 mm
Width:	96 mm
Thickness:	10 mm



SKSC-V

PRODUCT PARAMETERS

Length:	2000/2900 mm
Width:	140 mm
Thickness:	17 mm



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING


PRODUCT BAMBOO CLADDING



SKSC-S

PRODUCT PARAMETERS


Length:	2000/2900 mm
Width:	140 mm
Thickness:	17 mm



SKSC8-3

PRODUCT PARAMETERS

Length:	2000/2900 mm
Width:	120 mm
Thickness:	15/18 mm



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING


PRODUCT BAMBOO CLADDING



SKSC10

PRODUCT PARAMETERS


Length:	2000/2900 mm
Width:	100 mm
Thickness:	10 mm



PRODUCT PARAMETERS

Length:	2000/2900 mm
Width:	96 mm
Thickness:	10 mm

SKSC14-2



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING

PRODUCT BAMBOO SOFFIT



PRODUCT PARAMETERS


Length:	5800/2900 mm
Width:	400 mm
Thickness:	25 mm



SKSC20-2020 (OUTDOOR)



SKSC20-2020 (INDOOR)



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING


PRODUCT BAMBOO SOFFIT



PRODUCT PARAMETERS

Length:	5800/2900 mm
Width:	135 mm
Thickness:	15 mm
Application:	Interior decorative, exterior building for private house, school, museum, hotel, project solution

SKSEC-5 (OUTDOOR) /SKSC-5 (INDOOR)



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO CLADDING

PRODUCT ACOUSTIC PANEL





PRODUCT PARAMETERS

Length:	5800/2900 mm
Width:	128 mm
Thickness:	18 mm



SKSC13-3

SKSC28-4



SKSC13-4

PRODUCT PARAMETERS

Length:	2500/2000 mm
Width:	150/200 mm
Thickness:	20 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO CLADDING



SKSC-001-C8




墙板型号: 001#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	108 mm
Thickness:	8 mm



SKSC-002-P8




墙板型号: 002#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	108 mm
Thickness:	8 mm



SKSC-003-C8



墙板型号: 003#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	108 mm
Thickness:	8 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO CLADDING



SKSC-005-C20




墙板型号: 005#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	103 mm
Thickness:	20 mm



SKSC-006-C8




墙板型号: 006#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	123 mm
Thickness:	8 mm



SKSC-007-C8



墙板型号: 007#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	108 mm
Thickness:	8 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO CLADDING



SKSC-008-C18




墙板型号: 008#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	123 mm
Thickness:	8 mm



SKSC-011-C15




墙板型号: 011#

PRODUCT PARAMETERS

Length:	2900/2000 mm
Width:	165 mm
Thickness:	15 mm



SKSC-012-C18



墙板型号: 012#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	105 mm
Thickness:	15 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO CLADDING



SKSC-015-C25




PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	43 mm
Thickness:	25 mm




SKSC-016-C20




墙板型号: 016#

PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	105 mm
Thickness:	20 mm



SKSC-018-C18



墙板型号: k018#

PRODUCT PARAMETERS

Length:	2900/2000 mm
Width:	141 mm
Thickness:	18 mm



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS

BAMBOO CLADDING



SKSC-022-C8




PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	123 mm
Thickness:	8 mm



SKSC-023-C8



PRODUCT PARAMETERS

Length:	3000/2000 mm
Width:	123 mm
Thickness:	8 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING



SKSC-008-C9-01




墙板型号: 008#

PRODUCT PARAMETERS

Length:	2900/2000 mm
Width:	145 mm
Thickness:	9 mm



SKSC-008-C9-02




墙板型号: 008#

PRODUCT PARAMETERS

Length:	2900/2000 mm
Width:	145 mm
Thickness:	9 mm



SKSC-008-C9-03



墙板型号: 008#

PRODUCT PARAMETERS

Length:	2900/2000 mm
Width:	145 mm
Thickness:	9 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO EDGE CLOSING LINE

PRODUCT


BAMBOO EDGE CLOSING LINE



SKCECL001

PRODUCT PARAMETERS


Length:	2000 mm
Width:	40 mm
Thickness:	40 mm



SKCECL002

PRODUCT PARAMETERS


Length:	2000 mm
Width:	30 mm
Thickness:	15 mm



SKCECL003

PRODUCT PARAMETERS


Length:	2000 mm
Width:	15 mm
Thickness:	15 mm



SKCECL004

PRODUCT PARAMETERS

Length:	2000 mm
Width:	50 mm
Thickness:	20 mm



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CLADDING & SOFFIT



MAINTENANCE OF SOFFIT AND CLADDING

1.MAINTENANCE CYCLE

Dust the dust on the surface of the wallboard with a duster every two weeks or one month, which can effectively reduce the adsorption of dust on the surface and prolong the use time.

2.MAINTENANCE AND CLEANING METHOD

The film on the surface of the wallboard has a certain degree of air permeability, and the stain must be cleaned up in time to prevent it from being adsorbed to the inside of the wallboard for a long time. The best time to decontaminate is to scrub the dirt in time before the dirt is completely dry. The order of cleaning the dirt should be from the outside to the inside, rinse with an absorbent sponge block, do not use hot water. Remember not to use sharp objects, so as not to scratch the surface of the wallboard.

1)**Oil stains:** For local oil stains, pour the neutral detergent stock solution on a towel to wipe; for large areas of oil stains, increase the number of wipes, and then wipe dry with water.

2)**Rust:** Dilute it with a neutral detergent, leave it on for 10 minutes, and then remove it with water.

3)**Ink, coffee, juice:** Dilute with neutral detergent, then remove with water.

4)**Nail polish, paint, glue:** First carefully remove the dirt, then wash it with alcohol, and remove it after the dirt softens.

For the walls near the balconies and windows, when strong light must be irradiated, the curtains should be drawn to avoid discoloration and fading caused by long-term sunlight.



BAMBOO FEATURE

Bamboo isn't a plant, it's a lifestyle. Eco-friendly & sustainable, exactly meeting the concept of social development, endless possibilities to make your idea come true.



BAMBOO APPLICATION

Interior decorative, exterior building, school, museum, hotel, project solution.

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS




BAMBOO BEAM

BAMBOO BAMBOO BEAM APPLICATION



HAITANG BAY MARRIOTT TAIKANG RESORT HOTEL

Completion time:	Aprill 2022
Using materials:	B1 Flame retardant and weather resistant reconstituted
Size:	200*40*6200 mm
Application Position:	Architectural curtain wall decoration facade Hotel public area walls and floorsRestaurant bamboo woven facadeGuestroom public area walls, handrails, elevator lobbieselevator cars



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUINESS

BAMBOO BEAM



BAMBOO BAMBOO BEAM APPLICATION



PRODUCT PARAMETERS

Completion time:	August 2022
Using materials:	Glued Laminated Bamboo
Size:	20*1200*3000 mm

HONG KONG M+ MUSEUM



PRODUCT PARAMETERS

Completion time:	September 2022
Using materials:	Original Bamboo Tube
Size:	7*80*3000 mm

SHANGHAI HONGQIAO EXPO CENTER

Fax/Tel: +86-21-50792750 RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208 www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China





BAMBOO BEAM

BAMBOO BAMBOO BEAM APPLICATION



SANYA SHENYU ISLAND RESORT HOTEL

Completion time:	February 2021
Using materials:	Single Bamboo Laminated Timber
Size:	7*80*3000 mm



BAMBOO AND VINE PAVILION OF SHANGHAI WORLD FLOWER EXPO

Completion time:	April 2021
Using materials:	B1 Flame retardant and weather resistant reconstituted bamboo
Size:	3*20/30/50*2500 mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO BEAM

BAMBOO BAMBOO BEAM APPLICATION



PRODUCT PARAMETERS

Completion time:	February 2021
Using materials:	Original bamboo tube
Size:	30/50*3000 mm

DADONG BAMBOO SEA TOURIST RECEPTION CENTER



PRODUCT PARAMETERS

Completion time:	February 2022
Using materials:	B1 Flame Retardant Composite Material

SIR RUN RUN SHAW AUDITORIUM HONG KONG


Fax/Tel: +86-21-50792750 RobertWang@pianoplywood.com
PHN/WA/WX: +86-133 1189 1208 www.pianoplywood.com
Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



Shanghai Qin Ge Ceramic & Building Co., Ltd.

BAMBOO FLOORING

PRODUCT INTRODUCTION & APPLICATIONS


BAMBOO FLOORING

PRODUCT BAMBOO FLOORING TYPES




■ Horizontal:

Strips of bamboo are arrayed on their side, also referred to as flat grain. Creates a pattern of small marks from the "nodes" of the bamboo culm.




■ Vertical:

Strips of bamboo are arrayed vertically, also referred as edge grain. Minimizes the appearance of the "nodes" from the culm.



■ Strand Woven:

Irregular strips of bamboo are woven together for added strength and then compressed under extreme heat and pressure, creating a unique and beautiful marbled grain. Strand Woven bamboo flooring is also 2-3X harder than traditional hardwoods and classic bamboo flooring (horizontal & vertical).



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUINESS

BAMBOO FLOORING

PRODUCT BAMBOO FLOORING



NO.SKBF001

**NATURAL COLOR
FLAT PRESSURE**

960*96*15mm



NO.SKBF002(LATCH)

PAIR OF MATTS

1030*130*17mm



NO.SKBF003(LATCH)

**CARBONIZED
MATSFLAT PRESSURE**

1030*130*17mm



NO.SKBF004(LATCH)

**CARBONIZED
BRIGHT LIGHT**

1030*130*17mm



NO.SKBF005(LATCH)

TEA YELLOW

1030*130*17mm



NO.SKBF006(LATCH)

GOLDEN POMELO

1030*130*17mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO FLOORING

PRODUCT BAMBOO FLOORING



NO.SKBF007(LATCH)

RICH RED

1030*130*17mm



NO.SKBF008(LATCH)

PAPER CRANE

1030*130*17mm



NO.SKBF009(LATCH)

**GOLDEN
WHEAT FIELD**

1030*130*17mm



NO.SKBF010(LATCH)

MODERN TIMES

1030*130*17mm



NO.SKBF011(LATCH)

NATURAL COLOR

915*125*14mm



NO.SKBF012(LATCH)

MODERN TIMES

915*125*14mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO FLOORING

PRODUCT BAMBOO FLOORING



NO.SKBF013(LATCH)

DALBERGIA

915*125*14mm



NO.SKBF014(LATCH)

INK AND WASH

915*125*14mm



NO.SKBF015(LATCH)

HUALI

915*125*14mm



NO.SKBF016(LATCH)

INK COLOR

915*125*14mm



NO.SKBF017(LATCH)

**LOVE OF
THE PRAIRIE**

920*130*14mm



NO.SKBF018(LATCH)

SUNSET

920*130*14mm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



Shanghai Qin Ge Ceramic & Building Co., Ltd.

BAMBOO FURNITURE

PRODUCT INTRODUCTION & APPLICATIONS

BAMBOO FURNITURE

PRODUCT BAMBOO MIRROR



SJ-JZ2001

BAMBOO DRESSING MIRROR

Mirror Size: 150*33*3.5cm
Packing Size: 160*43*10.5cm

SJ-YJ2001

BAMBOO COAT RACK

Mirror Size: 100*159*45cm
Packing Size: 164*38.5*3.3cm



SJ-JZ2003

VERTICAL DRESSING MIRROR

Mirror Size: 150*33*3.5cm
Packing Size: 175*50*10cm
Net Weight: 8.7KG
Gross Weight: 9.9KG



SJ-JZ2002

BAMBOO DRESSING MIRROR

Mirror Size: 130*33*3.5cm
Packing Size: 140*43*10.5cm

SJ-YJ2002

BAMBOO COAT RACK

Mirror Size: 97*36*159cm
Packing Size: 83*5.5*8cm



SJ-JZ2004

BAMBOO 1M LONG SQUARE MIRROR

Mirror Size: 97*45cm
Packing Size: 106*50*9.5cm



SJ-JZ2008

SQUARE BARHROOM MIRROR

Mirror Size: 48.5*18*172cm
Packing Size: 102*47*9cm

SJ-2009

SQUARE BARHROOM MIRROR

Mirror Size: 38*26cm
Packing Size: 44*30*5.6cm



SJ-JZ2010

BAMBOO MIRROR WALL BRACKET

Mirror Size: 48.5*18*172cm
Packing Size: 102*47*6.5cm



SJ-JZ2006

BAMBOO BARHROOM MIRROR

Mirror Size: 38*38cm
Packing Size: 45*45*8cm

SJ-2007

BAMBOO BATHROOM MIRROR

Mirror Size: 45*45cm
Packing Size: 52*52*8cm



SJ-JZ2011

BAMBOO MIRROR WALL BRACKET

Mirror Size: 48.5*18*172cm
Packing Size: 102*47*9cm



SJ-JZ2005

BAMBOO LARGE MIRROR

Mirror Size: 74*43cm
Packing Size: 80.5*48*7cm

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO FURNITURE

PRODUCT BAMBOO STOOL



SJ-DZ2001

BAMBOO 1M CURVED SHOE STOOL WITH DRAWSTRING

Product Size:	105*34*55cm
Packing Size:	114.5*38.5*23cm
Net Weight:	9.4KG
Gross Weight:	10.7KG



SJ-DZ2005

BAMBOO 60U SHOE CHANGING STOOL

Product Size:	60*33*50cm
Packing Size:	39*12.8*60.5cm
Net Weight:	4.05KG
Gross Weight:	4.8KG



SJ-DZ2002

BAMBOO 70C URVED SHOE STOOLS WITH PULL OUT CHANGES

Product Size:	74*34*55cm
Packing Size:	72*38.5*23cm
Net Weight:	7KG
Gross Weight:	8.2KG



SJ-DZ2006

BAMBOO 90U FLIP TOP SHOE CHANGING STOOL

Product Size:	90*33*50cm
Packing Size:	39*18.8*87.5cm
Net Weight:	6.6KG
Gross Weight:	7.9KG



SJ-DZ2003

BAMBOO 50C URVED SHOE STOOLS WITH PULL OUT CHANGES

Product Size:	60*34*55cm
Packing Size:	114.5*38.5*23cm
Net Weight:	5.2KG
Gross Weight:	6.5KG



SJ-DZ2007

BAMBOO 90U SHOE CHANGING STOOL

Product Size:	90*33*50cm
Packing Size:	39*12.8*87.5cm
Net Weight:	5.3KG
Gross Weight:	6.4KG



SJ-DZ2004

BAMBOO 60U FLIP TOP SHOE CHANGING STOOL

ProductSize:	60*33*50cm
Packing Size:	39*18.8*60.5cm
Net Weight:	4.8KG
Gross Weight:	5.5KG



SJ-DZ2008

BAMBOO 100U FLIP TOP SHOE CHANGING STOOL

Product Size:	100*33*50cm
Packing Size:	39*19.3*97.5cm
Net Weight:	7.85KG
Gross Weight:	9KG

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New JinqiaoRD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO FURNITURE

PRODUCT BAMBOO STOOL



SJ-DZ2009

BAMBOO100U SHOE CHANGING STOOL

Product Size:	100*33*50cm
Packing Size:	39*13.3*97.5cm
Net Weight:	6.6KG
Gross Weight:	7.8KG



SJ-DZ2013

BAMBOO BARHROOM STOOL(STRAIGHT)

Product Size:	48*25*45cm
Packing Size:	53*30*18cm
Net Weight:	3.54KG
Gross Weight:	4.4KG



SJ-DZ2010

BAMBOO CURVED SMALL ROUND STOOL

Product Size:	34*34*45.5cm
Packing Size:	36*45*5cm
Net Weight:	1.2KG
Gross Weight:	1.7KG



SJ-DZ2014

PRODUCT NAME:BAMBOO BATHROOM STOOL(CURVED)

Product Size:	60.5*34*45.5cm
Packing Size:	63.5*37*10cm
Net Weight:	4.8KG
Gross Weight:	5.5KG



SJ-DZ2011

BAMBOO MULTI FUNCTIONAL SHOES STORAGE STOOL

Product Size:	90*30*44cm
Packing Size:	94*46*9cm
Net Weight:	6.1KG
Gross Weight:	7.3KG



SJ-DZ2015

BAMBOO HALF RONUD STRAP SHOE CHANGING STOOL

Product Size:	30*45*69.5cm
Packing Size:	75*46*12cm
Net Weight:	4.8KG
Gross Weight:	6.1KG



SJ-DZ2012

BAMBOO CURVED STOOL

Product Size:	58*35*43cm
Packing Size:	61*40*9cm
Net Weight:	2.6KG
Gross Weight:	3.5KG



SJ-DZ2016

BAMBOO SINGELE LAYER SEMI-CIRCULAR SHOE CHANGING STOOL PRODUCT

Product Size:	30*45*69.5cm
Packing Size:	48*5*78.5cm
Net Weight:	3.3KG
Gross Weight:	4.4KG

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO FURNITURE

PRODUCT BAMBOO STOOL



SJ-DZ2017

**BAMBOO DOUBLE LAYER SEMI-CIRCULAR
SHOE CHANGING STOOL**

Product Size:	30*45*69.5cm
Packing Size:	48*5*78.5cm
Net Weight:	3.8KG
Gross Weight:	4.9KG



SJ-DZ2018

**FULL BAMBOO SINGLE-LAYER
SEMI-CIRCULAR SHOE CHANGING STOOL**

Product Size:	30*45*69.5cm
Packing Size:	48*5*78.5cm
Net Weight:	3.1KG
Gross Weight:	4.2KG



SJ-DZ2019

**BAMBOO 90 ROUND CORNER
FOYER STOOL**

Product Size:	90*30.5*44cm
Packing Size:	92*32.5*14cm
Net Weight:	4.35KG
Gross Weight:	5.6KG



SJ-DZ2020

**BAMBOO 60 ROUND CORNER
FOYER STOOL**

Product Size:	60*30.5*44cm
Packing Size:	62*32.5*14cm
Net Weight:	3.3KG
Gross Weight:	4.1KG



Fax/Tel: +86-21-50792750



RobertWang@pianoplywood.com



PHN/WA/WX: +86-133 1189 1208



www.pianoplywood.com



Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUSINESS

BAMBOO FURNITURE

PRODUCT
PRODUCT APPLICATION

 **SIKLE SCD™**
Art bamboo life



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUSINESS

BAMBOO FURNITURE

PRODUCT PRODUCT APPLICATION



NATURAL BAMBOO MAINTENANCE METHODS:

1. **Maintenance period:** Depending on the intensity of sunlight and the local climate, the maintenance period can be extended or shortened:

- A)the outdoor fully exposed material maintenance period is about 2-3 years;
- B)Outdoor ceiling structure should be maintained every 5 years,
- C)Outdoor wall decoration materials should be maintained once every 3 years;
- D)Indoor materials should be maintained every 10 years.

2. **Maintenance method:** Remove dust, spray or brush outdoor oil or paint surface.



Weathered and dirty floors



Weathered but cleaned flooring



Floors that have been oiled and maintained

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



Shanghai Qin Ge Ceramic & Building Co., Ltd.

BAMBOO CRAFTS

PRODUCT INTRODUCTION & APPLICATIONS

BAMBOO CRAFTS

PRODUCT HOUSEHOLD DIM SUM TRAY



SIZE

10*10*1CM

13*13*1CM

18*18*1CM

20*20*1CM

25*25*1.2CM

30*30*1.5CM



QG0408001



QG0408002



QG0408003

SIZE

25X14CM

29X16CM

30X20CM

35X20CM



QG0408004



QG0408005



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO TRAY



SIZE

35*25*4.3CM

40*29*4.3CM

45*33*4.3CM

60*40*5CM



QG0408006

SIZE

13*27*2CM

17*33*2CM

10*40*2CM




QG0408007

SIZE

25*25*2CM

28*28*2CM



QG0408008

Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO TRAY



QG0408009



QG0408010



QG0408011



QG0408012



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO TRAY



QG0408013

25*10*1.5CM



QG0408014

23*10*1.5CM



QG0408015

40*25*1.5CM



QG0408016

40*23*1.7CM



QG0408017

35*12*1.5CM



22*23*1.5CM

QG0408018

22*23*1.5CM



SIZE

22*20*1.7CM

25*23*1.7CM

29*27*1.7CM

QG0408019



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT

BAMBOO PIZZA PLATE



QG0408020

33*12.5*2.1CM



QG0408021

33*20*2.1CM



QG0408022

44*33*1.3CM



QG0408023

40*24*2.1CM



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD




WA BUINESS


BAMBOO CRAFTS

PRODUCT BAMBOO DINING MAT

 **SIKLE SCD™**
Art bamboo life



QG0408024



QG0408025



QG0408026



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



BAMBOO CRAFTS

PRODUCT BAMBOO FRUIT BOX

SIKLE SCD™
Art bamboo life



QG0408027

22*22*6CM



QG0408028

18*18*10CM




QG0408029

20*10*5CM



QG0408030

30*10*5CM



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT


BAMBOO SEASONING BOX



QG0408031



QG0408032



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO BOWL

 **SIKLE SCD™**
Art bamboo life



尺寸: 15*6cm

QG0408033

22*22*6 cm



尺寸: 16*7cm

QG0408034

18*18*10 cm



 Fax/Tel: +86-21-50792750

 RobertWang@pianoplywood.com

 PHN/WA/WX: +86-133 1189 1208

 www.pianoplywood.com

 Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO COASTER



QG0408035

SIZE

60*60 mm

70*70 mm



QG0408036

SIZE

60*60 mm

80*80 mm



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China




PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO TEA TRAY



QG0408037



QG0408038



QG0408039



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO TEA TRAY



QG0408040



QG0408041



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS

BAMBOO CRAFTS

PRODUCT BAMBOO COASTER



QG0408042

SIZE

60*80 mm



QG0408043

SIZE

60*60 mm

80*80 mm



Fax/Tel: +86-21-50792750

RobertWang@pianoplywood.com

PHN/WA/WX: +86-133 1189 1208

www.pianoplywood.com

Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China



PIANOPLYWOOD



WA BUINESS



SIKLE SCD™
Art bamboo life

Sikle SCD

Provide royal bamboo quality life,enjoy art bamboo life

WWW.PIANOPLYWOOD.COM

Fax/Tel: +86-21-50792750

Phone/WhatsApp/WeChat: +86-133 1189 1208

E-mail: RobertWang@pianoplywood.com

Add: Block F,Floor 8,NO.58,New Jinqiao RD,Pudong District,Shanghai 201206,China



WWW.PIANOPLYWOOD.COM

Shanghai Qin Ge Ceramic & Building Co., Ltd.

Sikle SCD

Fax/Tel: +86-21-50792750

Phone/WhatsApp/WeChat: +86-133 1189 1208

E-mail: RobertWang@pianoplywood.com

Add: Block F, Floor 8, NO.58, New Jinqiao RD, Pudong District, Shanghai 201206, China