




VF634

Quick Start Guide

1. Appearance Introduction




2. Equipment Installation




Please insert the cable into the terminal before installation.

- 1) remove the anti-disassembly screw with the four-corner screw and remove the hanging plate.
- 2) attach the hanging board to the wall and drill holes, and fix the hanging board to the wall with screws.
- 3) remove the wiring of the wire cover plate behind the equipment, and install it back after the wiring is completed.
- 4) hang the equipment on the installed hanging board and insert the anti-disassembly screw.

3. Schematic Diagram of Access Control System




4. Connect Door Sensor and Exit Switch




5. Connecting Door Lock

This equipment can support normally open and normally closed locks. NO terminals should be used for locks that are opened when power is on and closed when power is off, and NC terminals should be used for locks that are closed when power is on or opened when power is off.

1) Power-on lock



2) The lock is often unlocked when electrified.



6. Check the Opening Record

Smart Communi... Home **Community** Device Property Visitor Parking Log Data System

Household Management... Household Card Management Identity Authentication Community Materials Employee Information Building Unit Floor Room Door Management Report

Normal Open Door Records

Keyword: Device SN: Name: All Open door type: All

Identity type: All Recent Time: One Week One Month Time: Start Time End Time

Search Reset

Delete Export exportCaptureImage

Open door time	Name	Device name	Event Points	Open Door Type	Face Recognition Data	Capture
2020-10-20 17:05:25	Chuang Yongli	Entrance gate access (23583348855)	Entrance gate access	Face recognition open door	Match score: 92 Body Temperature: 36.40	
2020-10-20 16:57:32	Zhang Honggen	Chief Manager's Office (23583348855)	Chief Manager's Office	Open the door remotely (APP)	None	
2020-10-20 16:56:19	Zhang Honggen	Entrance gate access (23583348855)	Entrance gate access	Face recognition open door	Match score: 93 Body Temperature: 36.40	
2020-10-20 16:20:37	Wu Jingwei	Gate1 (4881488588)	Gate V550	Normal card opening (79916298)	None	
2020-10-20 16:19:56	Wu Jingwei	Gate1 (4881488588)	Gate V550	Normal card opening (79916298)	None	

Normal Open Door Recor...
Fail Open Door Records
Call Room Records


Click "Community"—"normal opening record" to view the normal opening record.

Click "Community"—"Open door failure record" to view the failed opening record.


Click "Community"—"call Room record" to view the call room record.

Click "Community"—"face Detection record" to view the record of opening the door through the face.


7.Add Device (Background)



(1)



(2)



(3)

1. Click "Community"–"door Management", as shown in figure (1).
2. Click "add" to fill in the relevant information about the door. "installation location" can select "Community, Unit, Room" to create the door. The door number is used to write the card, and click "submit", as shown in figure (2).
3. Click "equipment"–"add" to fill in the equipment–related information, and click "submit", as shown in figure (3).

Note: two door machines are not allowed to be installed at the same door (installation location). When adding a door machine, the corresponding user information, user face, card, management machine, indoor machine, house, property, advertisement, announcement, visitors and other data will be added to the device.

8.Online, Offline (Background)

Click "Device"–"Equipment Status Monitoring"to view the online and offline status of the device.

Smart Communi... Home Community **Device** Property Visitor Parking Big Data System

Device Status Monitoring

Device Management

Device

Device Status Monitoring

Real-time Data Monitoring

Day Time Usage

Device Time Strategy

Device Ad

Ad Management

Ad Type

Ad Playlog

Access Control Manage...

Guest Password

96 Total devices

11 Online device

51 Offline device

4 No internet

Device name	Device model	Installation location	Status	Version	IP Address	Last connection time	Commands Count	Commands Result	Operation
17125151204	V8100	Spencer for testing/1111	Offline		152.168.22.17		465	Add Command	Cancel Command and Details
1941805577919418055739	The access controller	Spencer for testing/Access controller	Offline				1490	Add Command	Cancel Command and Details
19418052679194180526299	The access controller	Unit 1, 2nd floor of 1 building	Offline				1300	Add Command	Cancel Command and Details
1949384848219493848482	V500	Spencer for testing/100	Offline		152.168.10.89		253	Add Command	Cancel Command and Details
19519411161951941116	V8120	Spencer for testing/100-1	Offline		152.168.14.10		290	Add Command	Cancel Command and Details
23562294062356229406	V8120	1 building 1 unit/1st floor 4108	Offline	2.19.2.13.200415161008	152.168.10.57	20200419181742	1335	OK	Cancel Command and Details
23563570072356357007	M082	1 building 1 unit/1st floor 4080	Offline				252	Add Command	Cancel Command and Details

Offline status

Smart Communi... Home Community **Device** Property Visitor Parking Big Data System

Device Status Monitoring

Device Management

Device

Device Status Monitoring

Real-time Data Monitoring

Day Time Usage

Device Time Strategy

Device Ad

Ad Management

Ad Type

Ad Playlog

Access Control Manage...

Guest Password

96 Total devices

11 Online device


51 Offline device

4 No internet

Device name	Device model	Installation location	Status	Version	IP Address	Last connection time	Commands Count	Commands Result	Operation
Financial office/2205210405	M000	Financial office	Online	101	121.35.2.186	20201020170238	0		Cancel Command and Details
Gate V001/148148055	A500	Gate V001	Online	V5.7.4.0	10.73.110.171	20201020170511	0	OK	Cancel Command and Details
Conference Room1/2205207115	M000	Conference Room1	Online	104	121.35.2.186	20201020170554	0		Cancel Command and Details
Conference Room2/19405080121	C200	Conference Room2	Online	110	121.35.2.186	20201020170240	462		Cancel Command and Details
Customer equipment/22052052070	M500	Unit 1, 1st floor 1	Offline				419	Add Command	Cancel Command and Details
Boys LG41/120507840	C100	Office door 1	Offline				0	OK	Cancel Command and Details
Access control 1191194180505110	Access control	1 building 1 unit / 119 floor 1 1 building 1 unit / 119 floor 2 1 building 1 unit / 119 floor 3	Offline				1535	Add Command	Cancel Command and Details
Gate gate-w01/2205208170	V610B-T	Gate gate-w01	Offline		152.168.2.13		436	Add Command	Cancel Command and Details
Entrance gate-w01/220501400	V610B-T	Entrance gate-w01	Online	2.19.2.13.200727151046	152.168.22.7	20201020170509	0	OK	Cancel Command and Details


Online status

9.Online, Offline (Device Side)



Online status

When an Ethernet icon and a cloud platform are displayed in the upper left corner and the icon is white, the device is online




Offline state


When the "prohibit" icon appears in the upper left corner, the device is offline.

10.Appendix

Product appearance display



Front



Back

11.Common Problems and Solutions

Serial number	Fault phenomenon	Cause of failure	Troubleshooting
1	The power LED is off.	The power supply is not connected	Connect the power supply

