

Test Report

SL52425343275901TX

Date: October 23, 2024 Page 1 of 4

SHANDONG IBOATE SECURITY TECHNOLOGY CO., LTD
NO.200 CHANGJIANG ROAD, ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE, YANTAI,
SHANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : (A)Glove (13-Gauge polyester latex waterproof double back coating)

Sample Color : (A)Blue/Black

Composition : (A)polyester latex

Sample Dimension/Size : 9

Style No. : RF0927

Proposed Care Instruction : -

Test Performed : Selected test(s) as requested by applicant

Sample Receiving Date : Oct 17, 2024


Testing Period : Oct 17, 2024 - Oct 23, 2024

Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).

Protective Gloves against Mechanical Risks (EN 388:2016+A1:2018)

Conclusion	A	Remark
Clause 4.1 Abrasion Resistance	Level 2	
Clause 4.1 Blade Cut Resistance	Level 1	
Clause 4.1 Tear Resistance	Level 4	
Clause 4.1 Puncture Resistance	Level 2	

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd



Sara Guo (Account Executive)

SGS does not verify authenticity of any Brand/Trademark of products. Buyers must check if the product is genuine with the Brand/Trademark owner directly.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Test Result

Protective Gloves against Mechanical Risks

EN 388:2016+A1:2018

Clause 4.1 Abrasion Resistance

(EN 388:2016+A1:2018, Clause 6.1)

A

As Received	No. 1	No. 2	No. 3	No. 4	Minimum
Abrasion Result(Rubs)	1700	1800	1700	1700	1700

Recommended Level: 2

Remark:

1) Performance requirement:

Level 1: 100rubs; Level 2: 500rubs; Level 3: 2000rubs; Level 4: 8000rubs

2) Consumables information:

Abradant: Klingspor PL31B Grit 180

Double-sided adhesive tape: Polyken ®

Clause 4.1 Blade Cut Resistance

(EN 388:2016+A1:2018 Clause 6.2)

Sample A

As received

	Unit	C _n	T	C _{n+1}	Index	Index of each specimen
Specimen 1						
Sequence 1	-	0.8	0.6	0.8	1.8	1.8
Sequence 2	-	0.8	0.6	0.8	1.8	
Sequence 3	-	0.8	0.6	0.8	1.8	
Sequence 4	-	0.8	0.6	0.9	1.8	
Sequence 5	-	0.9	0.6	0.9	1.7	
Specimen 2						
Sequence 1	-	0.9	0.6	0.9	1.7	1.7
Sequence 2	-	0.9	0.6	0.9	1.7	
Sequence 3	-	0.9	0.6	0.9	1.7	
Sequence 4	-	0.9	0.6	0.9	1.7	
Sequence 5	-	0.9	0.6	1.0	1.6	

Lowest of the Two Average : 1.7

Recommended level: 1

Remark :

1) C_n & C_{n+1}= Cut-through cycles of control specimen ; T=Cut-through cycles of test specimen ;

2) Performance requirement : Level 1-1.2, Level 2-2.5, Level 3-5.0, Level 4-10.0, Level 5-20.0

The performance level is defined as the lowest of the two specimen index values.

3) Consumables information:

Canvas : STM 611 Blade : RB45-10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (China) Technical Services (Shanghai) Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Clause 4.1 Tear Resistance

(EN 388:2016+A1:2018, Clause 6.4)

As Received

	Unit	A
-		
In the direction of the glove -1#	N	93
In the direction of the glove -2#	N	99
Across the palm width of the glove -1#	N	83
Across the palm width of the glove -2#	N	94
Lowest value	N	83

Recommended Level: 4

Remark: Level 1: 10N; Level 2: 25N; Level 3: 50N; Level 4: 75N

Clause 4.1 Puncture Resistance

(EN 388:2016+A1:2018, Clause 6.5)

A	No. 1	No. 2	No. 3	No. 4	Minimum
As Received					
Result(N)	65	67	64	64	64

Recommended Level: 2

Remark: Level 1: 20N; Level 2: 60N; Level 3: 100N; Level 4: 150N



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com

Sample Photo



Product information is provided by applicant without verification or authentication of the brand.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report

Scan to see the report



SL52425343275901TX

Verification:
check.sgsonline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Service Co., Ltd.
Softline Laboratory

3rd Building, No. 889, Yishan Road, Xuhui District Shanghai, China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t (86-21) 61402666
t (86-21) 61402666

f (86-21) 64958763
f (86-21) 64958763

www.sgsgroup.com.cn
sgs.china@sgs.com