LUXURY WALL MATERIAL

LUXURY WALL PANELING
MATERIAL
SOLUTIONS SUPPLIER
高端墙面材料解决方案供应商

佛山市三锐家居建材有限公司
Foshan SUNRISE Home Building Materials Co., Ltd.
佛山市禅城区南庄镇龙津村朝阳工业区36号之二
No. 36-2, Chaoyang Industrial Zone, Longjin Village,
Nanzhuang Town, Chancheng District, Foshan City

SUNRISE
三 锐 家 居

LUXURY WALL PANEL

高端墙面新材

CONTENT



Luxury Wall
Panel

1 简介/Introduction
1.1关于我们/About Us
1.2公司优势/Company Advantage
1.3工厂场景/Factory Scene

2 金刚板/Diamond Panels
2.1面板概述/Panel Overview
2.2安装步骤/Installation Steps
2.3产品参数/Product Parameters
2.4资质证书/Qualification

3 碳晶板/Carbon Crystal Panel
3.1面板概述/Panel Overview
3.2产品数据/Product Data
3.3资质证书/Qualification
3.4细节性能/Detailed Performance
3.5金属配件/Metal Fittings

4 格栅/Louvers Panel
4.1面板概述/Panel Overview
4.2格栅型号/Louvers Panel Models

5 安装位置/Installation Position

6 色卡/Color Card
6.1木纹系列/Wood Grain Series
6.2真漆系列/Real Lacquer Series
6.3纯色系列/Pure Color Series
6.4布纹系列/Fabric Series
6.5肤感系列/Skin Series
6.6皮文系列/Leather Series
6.7金属系列/Metal Series

7 高端大理石连纹/Luxury Wall Panel
7.1面板概述/Panel Overview
7.2缤纷系列/Marble Colorful Series
7.3白岩系列/Marble White Rock Series
7.4黑岩系列/Marble Black Rock Series
7.5火山灰系列/Marble Volcanic Gray Series

8 PU石材/PU Stone
8.1面板概述/Panel Overview
8.2安装方法/Installation Method
8.3蘑菇石/Mushroom Stone
8.4星月石/Star and Moon Stone
8.5山岩石/Mountain Stone
8.6石皮/Stone Skin
8.7九宫格/Nine Gables
8.8羽毛石/Feather Stone

9 3D软石/3D Soft Stone
9.1面板概述/Panel Overview
9.2安装方法/Installation Method
9.3W麻编系列/W hemp woven series
9.4海花岛编织系列/Seaflower Series
9.5夯土系列/Tamped Series
9.6斧琢石系列/Axe Cut Stone Series
9.7其它系列/About Series

10 WPC户外/WPC Outdoor
10.1面板概述/Panel Overview
10.2安装方法/Installation
10.3WPC型号/WPC Models

SUNRISE
三 锐 家 居

ABOUT US
关于我们

佛山市三锐家居建材有限公司是一家致力于全屋定制研发、设计、生产、销售、服务于一体的家具高端定制企业;配备专业的设计师团队,周到的客户服务,完善的售后服务体系,产品远销海内外。围绕“健康”和“美学”两个价值主张,用新材料、新工艺、新标准,严 选最合适的板材制作,是全屋定制的引领者,更是美好生活的创造者,为用户带来可实现的现代健康家居生活方式满足用户对美好生活的追求。

公司位于建材之都:广东省佛山市,主营产品有:橱柜,衣柜,浴室柜,餐边柜,护墙板等多种产品。有着个性化设计,根据消费者的生活习惯和审美标准进行设计,使每个空间都具有独特的风格和功能。拥有统一性。通过整个家居的风格和色调保持一致性,确保家居各部分之间的和谐统一。升级的环保标准,在材料选择和制作过程中注重环保,选择含胶量更少的材料,减少对环境的影响。简化装修流程,与传统装修相比,全屋定制可以简化装修流程,节省时间和精力,通过一体化设计,消费者无需为家居的各个部分分别奔波。风格多样,包括现代简约、北欧风格、古典欧式风格和地中海风格等,以满足不同消费者的需求和喜好。

Foshan Sunrise Furnishing Building Materials Co., Ltd. is a high-end furniture customization enterprise dedicated to the research and development, design, production, sales, and service of whole house customization; Equipped with a professional team of designers, attentive customer service, and a comprehensive after-sales service system, our products are exported overseas. Centered around the two value propositions of "health" and "aesthetics", using new materials, new processes, and new standards a rigorously select the most suitable board materials for production. We are the leader in whole house customization and the creator of a better life, bringing users achievable modern healthy home lifestyle to meet their pursuit of a better life.

The company is located in Foshan, Guangdong Province, the capital of building materials. Its main products include cabinets, wardrobes, bathroom cabinets, sideboards,wall panels, and more. With personalized design, each space is designed according to the lifestyle and aesthetic standards of consumers, giving it a unique style and function. Having uniformity. By maintaining consistency in the style and color tone of the entire home, we ensure harmony and unity between various parts of the home. Upgraded environmental standards focus on environmental protection in material selection and production processes, selecting materials with lower adhesive content to reduce environmental impact. Simplify the decoration process. Compared with traditional decoration, whole house customization can simplify the decoration process, save time and energy. Through integrated design, consumers do not need to rush to different parts of the home separately. There are various styles, including modern minimalism, Nordic style, classical European style, and Mediterranean style, to meet the needs and preferences of different consumers.

SUPERIORITY
公司优势

环保原材：我们采用高品质、环保的原材料，确保产品的质量和可持续性，为客户提供安全和健康的使用体验。

Eco-friendly Materials: We use high-quality and environmentally friendly raw materials to ensure product quality and sustainability, providing customers with a safe and healthy user experience.

先进技术：拥有先进的生产设备、技术和工艺，确保产品的生产效率和质量控制，从而满足不同客户的需求

Advanced Technology: With advanced production equipment, technology, and processes, we ensure efficient production and quality control, meeting the diverse needs of different customers.

创新设计：我们的设计团队持续追求创新，结合现代审美和功能性，为客户提供独特、时尚的墙板设计解决方案。

Innovative Design: Our design team continuously pursues innovation, combining modern aesthetics and functionality to provide customers with unique and stylish wall panel design solutions.

应用广泛：碳晶板墙板适用于多种场景，包括家居装修、商业空间、公共区域等，为客户提供多样化的选择和应用场景。

Wide Applications: Carbon crystal wall panels are suitable for various scenarios, including home decoration,commercial spaces, public areas, etc., offering customers a diverse range of choices and application scenarios.

客户服务：我们致力于为客户提供优质的售前、售中和售后服务，包括产品咨询、安装指导和售后支持，确保客户满意度和长期合作关系。

Wide Applications: Carbon crystal wall panels are suitable for various scenarios, including home decoration, commercial spaces, public areas, etc., offering customers a diverse range of choices and application scenarios.

15000+ m²厂房占地面积
15000+m²Plant footprint


展厅/Exhibition hall


展厅/Exhibition hall



展厅/Exhibition hall


会议室/Meeting Room


打包区/Packing Area


600板包覆机/600 Laminating Machine


封边区/Edge Banding Area




封边区/Edge Banding Area


平贴机/Flatbed laminator


平贴机/Flatbed laminator



大板包覆机/laminating machine


格栅包覆机/louvre laminating machine


600板包覆机/600 laminating machine


车间生产线/Semi-finished substrates


打包区/Packing area


成品区 /Inventory area



Diamond Panel


金刚板

Diamond material panels, the use of high-quality environmentally friendly new raw materials substrate


Diamond Panels Overview
金刚板面板概述

金刚材料面板，采用优质环保的新原料基材，通过高温工艺挤压而成，
专业的生产设备技术，全过程无任何污染材料，无尘车间批量生产。
我们能够提供多种表面覆膜工艺，多类型膜皮,PVC,PET等
具有高强度防刮耐磨功能，金刚板，其硬度也是非常高强
并且原材料把控材料能够批量个性定制生产，可以满足不同客户的需求。

Diamond material panels, the use of high-quality environmentally friendly new raw materials substrate, extruded through high-temperature process, professional production equipment technology, the whole process without any pollution materials dust-free workshop mass production. We are able to provide a variety of surface coating process, multi-type film skin, PVC, PET, etc., with high-strength anti-scratch wear-resistant function diamond panels , its hardness is also very high strength, and raw materials to control the material to be able to batch personalised custom production, can meet the needs of different customers.






















金刚板安装方法

Diamond plate wall installation method

金钢板安装步骤

Diamond plate installation procedure







完成效果
Show examples



清洁墙面
Cleaning walls



测量
Measurement



切割
Cutting



涂胶水
Glueing

安装前的准备以及安装的需求

Preparation before installation and requirements of the installation site

01 安装场所必须干燥并且至少安装前24小时要达到规定的温湿标准，安装后的最大湿度变化值要控制在40%—60%范围内。

The installation site must be dry and reach the specified temperature and humidity standards at least 24 hours before installation.The minimum temperature required by the installation site is 15 degrees, and the maximum humidity change value after installation should be controlled within the range of 40%-60%.

02 安装前，必须先将墙面进行清理，保持墙面干净，然后将包装箱打开以便产品达到与安装场所相一致的环境特性

Before installation, the wall must be cleaned and kept clean, then the box must be opened in order for the product to achieve environmental characteristics consistent with the place of installation.

03 测量墙体的尺寸，检测墙体的表面是否有巨大凹陷
然后根据图纸尺寸进行施工裁切板材

Measure the dimensions of the wall, detect whether there is a huge depression on the surface of the wall, and then cut the sheet according to the size of the drawing for construction

04 准备所需要安装上墙面的板材，并在板材背面打上结构胶水
静止2分钟后，人工快速上墙贴合，然后利用金属材料加枪钉进行位置固定。

Prepare the required panels to be installed on the wall and apply structural adhesive on the back of the panels, let it rest for 2 minutes, then manually fasten them on the wall and then utilize the metal material with gun nails for position fixing.

SPECIFICATIONS
产品数据

金刚板Diamond Panel



名　称 Name	金刚板 Diamond Panel
结　构 Structure	基材、加强固化层、装饰层、保护层 Base Material, Reinforcement Curing Layer, Decorative Layer, Protective Layer
基　材 Base materials	**硅藻泥**、竹粉、木粉、碳粉、PVC粉、以及天然树脂等材料， 200多度高温热加工融合而成 Made from materials such as diatomaceous earth, bamboo powder, wood powder, carbon powder, PVC powder, and natural resins, fused together through high-temperature processing of over 200 degrees Celsius
装饰层 Decorative Layer	木纹、布纹、皮纹、石纹、纯色、肤感、真漆、金属，使用PUR热胶覆膜 Decorative Layer: Designs include wood grain, fabric texture, leather texture, stone texture, solid colors, tactile feel, real lacquer, and metal. Laminating with PUR hot glue.
加强固化层 Reinforcement Curing Laye	可塑性好、不易变形，防止运输途中磨损装饰层 Good plasticity and not easily deformed.Prevents wear and tear on the decorative layer during transportation

产品特点 Features

防水防潮：出色的防水和防潮性能，即使在湿润的环境中也能保持其原始状态，避免潮湿和霉菌的侵害。
Waterproof and Moisture-proof: Excellent waterproof and moisture-proof performance ensures that it maintains it original state even in humid environments, preventing damage from moisture and mold.

防火阻燃：B级阻燃材料，适用于防火较高场所，为您提供更高的安全保障。
Fireproof and Flame-retardant: Class B flame-retardant material suitable for places with high fire safety requirements, offering you enhanced safety protection.

超强柔韧性：可根据需要任意弯曲、折弯和切割，满足不同装饰设计的要求。
Exceptional Flexibility: Can be bent, folded, and cut according to specific needs, catering to various decorative design requirements.

表面具有高度的抗刮和耐磨性，长时间使用后仍能保持如新的外观。
Scratch-resistant and Durable: The surface boasts high scratch resistance and durability, maintaining a fresh appearance even after prolonged use.


坚实牢固：强压不碎，为您的空间提供持久的保护和支撑。
Solid: Resists crushing, providing lasting protection and support for your space.

安装方便：安装过程简单快捷，无需复杂的工具或技能，节省您的时间和精力。
Easy Installation: The installation process is straightforward and efficient, saving you time and effort without the need for complicated tools or skills.

饰面多样：提供多种饰面选择，满足不同装饰风格和个人喜好。
Diverse Finishes: Offers a variety of finishing options to meet different decorative styles and personal preferences.

应用范围适用于家居、商业空间、公共区域等多种场合都能展现出卓越的装饰效果和功能性。
Versatile Applications: Suitable for various settings including homes, commercial spaces, and public areas, showcasing outstanding decorative effects and functionality.

细节展示 Detailed display



TEST REPORT
资质证书

金刚板检测报告\Diamond Plate Inspection Report





金刚板燃烧性能检测\ Diamond Plate Flammability Testing





金刚板物理性能检测报告\ Diamond Plate Physical Property Test Report





金刚板检测报告\Diamond Plate Inspection Report





金刚板燃烧性能检测\ Diamond Plate Flammability Testing





金刚板物理性能检测报告\ Diamond Plate Physical Property Test Report







Carbon Crystal Panel Overview
碳晶板面板概述

碳晶板面板，采用优质环保的新原料基材，通过高温工艺挤压而成专业的生产设备技术，全过程无任何污染材料，无尘车间批量生产。我们能够提供多种工装和家装材料表面覆膜工艺，多类型膜皮PVC,PET等，具有高强度防刮耐磨功能，碳晶板能够定制生成5MM 8MM、9MM等工装材料，有配套完善的线条、灯光材料满足多样化设计并且原材料把控能够批量个性定制生产，可以满足不同客户的需求。

Carbon crystal panel, the use of high-quality eco-friendly new raw material substrate, extruded through high temperature process, professional production equipment technology, the whole process without any polluting materials, dust-free workshop mass production. We are able to provide a variety of industrial and home decoration materials surface coating process, multi-type film skin, PVC, PET, etc., with high strength anti-scratch wear-resistant function, carbon panel can be customised to generate 5MM, 8MM, 9MM, etc., industrial materials, there are supporting the perfect line, lighting materials to meet the diversified design, and the control of raw materials can be a batch of personalized custom production, can meet the needs of different customers.





SPECIFICATIONS
产品数据

碳晶板 Carbon Crystal Panel



名　称 Name	碳晶板 Carbon Crystal Panel
结　构 Structure	基材、加强固化层、装饰层、保护层 Base Material, Reinforcement Curing Layer, Decorative Layer, Protective Layer
基　材 Base materials	竹粉、木粉、碳粉、PVC粉、以及天然树脂等材料 ,200多度高温热加工融合而成 Made from materials such as bamboo powder, wood powder, carbon powder, PVC powder, and natural resins, fused together through high-temperature processing of over 200 degrees Celsius
装饰层 Decorative Layer	木纹、布纹、皮纹、石纹、纯色、肤感、真漆、金属 Designs include wood grain, fabric texture, leather texture, stone texture, solid colors, tactile feel, real lacquer, and metal
加强固化层 Reinforcement Curing Laye	可塑性好、不易变形，防止运输途中磨损装饰层 Good plasticity and not easily deformed.Prevents wear and tear on the decorative layer during transportation

产品特点 Features

防水防潮：出色的防水和防潮性能，即使在湿润的环境中也能保持其原始状态，避免潮湿和霉菌的侵害。

Waterproof and Moisture-proof: Excellent waterproof and moisture-proof performance ensures that it maintains it original state even in humid environments, preventing damage from moisture and mold.

防火阻燃：B级阻燃材料，适用于防火较高场所，为您提供更高的安全保障。

Fireproof and Flame-retardant: Class B flame-retardant material suitable for places with high fire safety requirements, offering you enhanced safety protection.

超强柔韧性：可根据需要任意弯曲、折弯和切割，满足不同装饰设计的要求。

Exceptional Flexibility: Can be bent, folded, and cut according to specific needs, catering to various decorative design requirements.

表面具有高度的抗刮和耐磨性，长时间使用后仍能保持如新的外观。

Scratch-resistant and Durable: The surface boasts high scratch resistance and durability, maintaining a fresh appearance even after prolonged use.

坚实牢固：强压不碎，为您的空间提供持久的保护和支撑。

Solid: Resists crushing, providing lasting protection and support for your space.

安装方便：安装过程简单快捷，无需复杂的工具或技能，节省您的时间和精力。

Easy Installation: The installation process is straightforward and efficient, saving you time and effort without the need for complicated tools or skills.


饰面多样：提供多种饰面选择，满足不同装饰风格和个人喜好。

Diverse Finishes: Offers a variety of finishing options to meet different decorative styles and personal preferences.

应用范围适用于家居、商业空间、公共区域等多种场合都能展现出卓越的装饰效果和功能性。


Versatile Applications: Suitable for various settings including homes, commercial spaces, and public areas, showcasing outstanding decorative effects and functionality.

细节展示 Detailed display




TEST REPORT
资质证书



碳晶板防火检测报告\ Flammability Testing





碳晶板检测报告\Diamond Plate Inspection Report

碳晶板甲醛检测报告\ Diamond Plate Flammability Testing

碳晶板燃烧性能检测\ Diamond Plate Flammability Testing


碳晶板物理性能检测报告\ Diamond Plate Physical Property Test Report




碳晶板物理性能检测报告\ Diamond Plate Physical Property Test Report






性能实拍
Performance






防水防火：不会因为受潮而发霉，经久耐用，用不变形
Waterproof and fireproof, it will not become moldy due to moisture, is durable and will not deform after use.







折弯塑性：硬而不脆方为韧，可折弯360°，轻松拿实现各种造型
Can be bent easy to hold and realize various shapes.

拼接槽位
Splicing Slot



U型槽　U-SPLICING PROCESS



平型槽　FLAT SEAM SPLICINGPROCESS



大V槽　BIG V SLOTSPLICING MODE



锁扣　LOCKING SPLICING MODE




土字槽　土SPLICING MODE




金属工字链接　Meta LINK


金属线
Metal Line




BH8240
L10X10直角




BH8150
L15X15直角




BH8455
内嵌踢脚线




BH8660
发光踢脚线




BH8456
错层灯带




BH8215
收口线




BH8456
错层灯带




BH8215
收口线




BH8216
工字线




BH8213
工字线




BH8330
平面踢脚线



BH8152
L型线



BH8390
工字灯带



BH8301
土字链接



BH8270
内嵌工字


Louvered Panels


格栅 | The louvre panel, using high-quality environmentally friendly new raw materials substrate

Louvered Panels Overview
格栅面板概述

格栅板面板，采用优质环保的新原料基材，通过高温工艺挤压而成专业的生产设备技术，全过程无任何污染材料，无尘车间批量生产。我们有不同类型结构的格栅材料，能按照客户需求做到同颜色同纹路我们能够提供多种格栅工装和家装材料表面覆膜工艺，多类型膜皮，PVCPET等，具有高强度防刮耐磨功能，有配套完善的线条、灯光材料满足多样化设计，并且原材料把控能够批量个性定制生产可以满足不同客户的需求。


The louvre panel, using high-quality environmentally friendly new raw materials substrate, extruded through high temperature process, professional production equipment technology, the whole process without any polluting materials, dust-free workshop mass production. We have different types of structural louver materials, according to customer demand to do the same colour with the pattern, we can provide a variety of louver industrial and home decoration materials surface coating process, multi-type film skin, PVC, PET, etc., with high-strength anti-scratch wear-resistant function, there is a perfect supporting lines, lighting materials to meet the diversified design, and the control of raw materials can be a batch of personalized custom production to meet the different needs of customers. Customers can meet different needs.






CLASSICAL LOUVERS SERIES


格栅型材




Type:GS13318 Size:3000*133*18




Type:GS14813 Size:3000*148*13




Type:GS16822 Size:3000*168*22




Type:Gs1599 Size:3000*159*9




Type:GS20715 Size:3000*207*15



Type:GS14815 Size:3000*148*15




Type:C55515 Size:3000*54*16




Type:GS7315 Size:3000*72*15


CLASSICAL LOUVERS SERIES
格栅型号




Type:GS19325 Size:3000*193*24




Type:GS13518 Size:3000*150*15




Type:GS1589 Size:3000*159*9




Type:GS20415 Size:3000*202*15




Type:GS20115 Size:3000*201*15




Type:GS10919 Size:3000*107*15




Type:GS15017 Size:3000*150*17




Type:GS15012 Size:3000*150*12




Type:GS10212 Size:3000*100*12



Type:GSL8312 Size:3000*163*15



Type:GS3698 Size:3000*367*8



Type:GS13015 Size:3000*130*15







设计理念

这个设计案例涵盖了同色碳晶板、同色木纹格栅以及金属线等配件，确保了整体色调的一致性，为空间营造出现代感和统一的氛围。特别设计的灯带槽位则为空间增添了柔和的光线，打造出温馨舒适的氛围。除此之外，我们还采用了肤感系列碳晶板和Pet连纹等材料，不仅在美观和耐用方面表现出色，更能为用户带来愉悦的触感体验，并展现出细腻的质感和独特的视觉效果。

DESIGN CONCEPT

Our design incorporates same-color carbon crystal boards, same-color wood grain grilles, and metal lines for a consistent color scheme and modern ambiance. Special light strip slots enhance the atmosphere with gentle lighting. Additionally, skin-feel series carbon crystal boards and Pet continuous texture materials offer durability, aesthetics, and a pleasant tactile experience, showcasing unique visual effects.


高定系列
耐污抗划木纹

Luxurious custom/Stain scratch resistant wood grain

Advanced Customization



FB1001-A
木纹系列




FB1002-B
木纹系列




FB1030-A
木纹系列



FB1003-B
木纹系列



FB1004-B
木纹系列




FBH005-D
高端木纹系列



FB1005-A
木纹系列



FB1006-A
木纹系列



FB1012-B
木纹系列



FB1007-A
木纹系列



FB1008-A
木纹系列



FB1030-A
木纹系列



木纹系列/Wood grain

Advanced Customization

FB1010-A
木纹系列



FB1026-A
木纹系列



FB1031-A
木纹系列



FB1025-A
木纹系列



FB1024-A
木纹系列



FBH001-D
高端木纹系列



FB1019-A
木纹系列



FB1028-A
木纹系列



FBH006-D
高端木纹系列



FBH010-D
高端木纹系列



FB1009-A
木纹系列



FBH006-D
高端木纹系列



FB1077-A
木纹系列



FB1016-A
木纹系列



FB1017-A
木纹系列




FB1027-A
木纹系列



FBH003-D
高端木纹系列



FB1022-A
木纹系列



FB1034-A
木纹系列



FB1020-A
木纹系列



FBH004-D
高端木纹系列



FB1021-A
木纹系列



FB1015-C
木纹系列



FBH012-D
高端木纹系列



FB1023-A
木纹系列



FB1018-A
木纹系列




FB1033-A
木纹系列



FBH011-D
高端木纹系列



FB1014-C
木纹系列



FB1029-A
木纹系列



FB1013-A
木纹系列



FBH002-D
高端木纹系列



FB1032-A
木纹系列



FBH004-D
高端木纹系列





Advanced Customization

IMULATION PAINT SERIES

真漆系列

Advanced Customization

ECO-FRIENDLY PURE PAINT

纯色环保油漆

FB-H014D

FB-H024D

FB-H013D

FB-H020D

FB-H027D

FB-H023D

FB-H025D

FB-H017D

FB-H028D

FB-H019D

FB-H016D

FB-H015D

FB-H018D

颜色参照国际标准色卡RAL色卡、PANTON色卡，接受客户色卡定制。

Customized color accepted. refer to international standard RAL or PANTON color chart

布纹系列/PAPER SERIES

Advanced Customization

FB1048-A
布纹系列

FB-H065D
布纹系列

FB1056-A
布纹系列

FB-H062D
布纹系列

FB-H063D
布纹系列

FB-H060D
布纹系列

FB1055-B
布纹系列

FB1050-B
布纹系列

FB-H061D
布纹系列

FB1046-A
布纹系列

FB1054-A
布纹系列

FB1053-A
布纹系列

FB1057-A
布纹系列

FB1052-A
布纹系列

FB-H059D
布纹系列

FB1076-A
布纹系列

FBH003-D
布纹系列

FB1051-A
布纹系列

FB-H066D
布纹系列

FB1020-A
布纹系列

FB1044-B
布纹系列

FB1040-B
布纹系列

FB1047-B
布纹系列

FB1042-A
布纹系列

FB1045-A
布纹系列

FB1043-A
布纹系列

FB-H064D
布纹系列





MORE QUALITY TEXTURE

纯色系列/肤感系列

Advanced Customization

Advanced Customization

PURE SERIES

纯色系列

FB1065-A　FB1075-A　FB1066-A　FB1075-A

FB1058-C　FB1059-A　FB1064-A

FB1062-A　FB1060-A

SKIN SENSE SERIES

肤感系列

FB-H038D　FB-H035D　FB-H034D　FB-H021D　FB1078-A

FB-H031D　FB-H030D　FB-H026D　FB-H032D　FB-H037D

FB-H209D　FB-H022D　FB-H036D　FB-H033D

颜色参照国际标准色卡RAL色卡、PANTON色卡，接受客户色卡定制。

Customized color accepted. refer to international standard RAL or PANTON color chart

高定系列
耐污抗划皮纹

Luxurious custom/Stain scratch resistant wood grain

Advanced Customization



FB-H072D
皮纹系列



FB-H068D
皮纹系列



FB-H067D
皮纹系列



FB1039-C
皮纹系列


FB-H069D
皮纹系列

FB1038-A
皮纹系列

FB1035-A
皮纹系列



FB-H070D
皮纹系列



FB-H071D
皮纹系列



FB1036-B
皮纹系列



FB1037-B
皮纹系列





IMULATION PAINT SERIES

金属系列

Advanced Customization

ECO-FRIENDLY PURE PAINT

金属环保油漆


FB-H043F


FB-H044F


FB-H054F


FB-H053F


FB-H049F


FB-H073E


FB-H074E



FB-H052F



FB-H047F



FB-H048F



FB-H050F


FB-H075E


FB-H077E


FB-H076E


FB-H054F


FB-H053F

颜色参照国际标准色卡RAL色卡、PANTON色卡，接受客户色卡定制。
Customized color accepted. refer to international standard RAL or PANTON color chart

Luxury Marble Continuous Series

高端大理石连纹系列





FBL0124精灵石

防水防潮 | 环保E0级 | B1阻燃 | 无辐射 | 可定制

高端大理石连纹系列金刚板是一种高性能的装饰材料，不仅令人惊叹地再现大理石的细致纹理，同时采用碳晶技术提升了耐磨性和抗污性，为您的家居提供持久的美观和易清理的表面。

Luxury Marble Continuous Series Diamond Panel is a high-performance decorative material,.The detailed texture of luxurious marble provides your home with long-lasting beauty and an easy-to-clean surface.





产品概述

Product Overview

产品名称
Product Name
高端大理石连纹系列
Luxury Marble Continuous Series

产品材质
Material
金刚板/碳晶板
Diamond Panel/Carbon Crystal Panel


连接工艺
Connection Process
无缝拼接
Seamless Splicing


产品规格
Product Specification
DIY定制
DIY Customized Size
宽:1100–1200mm
Width: Max1100–1200mm
高:2000–4000mm
Height: Max2000–4000mm
厚:5/8mm
Thickness: 5mm/8mm


性能
Performance
高滑面质感
High Glossy Texture
耐刮
Scratch Resistant
防油污
Anti-Fouling


PET Marble Colorful
PET 大理石缤纷纹


Advanced Customization



FBL0102-意大利金黑



FBL0103-咖啡



FBL0104-青涩



FBL0105-金灿



FBL0106-山水画



FBL0107-蓝调



FBL0108-繁华


FBL0109-玉石丛林


FBL0110-多宝玉


FBL0111-骆驼金丝



FBL0112-爱丽丝蓝


FBL0113-海伦棕


PET Marble Colorful

PET 大理石缤纷纹


Advanced Customization




FBL0114秋波




FBL0115希文




FBL0116清醇




FBL0117繁蓝




FBL0118赫莲妮




FBL0119米修斯




FBL01120暮雨



FBL0121山绿




FBL0122暗送秋波



FBL0123岛湖出色




FBL0124精灵石





FBL0125高加索白


PET Marble Colorful
PET 大理石缤纷纹


Advanced Customization



FBL0126水墨丹青



FBL0127蔚蓝天空



FBL0128梵空



FBL0129溪水长流



FBL0130美伦焕



FBL0131咖啡玉石


FBL0132梦幻


FBL0133黄金海岸


FBL0134御用皇室



FBL0135瓦格雷



FBL0136耀眼群星



FBL0137云仓宫廷


PET Marble Colorful
PET 大理石缤纷纹


Advanced Customization



FBL0138碧波万顷



FBL0139罗马海



FBL0140玉龙山峰



FBL0141格兰蓝调



FBL0142水木春秋



FBL0143潘多拉



FBL0144漫山秋谷


FBL0145亚马逊丛林


FBL0146湖山飞雪


FBL0147古方玛瑙


FBL0148巴西宝石


FBL0149大普拉绿


PET Marble With White

PET 大理石白岩纹


Advanced Customization




FBL0201意大利白




FBL0202冷翡翠



FBL0203月贝珍珠



FBL0204雪花白




FBL0205意大利金




FBL0206飘然金秋



FBL0207卡勒特金




FBL0208鱼肚金




FBL0209烟雨笔墨



FBL0210卡特塞克



FBL0211菲拉格白




FBL0212熊猫黑白


PET Marble With White

PET 大理石白岩纹


Advanced Customization




FBL0213千里江山




FBL0214博曼德




FBL0215山岩桃白



FBL0216简约派对




FBL0217布兰特




FBL0218南极灰



FBL0219白调时光




FBL0220南斯拉夫




FBL0221高峰亮节



FBL0222月影白




FBL0223东方傲雪



FBL0224寒江雪

PET Marble With White

PET 大理石白岩纹




FBL0225格兰云天



FBL0226水云纱




FBL0228白岩石纹




FBL0229格利瓦




FBL0230英爵士




FBL0231漫山纹




FBL0232意大利白




FBL0233雪峰山崖




FBL0234巴黎世家



FBL0235水墨幽谷



FBL0237白雪飞狐



FBL0238芬兰白雪

PET Marble With White

PET 大理石白岩纹


Advanced Customization




FBL0239意大利白




FBL0240意大利白




FBL0241白爵士




FBL0242维克朵拉



FBL0243汉溪白玉



FBL0244宝藏熊猫




FBL0245雅爵士



FBL0246白岩纹



FBL0247雪山飞雪



FBL0248山间水花




FBL0249白岩纹





FBL0250简白波纹


PET Marble With Black
PET 大理石黑岩纹


Advanced Customization



FBL0301黑松木



FBL0302繁金



FBL0303原始森林



FBL0304色彩斑斓



FBL0305巴塞洛金



FBL0306岩纹路



FBL0307卡斯特灰


FBL0308金连纹


FBL0309瓦格林黑


FBL0310罗浮艺术



FBL0311黑白斑斓


FBL0312爵士黑白


PET Marble Volcanic Gray

PET 大理石头火山灰纹


Advanced Customization




FBL0501翡翠白




FBL0502潘多拉




FBL0503灰丛林




FBL0504紫水晶




FBL0505蓝调金



FBL0506寒江雪




FBL0507蓝贝路




FBL0508特莱斯灰




FBL0509爵士白



FBL0510山岩深灰



FBL0511科罗斯特




FBL0512朵拉葵-3


PET Marble Volcanic Gray

PET 大理石头火山灰纹

Advanced Customization




FBL0513帝王翡翠




FBL0514伊兰特




FBL0515灰迷雾




FBL0516深山灰林




FBL0517卡多灰




FBL0518芬兰白




FBL0519碧海云灰



FBL0520玉露灰




FBL0521地岩纹



FBL0522灰色赤海



FBL0523竹影灰




FBL0512朵拉葵-4


PET Marble Volcanic Gray

PET 大理石头火山灰纹

Advanced Customization




FBL0524维克多灰



FBL0525布拉特灰



FBL0526夕雾蓝调



FBL0527亚特兰灰









PU Stone Panel Overview
PU石材面板概述

PU石材板面板，采用100%聚氨酯高分子材料制造生产，通过高温工艺挤压而成，专业的生产设备技术，全过程无采用二次回收劣质原料。高密度聚氨酯材料经过专用的铝模具发泡制作后，表面经过防腐、耐磨、阻燃、防紫外线等功能加工处理。我们有不同类型结构的PU石材，能按照客户需求做到各种定制，我们能够提供多种PU石材工装和家装材料表面覆膜工艺，具有高强度防刮耐磨功能，有配套完善的线条、并且原材料把控能够批量个性定制生产，可以满足不同客户的需求。

PU stone panel, using 100% polyurethane polymer material manufacturing production, through high temperature process extrusion, professional production equipment technology, the whole process without the use of secondary recycling inferior raw materials. High-density polyurethane material after special aluminium mould foam production, the surface after anti-corrosion, wear-resistant, flame retardant, UV protection and other functional processing. We have different types of structural PU stone, according to customer demand to do a variety of custom, we can provide a variety of PU stone work and home decoration materials surface coating process, with high strength scratch-resistant wear-resistant function, there are supporting the perfect line, and raw material control can be a batch of personalised custom production, can meet the needs of different customers.





PU安装方法

PU安装步骤
PU Installation Procedure



清洁墙面
Cleaning walls

测量
Measurement

切割
Cutting

涂胶水
Glueing

完成效果
Show examples

安装前的准备以及安装的需求
Preparation before installation and requirements of the installation site

01 安装场所必须通过尺量测量墙面的平整度，并且平整度偏差不能超过3MM，确保无灰尘，无油渍，无明显水珠

The installation place must measure the flatness of the wall through the ruler, and the flatness deviation can not be more than 3MM, and then clean the surface of the wall to ensure that there is no dust, no oil stains, no obvious water droplets.

02 根据设计图纸和施工要求，进行详细而且准确的标注尺寸

According to the design drawings and construction requirements, detailed and accurate dimensioning.

03 然后将包装箱打开，然后根据设计图纸和测量墙体尺寸进行施工裁切PU材料

Then open the box, and then according to the design drawings and measurements of the wall size for the construction of cutting PU materials

04 准备所需要安装上墙面的PU材料，并在板材背面打上结构胶水静止2分钟后，人工快速上墙贴合固定安装，胶水溢出位置进行清理线条收边修补缺陷后再打磨表面。

Prepare the PU material needed to be installed on the wall, and hit the back of the sheet with structural glue, after 2 minutes of rest, artificial fast on the wall to fit the fixed installation, glue overflow position for cleaning, line edging to repair defects and then sanding the surface.





POPULAR NEW WALL MATERIALS

流行的墙面新材料



Advanced Customization

PU MUSHROOM STONE SERIES

PU蘑菇石

常规尺寸:1200*600MM
厚度:30-100MM
STANDARD MODEL:1200*600MM
THICKNESS:30-100MM

PU石皮 满足多种场景应用
PU Stone panel meets multiple scenarios application

材质：PU聚氨酯
MATERIAL: Polyurethane

安装:免钉胶+木工钉
Installation: Nail free glue+Carpentry nails



PU蘑菇石
雪花白
SIZE:1200*600MM
THICKNESS:30-100MM



PU蘑菇石
浅藏青
SIZE:1200*600MM
THICKNESS:30-100MM



PU蘑菇石
古典黑
SIZE:1200*600MM
THICKNESS:30-100MM




PU蘑菇石
咖啡棕
SIZE:1200*600MM
THICKNESS:30-100MM



PU蘑菇石
灰麻斑
SIZE:1200*600MM
THICKNESS:30-100MM



PU蘑菇石
黄金麻
SIZE:1200*600MM
THICKNESS:30-100MM



POPULAR NEW WALL MATERIALS

流行的墙面新材料

Advanced Customization

PU MOON STONE

PU 星月石

常规尺寸:3000*600MM
厚度:15MM
STANDARD MODEL:3000*600MM
THICKNESS:15MM

适用:内外墙/背景墙/隔断/门头/商业/酒店等
Applicable: interior and exterior walls/ background walls/partitions/door heads/ commerce/hotels, etc

材质：PU聚氨酯
MATERIAL: Polyurethane

安装:免钉胶+木工钉
Installation: Nail free glue+Carpentry nails



PU星月石
雪花白
SIZE:3000*600MM
THICKNESS:15MM



PU星月石
浅藏青
SIZE:3000*600MM
THICKNESS:15MM



PU星月石
古典黑
SIZE:3000*600MM
THICKNESS:15MM



PU星月石
咖啡棕
SIZE:3000*600MM
THICKNESS:15MM



PU星月石
现代灰
SIZE:3000*600MM
THICKNESS:15MM



PU星月石
夯土黄
SIZE:3000*600MM
THICKNESS:15MM



Advanced Customization

PU ROCK STONE
PU山岩石

常规尺寸:1200*600MM
厚度:20-100MM
STANDARD MODEL:1200*600MM
THICKNESS:20-100MM

应用:隔断墙/门头/背景墙
Application: partition wall/
door head/background wall

材质：PU聚氨酯
MATERIAL: Polyurethane

安装:免钉胶+木工钉
Installation: Nail free glue+Carpentry nails



PU蘑菇石
雪花白
SIZE:1200*600MM
THICKNESS:20-100MM



PU蘑菇石
浅藏青
SIZE:1200*600MM
THICKNESS:20-100MM



PU蘑菇石
古典黑
SIZE:1200*600MM
THICKNESS:20-100MM



PU蘑菇石
咖啡棕
SIZE:1200*600MM
THICKNESS:20-100MM



PU蘑菇石
灰麻斑
SIZE:1200*600MM
THICKNESS:20-100MM



PU蘑菇石
黄金麻
SIZE:1200*600MM
THICKNESS:20-100MM



Advanced Customization

PU STONE
PU石皮

常规尺寸:1200*600MM
厚度:20-50MM
STANDARD MODEL:1200*600MM
THICKNESS:20-50MM

PU石皮 满足多种场景应用
PU Stone panel meets multiple scenarios application

材质：PU聚氨酯
MATERIAL: Polyurethane

安装:免钉胶+木工钉
Installation: Nail free glue+Carpentry nails



PU石皮
雪花白
SIZE:1200*600MM
THICKNESS:20-50MM



PU石皮
浅藏青
SIZE:1200*600MM
THICKNESS:20-50MM



PU石皮
古典黑
SIZE:1200*600MM
THICKNESS:20-50MM



PU石皮
咖啡棕
SIZE:1200*600MM
THICKNESS:20-50MM



PU石皮
灰麻斑
SIZE:1200*600MM
THICKNESS:20-50MM



PU石皮
黄金麻
SIZE:1200*600MM
THICKNESS:20-50MM



POPULAR NEW WALL MATERIALS

流行的墙面新材料

Advanced Customization

PU HOLLOW COMPONENT RECTANGLE

PU九宫格长方形

常规尺寸:1200*600/600*600MM
厚度:25-60MM
STANDARD MODEL:1200*600/600*600MM
THICKNESS:25-60MM

应用:隔断墙/门头/背景墙
Application: partition wall/
door head/background wall

材质：PU聚氨酯
MATERIAL: Polyurethane

安装:免钉胶+木工钉
Installation: Nail free glue+Carpentry nails



PU九宫格长方形
雪花白
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



PU九宫格长方形
浅藏青
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



PU九宫格长方形
古典黑
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



PU九宫格长方形
咖啡棕
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



PU九宫格长方形
火山灰
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



PU九宫格长方形
黄金麻
SIZE:1200*600/600*600MM
THICKNESS:25-60MM



POPULAR NEW WALL MATERIALS

流行的墙面新材料

Advanced Customization

PU FEATHER STONE


PU羽毛石

常规尺寸:900*200MM
厚度:10-30MM
STANDARD MODEL:900*200MM
THICKNESS:10-30MM


适用:内外墙/背景墙/隔断/门头/商业/酒店等
Applicable: interior and exterior walls/ background walls/partitions/door heads/ commerce/hotels, etc

材质：PU聚氨酯
MATERIAL: Polyurethane


抗压:600(MPa)
Compression resistance: 600 (MPa)




PU羽毛石
雪花白
SIZE:900*200MM
THICKNESS:10-30MM




PU羽毛石
浅藏青
SIZE:900*200MM
THICKNESS:10-30MM




PU羽毛石
古典黑
SIZE:900*200MM
THICKNESS:10-30MM



PU羽毛石
咖啡棕
SIZE:900*200MM
THICKNESS:10-30MM



PU羽毛石
灰麻斑
SIZE:900*200MM
THICKNESS:10-30MM



PU羽毛石
土豪金
SIZE:900*200MM
THICKNESS:10-30MM




3D Softstone Panel Overview
3D可柔软石板概述

3D可柔软石面板，采用100%天然石粉、砂岩、土壤等天然可回收
无机材料，经过分子改性，形成改性土，通过再生岩技术，制造出
表面坚硬耐刮、整体柔韧可卷曲的3D软石。
通过专业的生产设备技术，材料生成后，表面经过防腐、耐磨、阻燃、
防紫外线、抗冻、抗晒等功能加工处理。我们有不同类型结构的3D
可柔软石面板，能按照客户需求做到各种定制，我们能够提供多种3D
可柔软石面板工装和家装材料，产品表面工艺技术，能够耐受高温
不易掉漆，具有高强度防刮耐磨功能和可塑性功能，有配套完善的线条
并且原材料把控能够批量个性定制生产，可以满足不同客户的需求。

3D soft stone panel, using 100% natural stone powder, sandstone, soil and other natural recyclable inorganic materials, after molecular modification, the formation of modified soil, through the regeneration of the rock technology, to create a hard surface scratch-resistant, the overall flexibility can be curled 3D soft stone.
Through professional production equipment technology, after the material is generated, the surface is processed with anti-corrosion, wear-resistant, flame-retardant, UV-resistant, anti-freezing, sun-resistant and other functional processing. We have different types of structural 3D soft stone panels, according to customer demand to do a variety of customised, we can provide a variety of 3D soft stone panels work and home furnishing materials, product surface technology, can withstand high temperatures, not easy to paint, with high strength anti-scratch wear-resistant and plasticity features, supporting the perfect line, and the raw material control can be a batch of customised production of personality to meet the different needs of customers.
Customers can meet the needs of different customers.


















3D可柔软石材料安装方法

安装前的准备以及安装的需求

Preparation before installation and requirements of the installation site

01 安装场所必须通过尺量测量墙面的平整度，并且平整度偏差不能超过3MM，然后清洁墙体表面，确保无灰尘，无油渍，无明显水珠。

The installation place must measure the flatness of the wall through the ruler, and the flatness deviation can not be more than 3MM, and then clean the surface of the wall to ensure that there is no dust, no oil stains, no obvious water droplets.

02 根据设计图纸和施工要求，进行详细而且准确的标注尺寸

According to the design drawings and construction requirements, detailed and accurate dimensioning.

03 然后将包装箱打开，然后根据设计图纸和测量墙体尺寸进行施工裁切3D可柔软石材料

Then open the box, then according to the design drawings and measure the size of the wall construction cutting 3D soft stone materials

04 准备所需要安装上墙面的3D可柔软石材料,并在板材背面打上结构胶水,静止2分钟后,人工快速上墙贴合固定安装,然后用气钉固定位置,胶水溢出和表面进行清理,同时取出产品填缝剂,修补缺陷后再打磨表面,再用颜色剂修正。

Prepare the required panels to be installed on the wall and apply structural adhesive on the back of the panels, let it rest for 2 minutes, then manually fasten them on the wall and then utilize the metal material with gun nails for position fixing.

3D可柔软石安装步骤

3D soft stone Installation Procedure





Advanced Customization

W WEAVE
麻编系列

尺寸:1350*600MM
SIZE:1350*600MM

厚度:1-4MM
THICKNESS:1-4MM



W麻编
Y04
SIZE:1350*600MM
THICKNESS:1-4MM



W麻编
O01
SIZE:1350*600MM
THICKNESS:1-4MM




W麻编
O001
SIZE:1350*600MM
THICKNESS:1-4MM

SEAFLOWER ISLAND
海花岛编织系列

尺寸:1200*600*3MM
SIZE:1350*600MM

厚度:3MM
THICKNESS:3MM



海花岛
R04
SIZE:1350*600MM
THICKNESS:3MM



海花岛
Y04
SIZE:1350*600MM
THICKNESS:3MM



海花岛
O04
SIZE:1350*600MM
THICKNESS:3MM

Advanced Customization

TAMPED EARTH
夯土系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:2.5MM
THICKNESS:2.5MM



夯土
夯土红
SIZE:1200*600MM
THICKNESS:2.5MM



夯土
夯土黄
SIZE:1200*600MM
THICKNESS:2.5MM



夯土
HY001
SIZE:1200*600MM
THICKNESS:2.5MM

CLOTH STONE
布纹石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:2.5MM
THICKNESS:2.5MM



布纹
Y001
SIZE:1200*600MM
THICKNESS:2.5MM

AXE CUT STONE SERIES
斧琢石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:1-4.5MM
THICKNESS:1-4.5MM



斧琢
Y04
SIZE:1350*600MM
THICKNESS:1-4.5MM



斧琢
O01
SIZE:1350*600MM
THICKNESS:1-4.5MM



斧琢
O001
SIZE:1350*600MM
THICKNESS:1-4.5MM

AGE SCAR SERIES
岁月痕系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:1-5MM
THICKNESS:1-5MM



岁月痕
HY001
SIZE:1200*600MM
THICKNESS:1-5MM



岁月痕
烟灰
SIZE:1200*600MM
THICKNESS:1-5MM

TIANSHAN ROCK SERIES
天山岩系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:1-3MM
THICKNESS:1-3MM



天山岩系列
HG001-01-02
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
Y04-05-06
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
Y001-01-02
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
HY001
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
溪纱深灰
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
溪纱黄
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
溪纱灰
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
溪纱白
SIZE:1200*600MM
THICKNESS:1-3MM



天山岩系列
卡斯蓝
SIZE:1200*600MM
THICKNESS:1-3MM

CLEAR WATER SERIES
清水系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:2.5MM
THICKNESS:2.5MM



清水
清水中灰
SIZE:1200*600MM
THICKNESS:2.5MM




清水
清水浮云
SIZE:1200*600MM
THICKNESS:2.5MM



清水
大漠灰
SIZE:1200*600MM
THICKNESS:2.5MM



清水
H04-05-06
SIZE:1200*600MM
THICKNESS:2.5MM



TRAVERTINE SERIES
洞石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:3MM
THICKNESS:3MM



洞石系列
H001
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
云山灰
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
云山黄
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
云山白
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
安第斯灰
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
安第斯红
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
安第斯金
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
安第斯黄
SIZE:1200*600MM
THICKNESS:3MM



洞石系列
安第斯白
SIZE:1200*600MM
THICKNESS:3MM

MARBLE SERIES
大理石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:2.5MM
THICKNESS:2.5MM



大理石
云山灰
SIZE:1200*600MM
THICKNESS:2.5MM



大理石
狮山白
SIZE:1200*600MM
THICKNESS:2.5MM





大理石
溪纱灰
SIZE:1200*600MM
THICKNESS:2.5MM

大理石
溪纱黄
SIZE:1200*600MM
THICKNESS:2.5MM

大理石
溪纱白
SIZE:1200*600MM
THICKNESS:2.5MM

Advanced Customization

35 STRIP STONE SERIES

35条石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:1-5MM
THICKNESS:1-5MM



35条石
烟灰
SIZE:1200*600MM
THICKNESS:1-5MM




35条石
R03
SIZE:1200*600MM
THICKNESS:1-5MM



35条石
HG001
SIZE:1200*600MM
THICKNESS:1-5MM



35条石
HG03
SIZE:1200*600MM
THICKNESS:1-5MM



Advanced Customization

HAIR SURFACE SERIES

毛面系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:1-4MM
THICKNESS:1-4MM



毛面
HY001
SIZE:1200*600MM
THICKNESS:1-4MM



毛面
尼罗深灰
SIZE:1200*600MM
THICKNESS:1-4MM



毛面
黑金花
SIZE:1200*600MM
THICKNESS:1-4MM



毛面
卡斯蓝
SIZE:1200*600MM
THICKNESS:1-4MM



毛面
溪纱深灰
SIZE:1200*600MM
THICKNESS:1-4MM



毛面
溪纱白
SIZE:1200*600MM
THICKNESS:1-4MM



Advanced Customization

OMAN LINE STONE SERIES

阿曼线石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:2.5MM
THICKNESS:2.5MM



阿曼线石
云山灰
SIZE:1200*600MM
THICKNESS:2.5MM



阿曼线石
狮山白
SIZE:1200*600MM
THICKNESS:2.5MM



阿曼线石
溪纱白
SIZE:1200*600MM
THICKNESS:2.5MM



阿曼线石
溪纱灰
SIZE:1200*600MM
THICKNESS:2.5MM



阿曼线石
溪纱黄
SIZE:1200*600MM
THICKNESS:2.5MM



Advanced Customization

RIDGE STONE SERIES

脊线石系列

尺寸:1200*600MM
SIZE:1200*600MM

厚度:3MM
THICKNESS:3MM



脊线石
安第斯白
SIZE:1200*600MM
THICKNESS:3MM



脊线石
HY001
SIZE:1200*600MM
THICKNESS:3MM



脊线石
云山黄
SIZE:1200*600MM
THICKNESS:3MM



脊线石
云山白
SIZE:1200*600MM
THICKNESS:3MM



脊线石
云山灰
SIZE:1350*600MM
THICKNESS:3MM



WPC Outdoor

WPC户外

Outdoor WPC panel, using 100% PVC high-quality rubber material

Outdoor WPC Panel Overview
户外WPC面板概述

户外WPC面板，采用100%PVC优质胶料，通过高温工艺挤压而成产品表面有抗涂SA保护层，专业的生产设备技术，全过程无采用二次回收劣质原料。全新的PVC胶料，经过专用的器材处理后高温加热发泡制作，表面经过防腐、耐磨、阻燃、防紫外线等功能加工处理。我们有不同类型结构的户外WPC面板，能按照客户需求做到各种定制我们能够提供多种户外WPC面板工装和家装材料，产品表面采用SA覆膜工艺，能够耐受高温，具有高强度防刮耐磨功能，有配套完善的线条、并且原材料把控能够批量个性定制生产，可以满足不同客户的需求。

Outdoor WPC panel, using 100% PVC high-quality rubber material, extruded through high-temperature process, the surface of the product has anti-coating SA protective layer, professional production equipment technology, the whole process without the use of secondary recycling of poor quality raw materials. Brand new PVC rubber material, after special equipment processing high temperature heating foam production, the surface of anti-corrosion, wear-resistant, flame retardant, UV protection and other functional processing. We have different types of structural outdoor WPC panels, according to customer demand to do a variety of customised, we can provide a variety of outdoor WPC panels work and home decoration materials, the product surface using the SA lamination process, able to withstand high temperatures, with high strength anti-scratch and wear-resistant function, there is a complete line of supporting and raw material control can be a batch of customised production of personality to meet the needs of different customers.







WPC户外材料安装方法

WPC Outdoor Material Installation Method

安装前的准备以及安装的需求

Preparation before installation and requirements of the installation site

01 安装场所必须通过尺量测量现场平整度，并且平整度偏差不能超过3MM，然后清洁墙体表面，确保无灰尘，无油渍

The installation place must measure the site flatness by ruler, and the flatness deviation can not exceed 3MM, then clean the wall surface to ensure that there is no dust, no grease stains.

02 根据设计图纸和施工要求，进行详细而且准确的标注尺寸

According to the design drawings and construction requirements, detailed and accurate dimensioning.

03 然后将包装箱打开，然后根据设计图纸和测量墙体尺寸进行施工裁切WPC户外材料

Then open the box, then according to the design drawings and measure the size of the wall construction cutting WPC outdoor materials


04 准备所需要安装上墙面的WPC户外材料，并在板材背面打上结构胶水，静止2分钟后，人工快速上墙贴合用专用钉扣固定安装胶水溢出位置进行清理，线条收边修补缺陷后再打磨表面


Prepare the WPC outdoor materials that need to be installed on the wall, and hit the back of the sheet with structural glue, after 2 minutes of static, artificial fast on the wall to fit with a special nail fastener fixed installation, glue overflow position to clean up, line edging to repair defects and then sanding the surface.

WPC户外安装步骤


WPC outdoor Installation Procedure















OUTDOOR WALL PANEL


WPC墙板

Advanced Customization








ZXL11516 Size:115mm*16mm





ZXL18428 Size:184mm*28mm


Advanced Customization


ZXL14012 Size:140mm*12mm

ZXL12012 Size:120mm*12mm

ZXL16914 Size:169mm*14mm

ZXL184 Size:184mm*28mm

Easy To Install 安装方便
Waterproof 防水防潮
Fire Protection 防火阻燃
Easy To Clean 易清洁
No Distortion 不变形
Eco-friendly 健康环保
Pest Control 防虫蚊

Recommended Colors 推荐颜色



Inca Deep 印加深
Golden Silk Pomelo 金丝柚
Golden Pomelo 黄金柚
Thai Pomelo 泰 柚
Teak 柚 木
Ancient Wood 古 木
Taxus Chinensis 红豆杉
Rosewood 红酸枝
Warm White 暖 白
Black 黑 色

Common Accessories 常用配件



❶ Wall Panel Keel 墙板龙骨



❷ Wall Plate Clasp 墙板卡扣



❸ Explosive Screws 爆炸螺丝



❹ Gun Nail 枪钉



❺ Self-tapping Screw 自攻螺丝