



日东智能装备
RI DONG TECHNOLOGY

精雕细琢
独具匠心

Crafted
Have great originality



窗帘自动化设备 领航者

Curtain automation equipment leader




公司简介

Company profile

东莞市日东智能装备有限公司是一家集研发、生产、销售、服务为一体的现代化科技企业，公司多年以来一直致力于窗帘设备的研发与生产，经过多年的技术开发与生产实践，推出了一系列的窗帘设备。布艺窗帘设备方面主要有窗帘自动打褶机、多功能包边机、电脑窗帘锁缝机、电脑窗帘暗缝机、窗帘裁高机、窗帘定型机等产品。卷帘设备方面主要有超声波裁切机、全自动超声波裁切机、自动折边焊接机、超声波分条机、卷帘下轨平缝机等产品。

过硬的产品质量及优质的服务为日东赢得了与众多知名企业的合作机会，产品除了畅销全国，而且还远销众多欧美及东南亚国家。公司本首“诚信经营、质量过硬、顾客至上”的经营理念，真诚期待与海内外的朋友的合作，携手共进，共创美好明天！



Ridong Intelligent Equipment is a modern science and technology enterprise who has R&D, production, sales and service. Our company has been committed to the curtain equipment research and development and production over the years. After many years of technology development and production practice, launched a series of curtain equipment. We have been had Automatic curtain pinch pleating machine, Computer curtain hemming machine, Computer tape attaching machine, Computer curtain blind stitch sewing machine, Final height cutting machine, curtain setting machine and etc. Roller blinds equipment, We have been had Ultrasonic cutting machine, Full automatic ultrasonic cutting machine, Automatic edgefold machine, Ultrasonic slitting machine, Roller blinds under the rail sewing machine, etc.

Excellent quality and premium service make Ridong company get cooperation with more well-known enterprises. Our machine sold well in china, and has been exported to all over the world. Ridong company abides by "honesty, excellent quality, customer first" business philosophy, we sincerely look forward to cooperating with friends from home and abroad, make progress together, come growth with us.

日东机械，为您倾心打造卓越窗帘工艺！

Ridong Machinery is dedicated to creating excellent curtain technology for you!



企业文化

corporate culture

日东智能装备，用心致力打造超高价值设备解决方案，为客户带来更多的价值。目前，拥有自主专利13余项，6大系列、50多种规格的产品，远销80多个国家和地区。

Ridong Intelligent Equipment is dedicated to creating solutions for ultra-high value equipment, which will bring more value to customers. At present, it has more than 13 independent patents, 6 series and more than 50 specifications of products, which are exported to more than 80 countries and regions.



理念

公司本着“诚信经营、质量过硬、顾客至上”的经营理念；奉行“质量求生存”“诚信求发展”的宗旨，大胆开拓，勇于创新；客户的需求就是我们的追求。

Idea

Company in line with "honest management, quality"Excellent, Customer First ManagerPursuing "Quality for Survival"The aim of "Sincerity for Development" is big. Be bold and innovative; Customer'sDemand is our pursuit.

核心

日东智能装备是国内领先的窗帘生产设备提供商，一直专注窗帘设备工艺改良与技术革新，经过多年的开发与生产实践，公司现拥有包括卷帘设备、布艺窗帘设备的全系列窗帘生产设备，多项技术获得国家专利，在市场上荣获众多客户的一致认同

core

Dongguan Ridong Intelligent Equipment Co., Ltd. is a leading manufacturer of curtain equipment in China. It has been focusing on the improvement of curtain equipment technology and technological innovation. After years of development and production practice, the company now has a full range of curtain production equipment including roller blind equipment and fabric curtain equipment. The technology has obtained national patents and has been widely recognized by many customers in the market.

► “三免”窗帘工艺设备 "Three-free" Curtain Craft Equipment



“三免”工艺丝带机
Seamless Curtain Ribbon Welding Machine



“三免”工艺包边机
Seamless Curtain Hemming Machine




“三免”工艺拼接机
Seamless Curtain Bonding Splicing Machine



窗帘花边焊接机
Seamless Curtain Lace Bonding Machine



“三免” 工艺丝带机 RD-WFFJJ-400-1
Seamless Curtain Ribbon Welding Machine



技术数参 Ttechnical parameter

工作温度	额定电压	额定功率	工作气压	机器尺寸 (L*W*H)	机器重量
Working temperature	Power parameter	Rated power	Air pressure	Machine Soze	Machine weight
150 C°-300 C°	220V/50Hz	5KW	5-8MPa	4400*1150*1800MM	350KG

产品介绍 Product Information

- ◆ 此机器用于窗帘拼接后和包边后美缝贴带用

◆ 贴带温度自动可调, 稳定性高, 温度精确正负1度, 温度上限可控, 保护发热丝

◆ 上压轮、下传带与桌面大输送带三者速度同步, 运行更稳定, 产品贴完更平整美观

◆ 上压轮采用限位气缸, 对薄厚料压力调节

◆ 送带系统采用上下压轮同步传带, 自动补偿调节虚位, 自动微退功能减少压带空白

◆ 采用4米输送带, 窗帘贴带操作更方便
- ◆ This machine is used for stitching tape after curtain joint and hemming

◆ The temperature is automatically adjustable, high stability, accurate temperature plus or minus 1 degree, temperature upper limit controllable, to protect the heater



◆ The speed of the upper pressure roller, the lower conveyor and the large desktop conveyor are synchronized, the operation is more stable, and the product is more smooth and beautiful after taping

◆ The upper pressure roller adopts a limit cylinder to adjust the pressure of thin and thick materials

◆ The belt feeding system adopts the synchronous transmission of the upper and lower pressure rollers, automatically compensates and adjusts the virtual position, and the automatic micro-retraction function reduces the blank of the pressure belt

◆ Using 4m conveyor, the operation of curtain taping is more convenient

“三免” 工艺拼接机 RD-WFCQJ-W3.2-1
Seamless Curtain Splicing Welding Machine



技术参数 Ttechnical parameter

工作温度	额定电压	额定功率	工作气压	机器尺寸 (L*W*H)	机器重量
Working temperature	Power parameter	Rated power	Work pressure	Machine Soze	Machine weight
150 C°-300 C°	220V/50Hz	2.5KW	5-8MPa	3900*800*1200MM	250KG

产品介绍 Product Information

- ◆ 此机器用于“三免”工艺窗帘的拼接

◆ 采用20K超声熔合拼接

◆ 采用小圆刀, 方便维修, 直线导轨裁切拼接运行更直更平稳


◆ 采用单个压布板, 操作更方便高效
- ◆ This machine is used for the joint of "three-free" craft curtains

◆ Using 20K ultrasonic fusion splicing

◆ The use of small round knife is convenient for maintenance, and the cutting and splicing operation of the linear guide is straighter and more stable

◆ Using a single clamping plate, the operation is more convenient and efficient

“三免” 工艺包边机 RD-WFBBJ-400-1
Seamless Curtain Hemming Machine




技术数参 Ttechnical parameter

工作温度	额定电压	额定功率	工作气压	机器尺寸 (L*W*H)	机器重量
Working temperature	Power parameter	Rated power	Air pressure	Machine Soze	Machine weight
150 C°-300 C°	220V/50Hz	4KW	5-8MPa	4400*1650*1300MM	350KG

产品介绍 Product Information

- ◆ 此机器用于三免工艺窗帘布头、侧摆、下摆包边粘合
- ◆ 温度150-300度可调, 发热带上下温度独立PID调节
- ◆ 尾端带定型冷却系统
- ◆ 包边尺寸可调节, 可进行多种规格的包边粘合
- ◆ 上下传送发热带与桌面大输送带三者速度同步, 运行更稳定
- ◆ 采用4米输送带, 操作更方便高效
- ◆ This machine is used for three-free craft curtain top, sides, bottom hemming
- ◆ The temperature can be adjusted from 150 to 300 degrees, and the upper and lower temperatures of the heater can be adjusted independently by PID
- ◆ Shaping and cooling system at the end
- ◆ The size of the hemming can be adjusted, suitable for different specifications hemming
- ◆ The upper and lower transmission of the heater and the large desktop conveyor are synchronized in speed, and the operation is more stable
- ◆ Using 4m conveyor, the operation is more convenient and efficient

窗帘花边焊接机 RD-HBHJJ-W35-1
Seamless Curtain Lace Welding Machine



技术参数 Ttechnical parameter

工作温度	额定电压	额定功率	工作气压	机器尺寸 (L*W*H)	机器重量
Working temperature	Power parameter	Rated power	Air pressure	Machine Soze	Machine weight
150 C°-300 C°	320V/50Hz	4.5KW	5-8MPa	3900*800*1300MM	300KG

产品介绍 Product Information

- ◆ 此机器用于窗帘花边工艺的粘合, 以及窗帘侧边底边粘胶
- ◆ 采用高频焊接技术, 高效稳定
- ◆ 自带定型冷却系统
- ◆ 粘胶宽度电动切核定位
- ◆ This machine is used for the curtain lace craft welding, and for the curtain side and bottom adhesive welding
- ◆ High frequency welding technology, high efficiency and stability
- ◆ With shaping and cooling system
- ◆ Adhesive width electric switch positioning

服务分布图

至诚的服务



此时此刻，日东公司已在80多个国家以及地区，
成功稳定运转 **6000多条生产线**
日东智能装备，为您一站式提供专业的解决方案