NEWPEARL
GROUP

CLASSIC ARCHITECTURAL STONE

古典原生石

源自欧洲传世建筑的天然沉积岩复刻石材

Re-created stone inspired by natural sedimentary rocks from heritage European architecture

SERIES OVERVIEW
系列总述

3
COLLECTION
系列
Roman Travertine
Portland
Premium Limestone

2
SIZES
规格
600x600mm 24"×24"
600X1200mm 24"×48"

5
COLORS
颜色
Bianco
Beige
Greige
Grigio
Pale Grey

6
DESIGN FACES
设计面

2
FINISHINGS
工艺面
Natural
Sandblasted

甄选三款欧洲经典建筑石材，复刻原生层理、孔洞肌理，
哑光防滑质感，低吸水适配室内外全域空间。

Three iconic European architectural stones are recreated. Matte anti-slip finish,
ultra-low water absorption for indoor & outdoor applications.

Anti-slip Standard Explanation

关于防滑

P 等级 (P Rating)

■ AS 4586-2013

澳大利亚防滑标准 Australian Slip Resistance Standard

标准定义

测试方式：主流采用湿摆锤测试法（Pendulum Test），测量防滑阻力值 SRV，按结果划分 P1~P5 防滑等级，为澳新建筑规范采信标准
适用国家 / 区域：澳大利亚、新西兰（澳新市场）

Standard Definition

Test Method: Primary method is wet pendulum test. It measures the Slip Resistance Value (SRV) and classifies surfaces into P1-P5. This standard is referenced in Australia & New Zealand National Construction Code.
Territory Applicable: Australia & New Zealand (ANZ market)

防滑等级 Anti-slip Grade	标准原生适配区域 Scope of Application (Original text from brochure)	场景防滑选型推荐（室内 / 室外） Recommended Selection by Area (Indoor / Outdoor)
P1	酒店、办公室、学校、幼儿园、公共建筑室内公共区域； 超市过道（新鲜水果区除外） Hotels, offices, schools, kindergartens, indoor public areas of public buildings; supermarket aisles (excluding fresh fruit section)	**低风险干燥室内：** 办公室、酒店大堂、学校教室、超市普通通道 （干燥环境、极少积水） Low-risk dry indoor: Offices, hotel lobbies, school classrooms, regular supermarket aisles (dry condition, rare water pooling)
P2	酒店客房内卫浴、厕所、厨房和洗衣间； 医院、护理场所的浴室和病房 Bathrooms, toilets, kitchens & laundries inside hotel rooms; bathrooms & wards in hospitals and nursing homes	**常规室内间断湿区：** 客房卫浴、病房、普通家用厨房，仅间断溅水 Moderate intermittent wet indoor: En-suite bathrooms, hospital wards, domestic kitchens with occasional splashing
P3	地下停车场；泳池更衣室、体育馆大厅；医院、护理场所浴室 Underground parking lots; pool changerooms,stadium lobbies; bathrooms in hospitals and nursing homes	**中风险室内潮湿区域：** 地下车库、泳池更衣室、体育馆大厅、医院浴室 Medium-risk damp indoor: Underground parking, pool changerooms, stadium lobbies, hospital bathrooms
P4	车道、人行道倾斜坡度 > 1:14 的坡道；地面停车场、人行道、阳台、走廊、庭院；酒吧服务区、冷藏室和冰库；泳池区域（除斜坡和池内梯级）、公共淋浴地面。 Ramps for driveways & footpaths steeper than 1:14; surface car parks, footpaths, balconies, corridors, courtyards; bar service areas, cold rooms & freezers; pool areas (excluding ramps & pool steps), public shower room floors	**中高湿露天平地 + 常规坡道：** 阳台、庭院、露天停车场、公共淋浴间、冷库、泳池走道 Medium-high wet exposed flat areas & regular ramps: Balconies, courtyards, open-air car parks, public showers, cold rooms, pool surrounds
P5	车道、人行道倾斜坡度 > 1:14 的坡道； 码头地下室、商业厨房；泳池斜坡、泳池楼梯起步台阶。 Ramps for driveways & footpaths steeper than 1:14; dock basements, commercial kitchens; pool ramps & pool stair start treads	**高风险重湿 / 油污 / 陡坡：** 商用厨房、码头地下室、泳池坡道、大于 1:14 陡坡车道 High-risk heavy wet / greasy / steep slope areas: Commercial kitchens, dock basements, pool ramps, driveways steeper than 1:14

R 等级（R Rating）

■ DIN 51130
德国斜坡法 German Ramp Test Standard

标准定义

测试方式：油湿斜坡测试（Ramp Test），样品表面涂布标准机油，测试人员穿戴专用安全鞋在可调斜面往复行走，逐步抬升斜面，记录初次打滑临界倾斜角 α，以此划分 R 防滑等级 R9~R13
适用国家 / 区域：德国，广泛通行于欧洲各国

Standard Definition

Test Method: Oil-wet ramp test. The tile sample is coated with standard engine oil. A tester wearing standard safety footwear walks back and forth on the inclined platform. The ramp angle is gradually increased until slippage occurs; this critical oblique angle α determines the R grade from R9 to R13.
Territory Applicable: Germany, widely adopted across European countries.

防滑等级 Anti-slip Grade	防滑安全程度 Safety level	临界倾斜角 α Critical Oblique Angle α	场景防滑选型推荐（室内 / 室外） Recommended Selection by Area (Indoor / Outdoor)
R9	一般 Generally	6° < α ≤ 10°	干燥低风险室内（卧室、普通办公室，极少溅水、无油污） Dry low-risk indoor areas (bedrooms, standard offices, minimal water splash & no grease)
R10	正常 Normal	10° < α ≤ 19°	常规室内公共区域（酒店客房、普通走廊、商铺干区，少量溅水风险） General indoor public spaces (hotel guest rooms, common corridors, dry retail areas, minor splash risk)
R11	高于平均 Above average	19° < α ≤ 27°	室内偶湿区、小型阳台（厨房干区、普通过道，偶尔积水） Occasionally wet indoor zones & small balconies (dry kitchen zones, regular aisles, occasional water pooling)
R12	高 High	27° < α ≤ 35°	高湿 / 轻度油污区域（商用厨房、泳池走道、户外平地庭院） High-moisture / light grease areas (commercial kitchens, pool walkways, flat outdoor courtyards)
R13	很高 Very high	α > 35°	强湿、重油污、陡坡等高风险区域（商业后厨、泳池坡道、码头、露天陡坡） High-risk zones with heavy moisture, grease or steep slopes (commercial kitchens, pool ramps, dock areas, steep external ramps)

根据标准，澳洲防滑指标（P 值）/ 欧洲防滑指标（R 值）越高，防滑性系数越高，安全性能越强。
According to the standard, the higher the Australian anti slip criterion (P rating)/European anti slip criterion (R rating), the higher the anti slip coefficient and the stronger the safety performance.

Roman Travertine
罗马洞石



INSPIRATION

设计灵感

古罗马经典建筑石材，成形于火山温泉沉积。天然孔隙是地热矿泉千年蒸腾的独有肌理，复刻罗马古建筑的复古原生质感。

DESIGN



A classic Roman architectural stone formed by hot spring deposition. Unique porous texture inherits the timeless vintage charm of ancient Roman architecture.

Roman Travertine
罗马洞石



名称 Name:
米白 Bianco

型号 Model No.:
GF-Z126057CK

设计面 Design Faces:
6

工艺 Technology:
止滑釉 + 浅模具 Anti-slip & Mold

工艺面 Surface Finish:
质感面 Sandblasted

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X1200mm / 24"×48"

厚度 Thickness:
10mm

防滑等级 Anti-slip Rating:
R10

颜色 Color:



米白 Bianco



米黄 Beige



浅灰 Pale Grey



米白 Bianco
GF-Z126057CK

Roman Travertine
罗马洞石



名称 Name:
米黄 Beige

型号 Model No.:
GF-Z126058CK

设计面 Design Faces:
6

工艺 Technology:
止滑釉 + 浅模具 Anti-slip & Mold

工艺面 Surface Finish:
质感面 Sandblasted

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X1200mm / 24"×48"

厚度 Thickness:
10mm

防滑等级 Anti-slip Rating:
R10

颜色 color:



米白 Bianco



米黄 Beige



浅灰 Pale Grey



米黄 Beige
GF-Z126058CK

Roman Travertine
罗马洞石



名称 Name:
浅灰 Pale Grey

型号 Model No.:
GF-Z126059CK

设计面 Design Faces:
6

工艺 Technology:
止滑釉 + 浅模具 Anti-slip & Mold

工艺面 Surface Finish:
质感面 Sandblasted

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X1200mm / 24"×48"

厚度 Thickness:
10mm

防滑等级 Anti-slip Rating:
R10

颜色 color:



米白 Bianco



米黄 Beige



浅灰 Pale Grey



浅灰 Pale Grey
GF-Z126059CK

Portland
波特兰



INSPIRATION

设计灵感

英国波特兰岛御用建筑石材，为大本钟、西敏寺主力用材。岩质致密耐候，色调纯净，演绎英伦百年皇家建筑的庄重极简气质。

DESIGN





Royal stone from Portland Island, used for Big Ben and Westminster Abbey. Dense and weather-resistant, it interprets solemn, timeless British architectural minimalism.

Portland
波特兰

名称 Name:
米黄 Beige

型号 Model No.:
GF-Z126060CK

尺寸 Sizes:
600X1200mm / 24"×48"

名称 Name:
米黄 Beige

型号 Model No.:
GF-Z60060CK

尺寸 Sizes:
600X600mm / 24"×24"

工艺 Technology:
平面止滑釉 Anti-slip

工艺面 Surface Finish:
质感面 Sandblasted

吸水率 WA:
WA ≤ 0.1%

设计面 Design Faces:
6

厚度 Thickness:
10mm

防滑等级 Anti-slip Rating:
R10

颜色 color:

米白 Bianco



米黄 Beige



灰色 Grigio



米黄 Beige
GF-Z126060CK

Portland
波特兰

名称 Name：
米白 Bianco

型号 Model No.：
GF-Z126061CK

尺寸 Sizes：
600X1200mm / 24"×48"

名称 Name：
米白 Bianco

型号 Model No.：
GF-Z60061CK

尺寸 Sizes：
600X600mm / 24"×24"

工艺 Technology:
平面止滑釉 Anti-slip

工艺面 Surface Finish：
质感面 Sandblasted

吸水率 WA：
WA ≤ 0.1%

设计面 Design Faces:
6

厚度 Thickness：
10mm

防滑等级 Anti-slip Rating：
R10

颜色 color：

米白 Bianco



米黄 Beige



灰色 Grigio



米白 Bianco
GF-Z126061CK

Portland
波特兰



名称 Name:
灰色 Grigio

型号 Model No.:
GF-Z126062CK

尺寸 Sizes:
600X1200mm / 24"×48"



名称 Name:
灰色 Grigio

型号 Model No.:
GF-Z60062CK

尺寸 Sizes:
600X600mm / 24"×24"

工艺 Technology:
平面止滑釉 Anti-slip

工艺面 Surface Finish:
质感面 Sandblasted

吸水率 WA:
WA ≤ 0.1%

设计面 Design Faces:
6

厚度 Thickness:
10mm

防滑等级 Anti-slip Rating:
R10

颜色 color:

米白 Bianco



米黄 Beige



灰色 Grigio



灰色 Grigio
GF-Z126062CK / GF-Z60062CK

Premium Limestone
极品莱姆石



INSPIRATION

设计灵感

远古海洋沉积岩，由贝壳珊瑚亿年钙化堆积而成。自带海岸层理肌理，是欧洲古堡宅邸经典用材，自带温润岁月质感。

DESIGN





Ancient marine sedimentary rock formed by shell and coral calcification. With natural coastal layered texture, it presents the mild, aged aesthetics of European classical buildings.

Premium Limestone
极品莱姆石





名称 Name:
米白 Bianco

型号 Model No.:
GF-B60063CK

设计面 Design Faces:
4

工艺 Technology:
普通仿古喷墨 Matt

工艺面 Surface Finish:
自然面 Natural

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X600mm / 24"×24"

厚度 Thickness:
10mm

颜色 color:



米白 Bianco



米灰 Greige



灰色 Grigio



米白 Bianco
GF-B60063CK

Premium Limestone
极品莱姆石





名称 Name:
灰色 Grigio

型号 Model No.:
GF-B60064CK

设计面 Design Faces:
4

工艺 Technology:
普通仿古喷墨 Matt

工艺面 Surface Finish:
自然面 Natural

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X600mm / 24"×24"

厚度 Thickness:
10mm

颜色 color:



米白 Bianco



米灰 Greige



灰色 Grigio



灰色 Grigio
GF-B60064CK

Premium Limestone
极品莱姆石





名称 Name:
米灰 Greige

型号 Model No.:
GF-B60065CK

设计面 Design Faces:
4

工艺 Technology:
普通仿古喷墨 Matt

工艺面 Surface Finish:
自然面 Natural

吸水率 WA:
WA ≤ 0.1%

尺寸 Sizes:
600X600mm / 24"×24"

厚度 Thickness:
10mm

颜色 color:



米白 Bianco



米灰 Greige



灰色 Grigio



米灰 Greige
GF-B60065CK

PRODUCT OVERVIEW
产品汇总

Roman Travertine 罗马洞石
【600x1200mm】

米白 Bianco


米黄 Beige


浅灰 Pale Grey

Portland 波特兰
【600x1200mm】

米黄 Beige

米白 Bianco


灰色 Grigio

Premium Limestone 极品莱姆石
【600x600mm】

米白 Bianco


灰色 Grigio


米灰 Greige

Portland 波特兰
【600x600mm】

米黄 Beige

米白 Bianco


灰色 Grigio

PACKING DETAILS
包装明细

SIZE 尺寸（mm）	PCS/CTN 片 / 箱	M2/CTN 平方米 / 箱	KGS/CTN 重量 / 箱（kg）	CTNS/PALLET 箱 / 托	M2/PALLET 平方米 / 托	KGS/PALLET 重量 / 托（kg）
600x600x10	5	1.8	41	32	57.6	1337
600x1200x10	3	2.16	50	30	64.8	1530

NEWPEARL
GROUP

OFFICE:

广东省佛山市禅城区南庄镇华夏陶瓷博览城新明珠大厦（萨米特展厅）
Summit Showroom, Newpearl Building, Huaxia Ceramics Expo City,
Nanzhuang, Chancheng, Foshan, Guangdong, China

WEBSITE:

www.newpearl-global.com