

MENRED AIR



- *Powerful Suction*
- *Low Noise*
- *Healthy Filtration*
- *Easy Maintenance*

Central Vacuum System




Quieter Operation

Quiet cleaning, suitable for home, hotel, daytime & night use.




Recommended pipeline length $\leq 100\text{m}$, with no more than 7 valves.



Remote Installation



Retractable Hose



External Muffler



Traditional CVS

MENRED AIR

Stronger Suction

Equipped with **AMETEK**® motor

1800W 625AW

Lifespan 8000-12000 Hrs



Hepa Filtration



99.97%

filtration efficiency captures all dust and particles.



MENRED AIR

Versatile Accessories



PVC Elbow



Hidden CVS Accessories



Furniture Cover Brush



Pet-Specific Brush



Floor Brush



Vacpan



Wallyflex




Low Voltage Hose



MENRED AIR

Model	CVS3.16.W180
Working principle	Hybrid Cyclonic
Host shell	Imported steel plate
Motor	AMETEK
Rated Power(W)	1800
Voltage	220V~ 50Hz
Negative pressure value(mmH2O)	3500
Flow (m ² /h)	200
Air Watts(W)	625
Sucking valve on power unit	YES
Motor protection system	YES
Muffler	Outward Aluminium Muffier
Capacity(L)	20
Size(mm)	ø280X910
N.W/G.W(kg)	13/15.5
Sound Level(3m)(dB(A))	61
Filtration System	· Large filter filter, big dust capacity · Reasonable structure,simple replacement · Double layers filter which can fiter · Using the inlet elbow can effectively guide0.3um up to 99.97%the dust into the bottom of the barrel

Dust collection bag installable




Product Introduction



1. Cooling Air Inlet
2. Cooling Air Outlet
3. Signal wire
4. Power indicator
5. Over-current protection switch
6. Power cord
7. Wall-mounted bracket
8. Air Inlet
9. Storage tank
10. Grounding screw
11. Exhaust
12. Vacuum valve
13. Muffler
14. Filter

Packing List

Unit(PCS)



①
Main unit x1



②
User Manual
x1



⑤
wire connector
x2



⑧
Stainless steel
pipe x4



③
90° Elbow
x1



⑥
Bracket
x1



⑨
Plastic expansion
sleeve x4



④
Muffler mounting
bracket x1



⑦
30cm Hose
x2



⑩
M5x35 Self-tapping
screws x4