Hengshui Speed Drive
Technology Co., Ltd.

HIGH PERFORMANCE HOSE AND FITTINGS



""We dedicate to provide excellent quality motorsports and performance vehicles accessories, as an expert in hose and fittings manufacturer, we provide service for many types customers, find us, give you the best. ----Hengshui Speed Drive

Hengshui Speed Drive has engaged in this area since 2016, we'd like to bring our quality products and best service for each client, and we hope this catalog would be helpful for you.

We have developed with advanced equipment, test equipment, sound management system and quality assurance system. What makes us reach today's development and growth is the indispensable professional team. From our end, each employee strives to provide quality products for customers. From customers end, their feedback and suggestions push us to do better. Therefore we are appreciated so much who supports Hengshui Speed Drive products!

We paticipate shows and learn the new knowledgement and get to know the market, always take product quality and customers requirements into priority. Hengshui Speed Drive has invested heavily in the workshop, the efficient production lines make sure each order arranged well. We have passion to do better and best. Thank you again to cooperate with us.

Hengshui Speed Drive
PERPORMANCE

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

COMPANY INFORMATION

Our Pursuit

The company always puts quality at first place, adheres to the concept of "people-oriented, continuous innovation, the pursuit of excellence".

As an authentic, direct and professional manufacturer, Hengshui Speed Drive has developed into one of the largest manufacturers and exporters in spare parts area.

Our main products cover the fuel hose, oil pipe, hose fittings etc. Our products are compatible to most cars and widely used to fuel systems, brake systems, engine systems, cooling systems.

We have a factory in Hebei and has advanced production, testing equipment, perfect management system and quality assurance system.

We support OEM and ODM services, and we have passed SGS, CE, ISO certifications.

Warmly welcome customers to visit our factory, we'd like to provide our excellent service for each customer.








PRODUCT CATALOGUE

HOSE OPTIONS



STAINLESS STEEL BRAIDED RUBBER HOSE

Hengshui Speed Drive stainless steel braided rubber hose is a first-class stainless steel braided synthetic rubber hose.
Used in conjunction with our rotary hose end.
Temperature range: -40℃~120℃.Rated pressure: -4~~12,
Working pressure: 1000psi.
Not recommended for unleaded,E85 or corrosive fuels.




NYLON BRAIDED RUBBER HOSE

Used in conjunction with rotating hose end.
Temperature Range: -40°C to 120 °C
Approved for Synthetic Lubricants, Oils, Air, Coolant, Methanol and Nitromethane.
Not recommended for unleaded,E85 or corrosive fuels.



STAINLESS STEEL BRAIDED PTFE HOSE

A great versatile all round hose for Performance Vehicles!
Used with PTFE hose connector or with hose end of buckle connector.
Temperature Range: -60°C to 260°C .
Compatible with Brake, Clutch, Oils, Air, NO, Coolant, Fuels, Hydraulics.
Recommended Hose for Unleaded. E85 or corrosive fuels.



NYLON BRAIDED PTFE HOSE

A great versatile all round hose for Performance Vehicles!
Used with PTFE hose connector or with hose end of buckle connector.
Temperature Range: -60°C to 260°C .
Compatible with Brake, Clutch, Oils, Air, NO, Coolant, Fuels, Hydraulics.
Recommended Hose for Unleaded. E85 or corrosive fuels.



BRAIDED RUBBER HOSE WITH CRIMPING FITTING

Flexible hose for Professional Motorsport.
Use with Crimp Hose Ends.
Carbon impregnated Rubber smooth-bore inner tube with outer annular convolutions.
Stainless steel or nylon braid can be selected.
Temperature Range: -60C to 180C .
Compatible with Oils, Air, Coolant, fuels.



TUBING

Two kinds of hoses have black smooth outer layer and rough outer layer.
Used in conjunction with push-lock hose end.
Elastomer tube, Textile Braid reinforcement with a rough Elastomer outer cover.
Temperature Range: -40°C to 100℃.Operating pressures up to 250psi.
Approved for Low Pressure Oils, Air, Coolant, & Methanol.
Not Recommended for unleaded, E85 or corrosive fuels




SMOOTH RUBBER FUEL LINE

Designed for modern EFI fuel systems and push on hose tails.
Hose clips can be used with multiple series of hose tails.
Barrier liner, thermoplastic layer, adhesion layer, textile support and smooth cover.
Multi-fuel compatible: Diesel, E85, Methanol & Gasohol.

Build Your Hose Assembly!

①Measure Size：




②Choose Fitting:

0 deg,45deg,90deg,180deg




(0+0）



(0+45Deg）



(90Deg+45Deg）



(90Deg+90Deg）

● PTFE Stainless Steel Braided Hose


Stainless Steel Braided Hose is a ture double braided stainless hose that uses the highest quality stainless wire available in the world.

. Constructed with a stainless steel outer braid that resists abrasion and corrosion

. Combined with a reinforced PTFE synthetic rubber liner with a nylon inner braid.

. For use with fuel systems, merhanol, oils, lubricants, coolant systems and vacuum applications.

. Minimum temperature -60℃, maximum the temperature 260℃.





Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature
		mm	mm	psi	psi	mm	min max
HF-3203	-3	3.56	6.35	4000	12000	50.8	-60℃ ~ 260℃
HF-3204	-4	4.83	8	4000	12000	63.5	-60℃ ~ 260℃
HF-3206	-6	8.13	10.92	3000	10000	88.9	-60℃ ~ 260℃
HF-3208	-8	10.67	13.72	2500	8000	101.6	-60℃ ~ 260℃
HF-3210	-10	12.95	16	2000	6000	114.3	-60℃ ~ 260℃
HF-3212	-12	16.26	19.3	1000	4000	139.7	-60℃ ~ 260℃

● PTFE Nylon Braided Hose


Series hose is for performance and racing enthusiasts who want high quality light weight hose that is easier to assemble than traditional braided steel hose.

. Constructed with a braided nylon outer shield for abrasion resistance.

. A flexible stainless steel inner core for superior strength embedded in the PTFE synthetic rubber liner.

. For use with fuel systems, methanol, oils, lubricants, E85, E10, coolant systems and vacuum applications.

. Minimum temperature -60℃~260℃.





Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature
		mm	mm	psi	psi	mm	min max
HF-3304	-4	4.83	8	4000	12000	63.5	-60℃ ~ 260℃
HF-3306	-6	8.13	10.92	3000	10000	88.9	-60℃ ~ 260℃
HF-3308	-8	10.67	13.72	2500	8000	101.6	-60℃ ~ 260℃
HF-3310	-10	12.95	16	2000	6000	114.3	-60℃ ~ 260℃
HF-3312	-12	16.26	19.3	1000	4000	139.7	-60℃ ~ 260℃

MAIN BRAIDED HOSE

● Stainless Steel Braided Rubber Hose



Stainless Steel Braided Rubber Hose is a true double braided stainless steel hose, using the world's highest quality stainless steel wire.
. With a stainless steel outer braid that resists abrasion and corrosion.
. Combined with a reinforced synthetic rubber lining.
. Suitable for fuel systems, methanol, oils, lubricants, coolant systems and vacuum applications.
. Minimum temperature -40℃, maximum temperature 120℃.

Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature
		mm	mm	psi	psi	mm	min max
HF-3004	-4	5.56	11.13	1015	6090	50.8	-40℃ ~ 120℃
HF-3006	-6	8.73	13.89	1015	6090	63.5	-40℃ ~ 120℃
HF-3008	-8	11.12	16.28	1015	5075	88.9	-40℃ ~ 120℃
HF-3010	-10	14.27	20.24	1015	5075	101.6	-40℃ ~ 120℃
HF-3012	-12	17.47	23.82	1015	3813	114.3	-40℃ ~ 120℃
HF-3016	-16	22.22	29.96	754	2537	126.2	-40℃ ~ 120℃
HF-3020	-20	28.5	35.81	754	2537	139.7	-40℃ ~ 120℃

● Nylon Braided Rubber Hose

Nylon Braided Rubber HoseDouble braided stainless steel hose, using the world's highest quality stainless steel wire.
. Nylon outer braided stainless steel middle braid resists abrasion and corrosion.
. Combined with reinforced synthetic rubber lining.
. Suitable for fuel systems, methanol, oil, lubricants, coolant systems and vacuum applications.
. Minimum temperature -40℃, maximum temperature 120℃.





Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature
		mm	mm	psi	psi	mm	min max
HF-3104	-4	5.56	11.17	500	2000	50.8	-40℃ ~ 120℃
HF-3106	-6	8.71	14.22	500	2000	63.5	-40℃ ~ 120℃
HF-3108	-8	11.13	17.2	500	2000	88.9	-40℃ ~ 120℃
HF-3110	-10	14.29	20.83	500	2000	101.6	-40℃ ~ 120℃
HF-3112	-12	17.46	24.38	500	2000	114.3	-40℃ ~ 120℃
HF-3116	-16	22.22	29.96	348	1392	126.2	-40℃ ~ 120℃
HF-3120	-20	28.5	36.53	348	1392	139.7	-40℃ ~ 120℃

OTHER HOSE SRECOMMENDED



Smooth Rubber Oil Hose

The surface shape of the smooth oil pipe is smooth, cloth texture, mesh texture, stripe: the color is black, red, blue, etc., and various specifications can be customized according to customer requirements.
Applicable temperature: -40°C~+125°C,
Applicable standards: GB10542, SAEJ30R. It is suitable for conveying gasoline, diesel, engine oil, kerosene, hydraulic oil and lubricating oil and other related media oils, and is widely used in engineering machinery, automobiles, internal combustion engines and other fuel systems.

Part No	Thick	Hose I.D.			Hose O.D.			W.P.		B.P.	
	mm	mm	inch	mm	mm	inch	mm	mpa	psi	mpa	psi
HF-34-1/8	2.9	3.2	1/8″	±0.3	9	0.35	±0.3	2	300	8	1200
HF-34-5/32	3	4	5/32″	±0.3	10	0.4	±0.3	2	300	8	1200
HF-34-3/16	3.1	4.8	3/16″	±0.3	11	0.43	±0.3	2	300	8	1200
HF-34-1/4	3.2	6.3	1/4″	±0.3	13	0.5	±0.4	2	300	8	1200
HF-34-5/16	3.05	7.9	5/16″	±0.4	14	0.56	±0.5	2	300	8	1200
HF-34-3/8	3.25	9.5	3/8″	±0.4	16	0.63	±0.5	2	300	8	1200
HF-34-15/32	3.5	12	15/32″	±0.4	19	0.75	±0.5	2	300	8	1200
HF-34-1/2	3.65	12.7	1/2″	±0.5	20	0.78	±0.5	2	300	8	1200
HF-34-5/8	4	16	5/8″	±0.5	24	0.94	±0.6	1	150	4	600
HF-34-3/4	4.9	19	3/4″	±0.5	29	1.13	±0.6	1	150	4	600
HF-34-1	4.8	25.4	1	±0.6	35	1.38	±0.8	1	150	4	600



Hydraulic Rubber Hose

Hydraulic cloth hose is a key component of hydraulic system. The inner rubber layer is resistant to medium erosion, the steel wire or fiber braided reinforcement layer provides high pressure resistance, and the outer rubber layer is designed with cloth texture, which is wear-resistant and increases friction. It has good flexibility, can be flexibly adapted to installation, is vibration-resistant and has good sealing. It is widely used in engineering machinery, industrial automation and other fields to transmit hydraulic power.

Part No	Thick	Hose I.D.			Hose O.D.			W.P.		B.P.	
	mm	mm	inch	mm	mm	inch	mm	mpa	psi	mpa	psi
HF-35-1/8	2.9	3.2	1/8″	±0.3	9	0.35	±0.3	2	300	8	1200
HF-35-5/32	3	4	5/32″	±0.3	10	0.4	±0.3	2	300	8	1200
HF-35-3/16	3.1	4.8	3/16″	±0.3	11	0.43	±0.3	2	300	8	1200
HF-35-1/4	3.2	6.3	1/4″	±0.3	13	0.5	±0.4	2	300	8	1200
HF-35-5/16	3.05	7.9	5/16″	±0.4	14	0.56	±0.5	2	300	8	1200
HF-35-3/8	3.25	9.5	3/8″	±0.4	16	0.63	±0.5	2	300	8	1200
HF-35-15/32	3.5	12	15/32″	±0.4	19	0.75	±0.5	2	300	8	1200
HF-35-1/2	3.65	12.7	1/2″	±0.5	20	0.78	±0.5	2	300	8	1200
HF-35-5/8	4	16	5/8″	±0.5	24	0.94	±0.6	1	150	4	600
HF-35-3/4	4.9	19	3/4″	±0.5	29	1.13	±0.6	1	150	4	600
HF-35-1	4.8	25.4	1	±0.6	35	1.38	±0.8	1	150	4	600

MAIN BRAIDED HOSE

● Nylon Braided Corrugated PTFE Hose

Nylon braided corrugated PTFE hose Double braided stainless steel hose, using high quality stainless steel wire.

. Nylon outer braid stainless steel middle braid resists abrasion and corrosion.
. Combined with reinforced synthetic rubber lining.
. Suitable for fuel systems, methanol, oil, lubricants, coolant systems and vacuum applications.
. Minimum temperature -65℃, maximum temperature 260℃.

● Stainless Steel Braided Corrugated PTFE Hose


Stainless Steel Braided Corrugated PTFE Hose Double braided hose, made of high quality stainless steel wire.

. Stainless steel outer braid is abrasion and corrosion resistant.
. Combined with reinforced synthetic rubber lining.
. Suitable for fuel systems, methanol, oil, lubricants, coolant systems and vacuum applications.
. Minimum temperature -65℃, maximum temperature 260℃.









Part No	Inch	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature
		mm	mm	psi	psi	mm	min max
HF-3304-Corrugated	3/16″	5.0	11.0	2944	8831	10	-65℃ ~ 260℃
HF-3305-Corrugated	1/4″	6.5	12.0	3383	10150	10	-65℃ ~ 260℃
HF-3306-Corrugated	5/16″	8.0	13.1	3093	9280	15	-65℃ ~ 260℃
HF-3308-Corrugated	3/8″	10.0	15.5	2320	6960	20	-65℃ ~ 260℃
HF-3310-Corrugated	1/2″	13.0	19.2	2127	6380	25	-65℃ ~ 260℃
HF-3312-Corrugated	5/8″	16.0	23.0	1933	5800	50	-65℃ ~ 260℃
HF-3314-Corrugated	3/4″	19.0	26.8	1547	4640	63	-65℃ ~ 260℃
HF-3316-Corrugated	7/8″	22.2	30.0	1160	3480	80	-65℃ ~ 260℃
HF-3318-Corrugated	1″	25.0	33.0	1063	3190	85	-65℃ ~ 260℃
HF-3320-Corrugated	1-1/8″	28.0	35.5	870	2610	95	-65℃ ~ 260℃
HF-3322-Corrugated	1-1/4″	32.0	41.5	450	1349	100	-65℃ ~ 260℃
HF-3326-Corrugated	1-1/2″	38.0	48.0	392	1175	155	-65℃ ~ 260℃
HF-3332-Corrugated	2″	50.0	62.5	300	899	200	-65℃ ~ 260℃

MAIN BRAIDED HOSE




• Lightweight Aramid Braided Racing Hose 910

Lightweight Aramid Braided Racing Hose 910
Antistatic PTFE lining, lightweight Aramid, fiber braid
Temperature: -45°C to 170°C (-49°F to 338°F)
Compatible with all types of fuel (gasoline, diesel, E85, alcohol and nitromethane).

Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature	
		mm	mm	psi	psi	mm	min	max
HF-910-04	-4	6.85	10.3	1320	5290	23.5	-45°C to 170°C	
HF-910-06	-6	9.53	13	1180	4700	20	-45°C to 170°C	
HF-910-08	-8	12.7	16.5	1030	4120	38	-45°C to 170°C	
HF-910-10	-10	15.88	20.8	955	3820	45	-45°C to 170°C	
HF-910-12	-12	19.05	24.4	880	3530	50	-45°C to 170°C	
HF-910-16	-16	25.4	32.3	740	2940	70	-45°C to 170°C	
HF-910-20	-20	32	38.4	666	2645	100	-45°C to 170°C	

• PU Covered Stainless Steel Braided PTFE Hose



PU Covered stainless steel braided PTFE hose is a true double braided stainless steel hose, using the high quality stainless steel wire.
. PU + stainless steel outer braid is abrasion and corrosion resistant.
. Combined with reinforced synthetic ptfe lining.
. Suitable for fuel system, methanol, oil, lubricant, coolant system and vacuum applications.
. Minimum temperature -60℃, maximum temperature 260℃.

Part No	AN	I.D.	O.D.	W.P.	B.P.	M.B.R.	Temperature	
		mm	mm	psi	psi	mm	min	max
HF-3006	-6	8	12.4	1015	6090	88.9	-60℃ ~ 260℃	
HF-3008	-8	10	14.2	1015	5075	101.6	-60℃ ~ 260℃	
HF-3010	-10	12.8	18.0	1015	5075	114.3	-60℃ ~ 260℃	

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

SILICONE HOSE



LENGTH SILICONE HOSE STARAIGHT



2 FOOT LENGTH SILICONE HOSE STRAIGHT



SILICONE T PIECE



90° SILICONE HOSE ELBOWS



SILICONE COUPLERS

STRAIGHT SILICONE HOSE REDOCER
















Fire Sleeve

New Fire Sleeve features a woven high-temperature fberglass lining covered by a thick, 100% silicoejacket which provides superior heat protection for fuel, oil, brake or electrical lines. The Fire Sleeves arerateito withstand continuous working temperatures up to 260°and intermittent heat up to 1650°.

Part No	Roll Length Meter	Hose I.D. mm	Temperature Resistant	Melting Point	Remark
HF-FRP-4	20	4	(-40℃～260℃)	1650℃	
HF-FRP-6	20	6	(-40℃～260℃)	1650℃	
HF-FRP-8	20	8	(-40℃～260℃)	1650℃	
HF-FRP-10	20	10	(-40℃～260℃)	1650℃	
HF-FRP-11	20	11	(-40℃～260℃)	1650℃	
HF-FRP-13	20	13	(-40℃～260℃)	1650℃	
HF-FRP-16	20	16	(-40℃～260℃)	1650℃	
HF-FRP-19	20	19	(-40℃～260℃)	1650℃	
HF-FRP-22	20	22	(-40℃～260℃)	1650℃	
HF-FRP-25	20	25	(-40℃～260℃)	1650℃	
HF-FRP-29	20	29	(-40℃～260℃)	1650℃	
HF-FRP-32	20	32	(-40℃～260℃)	1650℃	
HF-FRP-35	20	35	(-40℃～260℃)	1650℃	
HF-FRP-38	20	38	(-40℃～260℃)	1650℃	
HF-FRP-41	20	41	(-40℃～260℃)	1650℃	
HF-FRP-44	20	44	(-40℃～260℃)	1650℃	
HF-FRP-48	20	48	(-40℃～260℃)	1650℃	
HF-FRP-51	20	51	(-40℃～260℃)	1650℃	
HF-FRP-57	20	57	(-40℃～260℃)	1650℃	
HF-FRP-60	20	60	(-40℃～260℃)	1650℃	
HF-FRP-64	20	64	(-40℃～260℃)	1650℃	
HF-FRP-67	20	67	(-40℃～260℃)	1650℃	
HF-FRP-70	20	70	(-40℃～260℃)	1650℃	
HF-FRP-73	20	73	(-40℃～260℃)	1650℃	
HF-FRP-76	20	76	(-40℃～260℃)	1650℃	
HF-FRP-83	20	83	(-40℃～260℃)	1650℃	
HF-FRP-89	20	89	(-40℃～260℃)	1650℃	
HF-FRP-95	20	95	(-40℃～260℃)	1650℃	
HF-FRP-102	20	102	(-40℃～260℃)	1650℃	
HF-FRP-114	20	114	(-40℃～260℃)	1650℃	
HF-FRP-121	20	121	(-40℃～260℃)	1650℃	
HF-FRP-127	20	127	(-40℃～260℃)	1650℃	
HF-FRP-152	20	152	(-40℃～260℃)	1650℃	

Special length and packaging can be customized; special thickness can be customized; logo can be printed.

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

FIRE SLEEVE









































PRODUCT CATALOGUE

SWIVEL HOSE ENDS

HaoFa Racing provide high performance resuable swivel hose end fittings. Products are made of 6061 aluminum and processed with anodized treatment. It's easy to install and can achieve perfect sealing. For degree and color customized service are available.



Swivel Hose End-STR			
Part No	AN	Thread	To Suit Hose
HF-4004-001	-4	7/16 X 20	Rubber Hose
HF-4006-001	-6	9/16 X 18	Rubber Hose
HF-4008-001	-8	3/4 X 16	Rubber Hose
HF-4010-001	-10	7/8X14	Rubber Hose
HF-4012-001	-12	1-1/16X12	Rubber Hose
HF-4016-001	-16	1-5/16X12	Rubber Hose
HF-4020-001	-20	1-5/8X12	Rubber Hose



Swivel Hose End 30°			
Part No	AN	Thread	To Suit Hose
HF-4004-030	-4	7/16 X 20	Rubber Hose
HF-4006-030	-6	9/16 X 18	Rubber Hose
HF-4008-030	-8	3/4 X 16	Rubber Hose
HF-4010-030	-10	7/8X14	Rubber Hose
HF-4012-030	-12	1-1/16X12	Rubber Hose
HF-4016-030	-16	1-5/16X12	Rubber Hose
HF-4020-030	-20	1-5/8X12	Rubber Hose



Swivel Hose End 45°			
Part No	AN	Thread	To Suit Hose
HF-4004-045	-4	7/16 X 20	Rubber Hose
HF-4006-045	-6	9/16 X 18	Rubber Hose
HF-4008-045	-8	3/4 X 16	Rubber Hose
HF-4010-045	-10	7/8X14	Rubber Hose
HF-4012-045	-12	1-1/16X12	Rubber Hose
HF-4016-045	-16	1-5/16X12	Rubber Hose
HF-4020-045	-20	1-5/8X12	Rubber Hose



Swivel Hose End 60°			
Part No	AN	Thread	To Suit Hose
HF-4004-060	-4	7/16 X 20	Rubber Hose
HF-4006-060	-6	9/16 X 18	Rubber Hose
HF-4008-060	-8	3/4 X 16	Rubber Hose
HF-4010-060	-10	7/8X14	Rubber Hose
HF-4012-060	-12	1-1/16X12	Rubber Hose
HF-4016-060	-16	1-5/16X12	Rubber Hose
HF-4020-060	-20	1-5/8X12	Rubber Hose



Swivel Hose End 90°			
Part No	AN	Thread	To Suit Hose
HF-4004-090	-4	7/16 X 20	Rubber Hose
HF-4006-090	-6	9/16 X 18	Rubber Hose
HF-4008-090	-8	3/4 X 16	Rubber Hose
HF-4010-090	-10	7/8X14	Rubber Hose
HF-4012-090	-12	1-1/16X12	Rubber Hose
HF-4016-090	-16	1-5/16X12	Rubber Hose
HF-4020-090	-20	1-5/8X12	Rubber Hose



Swivel Hose End 120°			
Part No	AN	Thread	To Suit Hose
HF-4004-120	-4	7/16 X 20	Rubber Hose
HF-4006-120	-6	9/16 X 18	Rubber Hose
HF-4008-120	-8	3/4 X 16	Rubber Hose
HF-4010-120	-10	7/8X14	Rubber Hose
HF-4012-120	-12	1-1/16X12	Rubber Hose
HF-4016-120	-16	1-5/16X12	Rubber Hose
HF-4020-120	-20	1-5/8X12	Rubber Hose



Swivel Hose End 150°			
Part No	AN	Thread	To Suit Hose
HF-4004-150	-4	7/16 X 20	Rubber Hose
HF-4006-150	-6	9/16 X 18	Rubber Hose
HF-4008-150	-8	3/4 X 16	Rubber Hose
HF-4010-150	-10	7/8X14	Rubber Hose
HF-4012-150	-12	1-1/16X12	Rubber Hose
HF-4016-150	-16	1-5/16X12	Rubber Hose
HF-4020-150	-20	1-5/8X12	Rubber Hose



Swivel Hose End 180°			
Part No	AN	Thread	To Suit Hose
HF-4004-180	-4	7/16 X 20	Rubber Hose
HF-4006-180	-6	9/16 X 18	Rubber Hose
HF-4008-180	-8	3/4 X 16	Rubber Hose
HF-4010-180	-10	7/8X14	Rubber Hose
HF-4012-180	-12	1-1/16X12	Rubber Hose
HF-4016-180	-16	1-5/16X12	Rubber Hose
HF-4020-180	-20	1-5/8X12	Rubber Hose



REUSABLE HOSE ENDS

FULL FLOW RUBBER HOSE ENDS



Straight Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-001	-4	7/16X20	Rubber Hose
HF-4206-001	-6	9/16X18	Rubber Hose
HF-4208-001	-8	3/4X16	Rubber Hose
HF-4210-001	-10	7/8X14	Rubber Hose
HF-4212-001	-12	1-1/16X12	Rubber Hose
HF-4216-001	-16	1-5/16X12	Rubber Hose



30° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-030	-4	7/16X20	Rubber Hose
HF-4206-030	-6	9/16X18	Rubber Hose
HF-4208-030	-8	3/4X16	Rubber Hose
HF-4210-030	-10	7/8X14	Rubber Hose
HF-4212-030	-12	1-1/16X12	Rubber Hose
HF-4216-030	-16	1-5/16X12	Rubber Hose



45° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-045	-4	7/16X20	Rubber Hose
HF-4206-045	-6	9/16X18	Rubber Hose
HF-4208-045	-8	3/4X16	Rubber Hose
HF-4210-045	-10	7/8X14	Rubber Hose
HF-4212-045	-12	1-1/16X12	Rubber Hose
HF-4216-045	-16	1-5/16X12	Rubber Hose



60° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-060	-4	7/16X20	Rubber Hose
HF-4206-060	-6	9/16X18	Rubber Hose
HF-4208-060	-8	3/4X16	Rubber Hose
HF-4210-060	-10	7/8X14	Rubber Hose
HF-4212-060	-12	1-1/16X12	Rubber Hose
HF-4216-060	-16	1-5/16X12	Rubber Hose



90° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-090	-4	7/16X20	Rubber Hose
HF-4206-090	-6	9/16X18	Rubber Hose
HF-4208-090	-8	3/4X16	Rubber Hose
HF-4210-090	-10	7/8X14	Rubber Hose
HF-4212-090	-12	1-1/16X12	Rubber Hose
HF-4216-090	-16	1-5/16X12	Rubber Hose



120° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-120	-4	7/16X20	Rubber Hose
HF-4206-120	-6	9/16X18	Rubber Hose
HF-4208-120	-8	3/4X16	Rubber Hose
HF-4210-120	-10	7/8X14	Rubber Hose
HF-4212-120	-12	1-1/16X12	Rubber Hose
HF-4216-120	-16	1-5/16X12	Rubber Hose



150° Swivel Hose End

Part No	AN	Thread	To Suit Hose
HF-4204-150	-4	7/16X20	Rubber Hose
HF-4206-150	-6	9/16X18	Rubber Hose
HF-4208-150	-8	3/4X16	Rubber Hose
HF-4210-150	-10	7/8X14	Rubber Hose
HF-4212-150	-12	1-1/16X12	Rubber Hose
HF-4216-150	-16	1-5/16X12	Rubber Hose



Swivel Hose End 180°

Part No	AN	Thread	To Suit Hose
HF-4204-180	-4	7/16X20	Rubber Hose
HF-4206-180	-6	9/16X18	Rubber Hose
HF-4208-180	-8	3/4X16	Rubber Hose
HF-4210-180	-10	7/8X14	Rubber Hose
HF-4212-180	-12	1-1/16X12	Rubber Hose
HF-4216-180	-16	1-5/16X12	Rubber Hose

FULL FOLLOW AN FITTINGS ARE ENGINEERED TO DELIVER UNRESTRICTED HIGH-FLOW FLUID TRANSFER !


1.Material: 6061-T6 aluminum for lightweight strength (high tensile, 1/3 the weight of steel).

2.Internal Finish: Double-polished electropolished interior (Ra ≤0.8μm vs. standard 3.2μm) cuts friction by 30%.

3.One-Piece Design: Seamless construction eliminates bottlenecks (no joints/shrinkage).

4.FKM Seals: Withstands -20°C to 230°C, resists ethanol, nitro fuels, and harsh chems.

Engineered to boost flow rates, reduce pressure drop and survive brutal track conditions—where every drop of performance counts.



PTFE HOSE ENDS

HaoFa Racing produces a full range of resuable PTFE fittings, which are made of 6061 alumimun material with anodized finish, we provide black color as well as customized colors.



STRAIGHT PTFE HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-001	-3	3/8 X 24	PTFE Hose
HF-4604-001	-4	7/16 X 20	PTFE Hose
HF-4606-001	-6	9/16 X 18	PTFE Hose
HF-4608-001	-8	3/4 X 16	PTFE Hose
HF-4610-001	-10	7/8X14	PTFE Hose
HF-4612-001	-12	1-1/16X12	PTFE Hose
HF-4616-001	-16	1-5/16X12	PTFE Hose



30° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-030	-3	3/8 X 24	PTFE Hose
HF-4604-030	-4	7/16 X 20	PTFE Hose
HF-4606-030	-6	9/16 X 18	PTFE Hose
HF-4608-030	-8	3/4 X 16	PTFE Hose
HF-4610-030	-10	7/8X14	PTFE Hose
HF-4612-030	-12	1-1/16X12	PTFE Hose
HF-4616-030	-16	1-5/16X12	PTFE Hose



45° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-045	-3	3/8 X 24	PTFE Hose
HF-4604-045	-4	7/16 X 20	PTFE Hose
HF-4606-045	-6	9/16 X 18	PTFE Hose
HF-4608-045	-8	3/4 X 16	PTFE Hose
HF-4610-045	-10	7/8X14	PTFE Hose
HF-4612-045	-12	1-1/16X12	PTFE Hose
HF-4616-045	-16	1-5/16X12	PTFE Hose



60° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-060	-3	3/8 X 24	PTFE Hose
HF-4604-060	-4	7/16 X 20	PTFE Hose
HF-4606-060	-6	9/16 X 18	PTFE Hose
HF-4608-060	-8	3/4 X 16	PTFE Hose
HF-4610-060	-10	7/8X14	PTFE Hose
HF-4612-060	-12	1-1/16X12	PTFE Hose
HF-4616-060	-16	1-5/16X12	PTFE Hose



90° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-090	-3	3/8 X 24	PTFE Hose
HF-4604-090	-4	7/16 X 20	PTFE Hose
HF-4606-090	-6	9/16 X 18	PTFE Hose
HF-4608-090	-8	3/4 X 16	PTFE Hose
HF-4610-090	-10	7/8X14	PTFE Hose
HF-4612-090	-12	1-1/16X12	PTFE Hose
HF-4616-090	-16	1-5/16X12	PTFE Hose



120° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-120	-3	3/8 X 24	PTFE Hose
HF-4604-120	-4	7/16 X 20	PTFE Hose
HF-4606-120	-6	9/16 X 18	PTFE Hose
HF-4608-120	-8	3/4 X 16	PTFE Hose
HF-4610-120	-10	7/8X14	PTFE Hose
HF-4612-120	-12	1-1/16X12	PTFE Hose
HF-4616-120	-16	1-5/16X12	PTFE Hose



150° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-150	-3	3/8 X 24	PTFE Hose
HF-4604-150	-4	7/16 X 20	PTFE Hose
HF-4606-150	-6	9/16 X 18	PTFE Hose
HF-4608-150	-8	3/4 X 16	PTFE Hose
HF-4610-150	-10	7/8X14	PTFE Hose
HF-4612-150	-12	1-1/16X12	PTFE Hose
HF-4616-150	-16	1-5/16X12	PTFE Hose




180° PTFE SWIVEL HOSE END			
Part No	AN	Thread	To Suit Hose
HF-4603-180	-3	3/8 X 24	PTFE Hose
HF-4604-180	-4	7/16 X 20	PTFE Hose
HF-4606-180	-6	9/16 X 18	PTFE Hose
HF-4608-180	-8	3/4 X 16	PTFE Hose
HF-4610-180	-10	7/8X14	PTFE Hose
HF-4612-180	-12	1-1/16X12	PTFE Hose
HF-4616-180	-16	1-5/16X12	PTFE Hose



Adjustable AN
Wrench Recomonded





REUSABLE HOSE ENDS

FULL FLOW TEFLON HOSE END

HaoFa Racing. Now provides full-flow Teflon hose ends, which can be matched with our PTFE hoses, so that you can pay full attention to your details of each hose in your engine compartment.



0° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-001	-3	3/8 X 24	PTFE Hose
HF-4304-001	-4	7/16 X 20	PTFE Hose
HF-4306-001	-6	9/16 X 18	PTFE Hose
HF-4308-001	-8	3/4 X 16	PTFE Hose
HF-4310-001	-10	7/8X14	PTFE Hose
HF-4312-001	-12	1-1/16X12	PTFE Hose
HF-4316-001	-16	1-5/16X12	PTFE Hose



30° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-030	-3	3/8 X 24	PTFE Hose
HF-4304-030	-4	7/16 X 20	PTFE Hose
HF-4306-030	-6	9/16 X 18	PTFE Hose
HF-4308-030	-8	3/4 X 16	PTFE Hose
HF-4310-030	-10	7/8X14	PTFE Hose
HF-4312-030	-12	1-1/16X12	PTFE Hose
HF-4316-030	-16	1-5/16X12	PTFE Hose



45° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-045	-3	3/8 X 24	PTFE Hose
HF-4304-045	-4	7/16 X 20	PTFE Hose
HF-4306-045	-6	9/16 X 18	PTFE Hose
HF-4308-045	-8	3/4 X 16	PTFE Hose
HF-4310-045	-10	7/8X14	PTFE Hose
HF-4312-045	-12	1-1/16X12	PTFE Hose
HF-4316-045	-16	1-5/16X12	PTFE Hose



60° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-060	-3	3/8 X 24	PTFE Hose
HF-4304-060	-4	7/16 X 20	PTFE Hose
HF-4306-060	-6	9/16 X 18	PTFE Hose
HF-4308-060	-8	3/4 X 16	PTFE Hose
HF-4310-060	-10	7/8X14	PTFE Hose
HF-4312-060	-12	1-1/16X12	PTFE Hose
HF-4316-060	-16	1-5/16X12	PTFE Hose



90° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-090	-3	3/8 X 24	PTFE Hose
HF-4304-090	-4	7/16 X 20	PTFE Hose
HF-4306-090	-6	9/16 X 18	PTFE Hose
HF-4308-090	-8	3/4 X 16	PTFE Hose
HF-4310-090	-10	7/8X14	PTFE Hose
HF-4312-090	-12	1-1/16X12	PTFE Hose
HF-4316-090	-16	1-5/16X12	PTFE Hose



120° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-120	-3	3/8 X 24	PTFE Hose
HF-4304-120	-4	7/16 X 20	PTFE Hose
HF-4306-120	-6	9/16 X 18	PTFE Hose
HF-4308-120	-8	3/4 X 16	PTFE Hose
HF-4310-120	-10	7/8X14	PTFE Hose
HF-4312-120	-12	1-1/16X12	PTFE Hose
HF-4316-120	-16	1-5/16X12	PTFE Hose



150° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-150	-3	3/8 X 24	PTFE Hose
HF-4304-150	-4	7/16 X 20	PTFE Hose
HF-4306-150	-6	9/16 X 18	PTFE Hose
HF-4308-150	-8	3/4 X 16	PTFE Hose
HF-4310-150	-10	7/8X14	PTFE Hose
HF-4312-150	-12	1-1/16X12	PTFE Hose
HF-4316-150	-16	1-5/16X12	PTFE Hose



180° Full Flow Teflon Hose End			
Part No	AN	Thread	To Suit Hose
HF-4303-180	-3	3/8 X 24	PTFE Hose
HF-4304-180	-4	7/16 X 20	PTFE Hose
HF-4306-180	-6	9/16 X 18	PTFE Hose
HF-4308-180	-8	3/4 X 16	PTFE Hose
HF-4310-180	-10	7/8X14	PTFE Hose
HF-4312-180	-12	1-1/16X12	PTFE Hose
HF-4316-180	-16	1-5/16X12	PTFE Hose



There are more other series hose ends on the website.

PUSH LOCK HOSE ENDS



Straight Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-001	-4	7/16X20	Rubber Hose
HF-4106-001	-6	9/16X18	Rubber Hose
HF-4108-001	-8	3/4X16	Rubber Hose
HF-4110-001	-10	7/8X14	Rubber Hose
HF-4112-001	-12	1-1/16X12	Rubber Hose



30° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-030	-4	7/16X20	Rubber Hose
HF-4106-030	-6	9/16X18	Rubber Hose
HF-4108-030	-8	3/4X16	Rubber Hose
HF-4110-030	-10	7/8X14	Rubber Hose
HF-4112-030	-12	1-1/16X12	Rubber Hose



45° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-045	-4	7/16X20	Rubber Hose
HF-4106-045	-6	9/16X18	Rubber Hose
HF-4108-045	-8	3/4X16	Rubber Hose
HF-4110-045	-10	7/8X14	Rubber Hose
HF-4112-045	-12	1-1/16X12	Rubber Hose



60° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-060	-4	7/16X20	Rubber Hose
HF-4106-060	-6	9/16X18	Rubber Hose
HF-4108-060	-8	3/4X16	Rubber Hose
HF-4110-060	-10	7/8X14	Rubber Hose
HF-4112-060	-12	1-1/16X12	Rubber Hose



90° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-090	-4	7/16X20	Rubber Hose
HF-4106-090	-6	9/16X18	Rubber Hose
HF-4108-090	-8	3/4X16	Rubber Hose
HF-4110-090	-10	7/8X14	Rubber Hose
HF-4112-090	-12	1-1/16X12	Rubber Hose



120° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-120	-4	7/16X20	Rubber Hose
HF-4106-120	-6	9/16X18	Rubber Hose
HF-4108-120	-8	3/4X16	Rubber Hose
HF-4110-120	-10	7/8X14	Rubber Hose
HF-4112-120	-12	1-1/16X12	Rubber Hose



150° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-150	-4	7/16X20	Rubber Hose
HF-4106-150	-6	9/16X18	Rubber Hose
HF-4108-150	-8	3/4X16	Rubber Hose
HF-4110-150	-10	7/8X14	Rubber Hose
HF-4112-150	-12	1-1/16X12	Rubber Hose



180° Push-on Hose End			
Part No	AN	Thread	To Suit Hose
HF-4104-180	-4	7/16X20	Rubber Hose
HF-4106-180	-6	9/16X18	Rubber Hose
HF-4108-180	-8	3/4X16	Rubber Hose
HF-4110-180	-10	7/8X14	Rubber Hose
HF-4112-180	-12	1-1/16X12	Rubber Hose

FULL FLOW PUSH LOCK HOSE ENDS



0° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-001	-4	7/16X20	Rubber Hose
HF-4506-001	-6	9/16X18	Rubber Hose
HF-4508-001	-8	3/4X16	Rubber Hose
HF-4510-001	-10	7/8X14	Rubber Hose
HF-4512-001	-12	1-1/16X12	Rubber Hose



30° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-030	-4	7/16X20	Rubber Hose
HF-4506-030	-6	9/16X18	Rubber Hose
HF-4508-030	-8	3/4X16	Rubber Hose
HF-4510-030	-10	7/8X14	Rubber Hose
HF-4512-030	-12	1-1/16X12	Rubber Hose



45° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-045	-4	7/16X20	Rubber Hose
HF-4506-045	-6	9/16X18	Rubber Hose
HF-4508-045	-8	3/4X16	Rubber Hose
HF-4510-045	-10	7/8X14	Rubber Hose
HF-4512-045	-12	1-1/16X12	Rubber Hose



60° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-060	-4	7/16X20	Rubber Hose
HF-4506-060	-6	9/16X18	Rubber Hose
HF-4508-060	-8	3/4X16	Rubber Hose
HF-4510-060	-10	7/8X14	Rubber Hose
HF-4512-060	-12	1-1/16X12	Rubber Hose



90° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-090	-4	7/16X20	Rubber Hose
HF-4506-090	-6	9/16X18	Rubber Hose
HF-4508-090	-8	3/4X16	Rubber Hose
HF-4510-090	-10	7/8X14	Rubber Hose
HF-4512-090	-12	1-1/16X12	Rubber Hose



120° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-120	-4	7/16X20	Rubber Hose
HF-4506-120	-6	9/16X18	Rubber Hose
HF-4508-120	-8	3/4X16	Rubber Hose
HF-4510-120	-10	7/8X14	Rubber Hose
HF-4512-120	-12	1-1/16X12	Rubber Hose



150° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-150	-4	7/16X20	Rubber Hose
HF-4506-150	-6	9/16X18	Rubber Hose
HF-4508-150	-8	3/4X16	Rubber Hose
HF-4510-150	-10	7/8X14	Rubber Hose
HF-4512-150	-12	1-1/16X12	Rubber Hose



180° Push Lock Hose End			
Part No	AN	Thread	To Suit Hose
HF-4504-180	-4	7/16X20	Rubber Hose
HF-4506-180	-6	9/16X18	Rubber Hose
HF-4508-180	-8	3/4X16	Rubber Hose
HF-4510-180	-10	7/8X14	Rubber Hose
HF-4512-180	-12	1-1/16X12	Rubber Hose

REUSABLE HOSE ENDS

PTFE CRIMP STYLE FITTING



Straight Crimp Style Fitting		
Part No	AN	Material
HF-6006-0	-6	AL,SS,ST
HF-6008-0	-8	AL,SS,ST
HF-6010-0	-10	AL,SS,ST
HF-6012-0	-12	AL,SS,ST
HF-6016-0	-16	AL,SS,ST



45° Angle Crimp Style Fitting		
Part No	AN	Material
HF-6006-45	-6	AL,SS,ST
HF-6008-45	-8	AL,SS,ST
HF-6010-45	-10	AL,SS,ST
HF-6012-45	-12	AL,SS,ST
HF-6016-45	-16	AL,SS,ST



90° Angle Crimp Style Fitting		
Part No	AN	Material
HF-6006-90	-6	AL,SS,ST
HF-6008-90	-8	AL,SS,ST
HF-6010-90	-10	AL,SS,ST
HF-6012-90	-12	AL,SS,ST
HF-6016-90	-16	AL,SS,ST

RUBBER(CPE) CRIMP STYLE FITTING



Straight Crimp Style Fitting		
Part No	AN	Material
HF-6106-0	-6	AL,SS,ST
HF-6108-0	-8	AL,SS,ST
HF-6110-0	-10	AL,SS,ST
HF-6112-0	-12	AL,SS,ST
HF-6116-0	-16	AL,SS,ST



45° Angle Crimp Style Fitting		
Part No	AN	Material
HF-6106-45	-6	AL,SS,ST
HF-6108-45	-8	AL,SS,ST
HF-6110-45	-10	AL,SS,ST
HF-6112-45	-12	AL,SS,ST
HF-6116-45	-16	AL,SS,ST



90° Angle Crimp Style Fitting		
Part No	AN	Material
HF-6106-90	-6	AL,SS,ST
HF-6108-90	-8	AL,SS,ST
HF-6110-90	-10	AL,SS,ST
HF-6112-90	-12	AL,SS,ST
HF-6116-90	-16	AL,SS,ST







SWIVEL FORGED HOSE ENDS



45°Female Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-4904-045	-4	7/16 X 20	Rubber Hose
HF-4906-045	-6	9/16 X 18	Rubber Hose
HF-4908-045	-8	3/4 X 16	Rubber Hose
HF-4910-045	-10	7/8X14	Rubber Hose
HF-4912-045	-12	1-1/16X12	Rubber Hose
HF-4916-045	-16	1-5/16X12	Rubber Hose



90°Female Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-4904-090	-4	7/16 X 20	Rubber Hose
HF-4906-090	-6	9/16 X 18	Rubber Hose
HF-4908-090	-8	3/4 X 16	Rubber Hose
HF-4910-090	-10	7/8X14	Rubber Hose
HF-4912-090	-12	1-1/16X12	Rubber Hose
HF-4916-090	-16	1-5/16X12	Rubber Hose

PTFE FORGED ELBOW



45° PTFE Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-5003-045	-3	3/8 X 24	PTFE Hose
HF-5004-045	-4	7/16 X 20	PTFE Hose
HF-5006-045	-6	9/16 X 18	PTFE Hose
HF-5008-045	-8	3/4 X 16	PTFE Hose
HF-5010-045	-10	7/8X14	PTFE Hose
HF-5012-045	-12	1-1/16X12	PTFE Hose



90° PTFE Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-5003-090	-3	3/8 X 24	PTFE Hose
HF-5004-090	-4	7/16 X 20	PTFE Hose
HF-5006-090	-6	9/16 X 18	PTFE Hose
HF-5008-090	-8	3/4 X 16	PTFE Hose
HF-5010-090	-10	7/8X14	PTFE Hose
HF-5012-090	-12	1-1/16X12	PTFE Hose

Cutter Female Forged Elbow



45° Cutter Female Forged Elbow		
Part No	AN	To Suit Hose
HFANCUT2208-456	-6	Rubber Hose
HFANCUT2208-458	-8	Rubber Hose
HFANCUT2208-4510	-10	Rubber Hose
HFANCUT2208-4512	-12	Rubber Hose
HFANCUT2208-4516	-16	Rubber Hose



90° Cutter Female Forged Elbow		
Part No	AN	To Suit Hose
HFANCUT2208-906	-6	Rubber Hose
HFANCUT2208-908	-8	Rubber Hose
HFANCUT2208-9010	-10	Rubber Hose
HFANCUT2208-9012	-12	Rubber Hose
HFANCUT2208-9016	-16	Rubber Hose

HOSE ENDS BANJO TYPE

BANJO FITTINGS FIT RUBBER HOSE



90° Rubber AN Banjo Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-600-AN6	-6	9/16 X 18	Rubber Hose
HF-600-AN8	-8	3/4 X 16	Rubber Hose
HF-600-AN10	-10	7/8X14	Rubber Hose
HF-600-AN12	-12	1-1/16X12	Rubber Hose

BANJO FITTINGS FIT FOR PTFE HOSE



90° PTFE AN Banjo Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-4806-090	-6	9/16 X 18	PTFE Hose
HF-4808-090	-8	3/4 X 16	PTFE Hose
HF-4810-090	-10	7/8X14	PTFE Hose
HF-4812-090	-12	1-1/16X12	PTFE Hose

AN TO ORB FITTINGS FOR RUBBER HOSE




90°AN TO ORB Forged Elbow			
Part No	AN	Thread	To Suit Hose
HF-AN6 To ORB10 Banjo	-6	9/16 X 18	Rubber Hose
HF-AN8 To ORB10 Banjo	-8	3/4 X 16	Rubber Hose
HF-AN10 To ORB10 Banjo	-10	7/8X14	Rubber Hose

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

CUSTOMIZED HOSE ENDS



















PRODUCT CATALOGUE

OIL COOLER

Can be used to cool engine oil and rear differential.

Can reduce oil temperature to 50°F, effectively reduce engine oil temperature, maintain oil viscosity, improve lubrication performance, protect engine, save fuel, and improve power performance.

Oil cooler size and material:

Number of rows: 7/10/13/15/16/19/25/30

Inlet/outlet size: AN-10

Made of high-quality aluminum and anodized.



OIL COOLER



Japanese Style Oil Cooler		
Part No	AN Size	Rows
HF-01250-7	-10	7
HF-01250-10	-10	10
HF-01250-13	-10	13
HF-01250-15	-10	15
HF-01250-16	-10	16
HF-01250-20	-10	20
HF-01250-25	-10	25
HF-01250-30	-10	30



British Style Oil Cooler		
Part No	AN Size	Rows
HF-01240-7	-10	7
HF-01240-10	-10	10
HF-01240-13	-10	13
HF-01240-15	-10	15
HF-01240-16	-10	16
HF-01240-20	-10	20
HF-01240-25	-10	25
HF-01240-30	-10	30



Japanese/English Oil Cooler Split Oil Cake Set			
Part No	Product Name	Kit	Use
HF-2288	japanese/ english oil cooler kit combination	Japanese/British oil cooler 10 rows + 2 AN10 ssbraided/nylon braided tubes + 2 AN10 0° connectors + 2 AN10 90° connectors + 1 double hole + 1 oil cake	Applicable to the connection pipeline of the oil-cooled radiator line of the automobile refitted auto parts.



Japanese/English oil cooler constant temperature oil cake set			
Part No	Product Name	Kit	Use
HF-2289	japanese/ english oil cooler kit combination	Japanese/ British oil cooler 10 rows + 2 AN10 ssbraided/ nylon braided tubes + 2 AN10 0° connectors + 2 AN10 90° connectors + 1 double hole + 1 oil cake	Applicable to the connection pipeline of the oil-cooled radiator line of the automobile refitted auto parts.



Japanese/British oil cooler elevation angle oil cake set			
Part No	Product Name	Kit	Use
HF-2290	japanese/ english oil cooler kit combination	Japanese/British oil cooler 10 rows + 2 AN10 ssbraided/nylon braided tubes + 2 AN10 0° connectors + 2 AN10 90° connectors + 1 double hole + 1 oil cake	Applicable to the connection pipeline of the oil-cooled radiator line of the automobile refitted auto parts.



Japanese/British oil cooler unit oil cake set			
Part No	Product Name	Kit	Use
HF-2291	japanese/ english oil cooler kit combination	Japanese/ British oil cooler 10 rows + 2 AN10 ssbraided/nylon braided tubes + 2 AN10 0° connectors + 2 AN10 90° connectors + 1 double hole + 1 oil cake	Applicable to the connection pipeline of the oil-cooled radiator line of the automobile refitted auto parts.



FUEL FILTER





FUEL FILTER		
Part No	AN Size	Material
HF-952	-6 -8 -10	High Quality T6061 Billet Aluminum
HF-951	-6 -8 -10	High Quality T6061 Billet Aluminum （Without bracket）

Filter Elements		
Part No	Micrometer	Material
HF-948-10	-10	aluminum
HF-948-30	-30	aluminum
HF-948-40	-40	aluminum
HF-948-60	-60	aluminum
HF-948-100	-100	aluminum
HF-948-120	-120	aluminum







ADAPTER FITTINGS










ORB To AN Male Flare Adapters			
Part No	AN	ORB	Material
HF-1503-3	-3	-3	AL,SS,ST,BR
HF-1503-3-4	-3	-4	AL,SS,ST,BR
HF-1503-3-6	-3	-6	AL,SS,ST,BR
HF-1503-3-8	-3	-8	AL,SS,ST,BR
HF-1503-3-10	-3	-10	AL,SS,ST,BR
HF-1504-4-3	-4	-3	AL,SS,ST,BR
HF-1504-4	-4	-4	AL,SS,ST,BR
HF-1504-4-6	-4	-6	AL,SS,ST,BR
HF-1504-4-8	-4	-8	AL,SS,ST,BR
HF-1504-4-10	-4	-10	AL,SS,ST,BR
HF-1506-6-4	-6	-4	AL,SS,ST,BR
HF-1506-6-5	-6	-5	AL,SS,ST,BR
HF-1506-6	-6	-6	AL,SS,ST,BR
HF-1506-6-8	-6	-8	AL,SS,ST,BR
HF-1506-6-10	-6	-10	AL,SS,ST,BR
HF-1506-6-12	-6	-12	AL,SS,ST,BR
HF-1508-8-4	-8	-4	AL,SS,ST,BR
HF-1508-8-6	-8	-6	AL,SS,ST,BR
HF-1508-8	-8	-8	AL,SS,ST,BR
HF-1508-8-10	-8	-10	AL,SS,ST,BR
HF-1508-8-12	-8	-12	AL,SS,ST,BR
HF-1508-8-16	-8	-16	AL,SS,ST,BR
HF-1510-10-6	-10	-6	AL,SS,ST,BR
HF-1510-10-8	-10	-8	AL,SS,ST,BR
HF-1510-10	-10	-10	AL,SS,ST,BR
HF-1510-10-12	-10	-12	AL,SS,ST,BR
HF-1510-10-16	-10	-16	AL,SS,ST,BR
HF-1512-8	-12	-8	AL,SS,ST,BR
HF-1512-12-10	-12	-10	AL,SS,ST,BR
HF-1512-12	-12	-12	AL,SS,ST,BR
HF-1512-12-16	-12	-16	AL,SS,ST,BR
HF-1516-16-10	-16	-10	AL,SS,ST,BR
HF-1516-16-12	-16	-12	AL,SS,ST,BR
HF-1516-16	-16	-16	AL,SS,ST,BR
HF-1516-16-20	-16	-20	AL,SS,ST,BR
HF-1520-20-16	-20	-16	AL,SS,ST,BR
HF-1520-20	-20	-20	AL,SS,ST,BR

AN To NPT Straight			
Part No	AN	NPT	Material
HF-AN816-3-1/16"	-3	1/16"	AL,BR,SS,ST
HF-AN816-3-1/8"	-3	1/8"	AL,BR,SS,ST
HF-AN816-3-1/4"	-3	1/4"	AL,BR,SS,ST
HF-AN816-4-1/16"	-4	1/16"	AL,BR,SS,ST
HF-AN816-4-1/8"	-4	1/8"	AL,BR,SS,ST
HF-AN816-4-1/4"	-4	1/4"	AL,BR,SS,ST
HF-AN816-4-3/8"	-4	3/8"	AL,BR,SS,ST
HF-AN816-6-1/8"	-6	1/8"	AL,BR,SS,ST
HF-AN816-6-1/4"	-6	1/4"	AL,BR,SS,ST
HF-AN816-6-3/8"	-6	3/8"	AL,BR,SS,ST
HF-AN816-6-1/2"	-6	1/2"	AL,BR,SS,ST
HF-AN816-6-3/4"	-6	3/4"	AL,BR,SS,ST
HF-AN816-8-1/4"	-8	1/4"	AL,BR,SS,ST
HF-AN816-8-3/8"	-8	3/8"	AL,BR,SS,ST
HF-AN816-8-1/8"	-8	1/8"	AL,BR,SS,ST
HF-AN816-8-1/2"	-8	1/2"	AL,BR,SS,ST
HF-AN816-8-3/4"	-8	3/4"	AL,BR,SS,ST
HF-AN816-10-3/8"	-10	3/8"	AL,BR,SS,ST
HF-AN816-10-1/2"	-10	1/2"	AL,BR,SS,ST
HF-AN816-10-3/4"	-10	3/4"	AL,BR,SS,ST
HF-AN816-12-3/8"	-12	3/8"	AL,BR,SS,ST
HF-AN816-12-1/2"	-12	1/2"	AL,BR,SS,ST
HF-AN816-12-3/4"	-12	3/4"	AL,BR,SS,ST
HF-AN816-12-1"	-12	1"	AL,BR,SS,ST
HF-AN816-16-1"	-16	1"	AL,BR,SS,ST
HF-AN816-16-3/4"	-16	3/4"	AL,BR,SS,ST
HF-AN816-20-1/4"	-20	1/4"	AL,BR,SS,ST
HF-AN816-20-1"	-20	1"	AL,BR,SS,ST

Metric To Male Flare Adapters			
Part No	AN	Metric	Material
HF-1403-M10X1.0	-3	M10X1.0	AL,BR,SS,ST
HF-1403-M10X1.25	-3	M10X1.25	AL,BR,SS,ST
HF-1403-M10X1.5	-3	M10X1.5	AL,BR,SS,ST
HF-1403-M12X1.0	-3	M12X1.0	AL,BR,SS,ST
HF-1403-M12X1.25	-3	M12X1.25	AL,BR,SS,ST
HF-1403-M14X1.5	-3	M14X1.5	AL,BR,SS,ST
HF-1404-M6X1.0	-4	M6X1.0	AL,BR,SS,ST
HF-1404-M8X1.0	-4	M8X1.0	AL,BR,SS,ST
HF-1404-M8X1.25	-4	M8X1.25	AL,BR,SS,ST
HF-1404-M10X1.0	-4	M10X1.0	AL,BR,SS,ST
HF-1404-M10X1.25	-4	M10X1.25	AL,BR,SS,ST
HF-1404-M10X1.5	-4	M10X1.5	AL,BR,SS,ST
HF-1404-M12X1.0	-4	M12X1.0	AL,BR,SS,ST
HF-1404-M12X1.25	-4	M12X1.25	AL,BR,SS,ST
HF-1404-M12X1.5	-4	M12X1.5	AL,BR,SS,ST
HF-1404-M14X1.25	-4	M14X1.25	AL,BR,SS,ST
HF-1404-M14X1.5	-4	M14X1.5	AL,BR,SS,ST
HF-1404-M16X1.5	-4	M16X1.5	AL,BR,SS,ST
HF-1406-M10X1.0	-6	M10X1.0	AL,BR,SS,ST
HF-1406-M10X1.25	-6	M10X1.25	AL,BR,SS,ST
HF-1406-M10X1.5	-6	M10X1.5	AL,BR,SS,ST
HF-1406-M12X1.0	-6	M12X1.0	AL,BR,SS,ST
HF-1406-M12X1.5	-6	M12X1.5	AL,BR,SS,ST
HF-1406-M22X1.5	-6	M22X1.5	AL,BR,SS,ST
HF-1406-M12X1.25	-6	M12X1.25	AL,BR,SS,ST
HF-1406-M12X1.5	-6	M12X1.5	AL,BR,SS,ST
HF-1406-M14X1.5	-6	M14X1.5	AL,BR,SS,ST
HF-1406-M14X1.25	-6	M14X1.25	AL,BR,SS,ST
HF-1406-M16X1.5	-6	M16X1.5	AL,BR,SS,ST
HF-1406-M18X1.5	-6	M18X1.5	AL,BR,SS,ST
HF-1406-M19X1.25	-6	M19X1.25	AL,BR,SS,ST
HF-1406-M20X1.5	-6	M20X1.5	AL,BR,SS,ST
HF-1408-M10X1.0	-8	M10X1.0	AL,BR,SS,ST
HF-1408-M10X1.25	-8	M10X1.25	AL,BR,SS,ST
HF-1408-M10X1.5	-8	M10X1.5	AL,BR,SS,ST
HF-1408-M12X1.0	-8	M12X1.0	AL,BR,SS,ST
HF-1408-M12X1.25	-8	M12X1.25	AL,BR,SS,ST
HF-1408-M12X1.5	-8	M12X1.5	AL,BR,SS,ST
HF-1408-M14X1.5	-8	M14X1.5	AL,BR,SS,ST
HF-1408-M24X1.5	-8	M24X1.5	AL,BR,SS,ST
HF-1408-M16X1.5	-8	M16X1.5	AL,BR,SS,ST
HF-1408-M18X1.5	-8	M18X1.5	AL,BR,SS,ST
HF-1408-M20X1.5	-8	M20X1.5	AL,BR,SS,ST
HF-1408-M22X1.5	-8	M22X1.5	AL,BR,SS,ST
HF-1410-M12X1.0	-10	M12X1.0	AL,BR,SS,ST
HF-1410-M12X1.25	-10	M12X1.25	AL,BR,SS,ST
HF-1410-M12X1.5	-10	M12X1.5	AL,BR,SS,ST
HF-1410-M14X1.5	-10	M14X1.5	AL,BR,SS,ST
HF-1410-M16X1.5	-10	M16X1.5	AL,BR,SS,ST
HF-1410-M18X1.5	-10	M18X1.5	AL,BR,SS,ST
HF-1410-M19X1.25	-10	M19X1.25	AL,BR,SS,ST
HF-1410-M20X1.5	-10	M20X1.5	AL,BR,SS,ST
HF-1410-M22X1.5	-10	M22X1.5	AL,BR,SS,ST
HF-1410-M24X1.5	-10	M24X1.5	AL,BR,SS,ST


Metric To Male Flare Adapters			
Part No	AN	Metric	Material
HF-1412-M12X1.0	-12	M12X1.0	AL,BR,SS,ST
HF-1412-M12X1.25	-12	M12X1.25	AL,BR,SS,ST
HF-1412-M12X1.5	-12	M12X1.5	AL,BR,SS,ST
HF-1412-M14X1.5	-12	M14X1.5	AL,BR,SS,ST
HF-1412-M16X1.5	-12	M16X1.5	AL,BR,SS,ST
HF-1412-M18X1.5	-12	M18X1.5	AL,BR,SS,ST
HF-1412-M20X1.5	-12	M20X1.5	AL,BR,SS,ST
HF-1412-M22X1.5	-12	M22X1.5	AL,BR,SS,ST
HF-1412-M24X1.5	-12	M24X1.5	AL,BR,SS,ST
HF-1416-M40X1.5	-16	M40X1.5	AL,BR,SS,ST
HF-1420-M40X1.5	-20	M40X1.5	AL,BR,SS,ST



Male Flare Reducers			
Part No	AN	AN	Material
HF-1704-3	-4	-3	AL,BR,SS,ST
HF-1706-3	-6	-3	AL,BR,SS,ST
HF-1706-4	-6	-4	AL,BR,SS,ST
HF-1708-6	-8	-6	AL,BR,SS,ST
HF-1710-4	-10	-4	AL,BR,SS,ST
HF-1710-6	-10	-6	AL,BR,SS,ST
HF-1710-8	-10	-8	AL,BR,SS,ST
HF-1712-4	-12	-4	AL,BR,SS,ST
HF-1712-6	-12	-6	AL,BR,SS,ST
HF-1712-8	-12	-8	AL,BR,SS,ST
HF-1712-10	-12	-10	AL,BR,SS,ST
HF-1716-10	-16	-10	AL,BR,SS,ST
HF-1716-12	-16	-12	AL,BR,SS,ST
HF-1720-12	-20	-12	AL,BR,SS,ST
HF-1720-16	-20	-16	AL,BR,SS,ST




AN To BSP Adapter		
Part No	AN	BSP
HFAN816-08-10BSPP	-8	5/8"
HFAN816-10-10BSPP	-10	5/8"
HFAN816-12-10BSPP	-12	5/8"




REUSABLE HOSE ENDS

ADAPTER FITTINGS



Straight AN Male To BSP Male			
Part No	AN	BSP	Material
HF-1904-1/4X19	-4	1/4X19	AL,SS,ST,BR
HF-1906-1/8X28	-6	1/8X28	AL,SS,ST,BR
HF-1906-1/4X19	-6	1/4X19	AL,SS,ST,BR
HF-1906-3/8X19	-6	3/8X19	AL,SS,ST,BR
HF-1906-1/2X14	-6	1/2X14	AL,SS,ST,BR
HF-1908-1/4X19	-8	1/4X19	AL,SS,ST,BR
HF-1908-3/8X19	-8	3/8X19	AL,SS,ST,BR
HF-1908-1/2X14	-8	1/2X14	AL,SS,ST,BR
HF-1910-3/8X19	-10	3/8X19	AL,SS,ST,BR
HF-1910-1/2X19	-10	1/2X19	AL,SS,ST,BR
HF-1910-3/4X14	-10	3/4X14	AL,SS,ST,BR
HF-1910-1/2X14	-10	1/2X14	AL,SS,ST,BR
HF-1910-5/8X14	-10	5/8X14	AL,SS,ST,BR
HF-1912-1/2X14	-12	1/2X14	AL,SS,ST,BR
HF-1912-3/4X14	-12	3/4X14	AL,SS,ST,BR
HF-1912-5/8X14	-12	5/8X14	AL,SS,ST,BR
HF-1903-1/8X28	-3	1/8X28	AL,SS,ST,BR
HF-1904-1/8X28	-4	1/8X28	AL,SS,ST,BR



Inverted Flare Adapters To AN			
Part No	AN	Thread(INV)	Material
HF-1804-7/16X24	-4	7/16X24	AL,SS,ST,BR
HF-1804-5/8X18	-4	5/8X18	AL,SS,ST,BR
HF-1806-7/16X24	-6	7/16X24	AL,SS,ST,BR
HF-1806-1/2X20	-6	1/2X20	AL,SS,ST,BR
HF-1806-5/8X18	-6	5/8X18	AL,SS,ST,BR
HF-1806-11/16X18	-6	11/16X18	AL,SS,ST,BR
HF-1806-M14X1.5	-6	M14X1.5	AL,SS,ST,BR
HF-1806-M16X1.5	-6	M16X1.5	AL,SS,ST,BR
HF-1806-M18X1.5	-6	M18X1.5	AL,SS,ST,BR
HF-1808-1/2X20	-8	1/2X20	AL,SS,ST,BR
HF-1808-5/8X18	-8	5/8X18	AL,SS,ST,BR
HF-1808-M14X1.5	-8	M14X1.5	AL,SS,ST,BR
HF-1808-M16X1.5	-8	M16X1.5	AL,SS,ST,BR
HF-1808-M18X1.5	-8	M18X1.5	AL,SS,ST,BR
HF-1810-5/8X18	-10	5/8X18	AL,SS,ST,BR
HF-1810-3/4X18	-10	3/4X18	AL,SS,ST,BR





AN Male To Female Bspp Adapter		
Part No	(A)AN	(B)AN
HF-851-4-3	-4	-3
HF-851-4-6	-4	-6
HF-851-6-3	-6	-3
HF-851-6-4	-6	-4
HF-851-6-8	-6	-8
HF-851-8-4	-8	-4
HF-851-8-6	-8	-6
HF-851-8-10	-8	-10
HF-851-10-6	-10	-6
HF-851-10-8	-10	-8
HF-851-12-8	-12	-8
HF-851-12-10	-12	-10
HF-851-16-12	-16	-12
HF-851-20-16	-20	-16




AN Flare Reducers Female/male			
Part No	(A)AN	(B)AN	Material
HF-852-4-3	-4	-3	AL,BR,SS,ST
HF-852-6-4	-6	-4	AL,BR,SS,ST
HF-852-8-6	-8	-6	AL,BR,SS,ST
HF-852-10-6	-10	-6	AL,BR,SS,ST
HF-852-10-8	-10	-8	AL,BR,SS,ST
HF-852-12-10	-12	-10	AL,BR,SS,ST
HF-852-16-12	-16	-12	AL,BR,SS,ST
HF-852-20-16	-20	-16	AL,BR,SS,ST



Male Flare Union		
Part No	AN	Material
HF-1603-3	-3	AL,BR,SS,ST
HF-1604-4	-4	AL,BR,SS,ST
HF-1606-6	-6	AL,BR,SS,ST
HF-1608-8	-8	AL,BR,SS,ST
HF-1610-10	-10	AL,BR,SS,ST
HF-1612-12	-12	AL,BR,SS,ST
HF-1616-16	-16	AL,BR,SS,ST
HF-1620-20	-20	AL,BR,SS,ST



Straight Male To Male With 1/8"Port			
Part No	AN	Port	Material
HF-856-3	-3	1/8" NPT	AL,BR,SS,ST
HF-856-4	-4	1/8" NPT	AL,BR,SS,ST
HF-856-6	-6	1/8" NPT	AL,BR,SS,ST
HF-856-8	-8	1/8" NPT	AL,BR,SS,ST
HF-856-10	-10	1/8" NPT	AL,BR,SS,ST
HF-856-12	-12	1/8" NPT	AL,BR,SS,ST
HF-856-16	-16	1/8" NPT	AL,BR,SS,ST



Straight Female To Male With 1/8"Port			
Part No	AN	Port	Material
HF-857-3	-3	1/8" NPT	AL,BR,SS,ST
HF-857-4	-4	1/8" NPT	AL,BR,SS,ST
HF-857-6	-6	1/8" NPT	AL,BR,SS,ST
HF-857-8	-8	1/8" NPT	AL,BR,SS,ST
HF-857-10	-10	1/8" NPT	AL,BR,SS,ST
HF-857-12	-12	1/8" NPT	AL,BR,SS,ST
HF-857-16	-16	1/8" NPT	AL,BR,SS,ST



NPT Male Couplers		
Part No	AN	Material
HFAN2213-04	1/8"	AL,BR,SS,ST
HFAN2213-06	1/4"	AL,BR,SS,ST
HFAN2213-08	3/8"	AL,BR,SS,ST
HFAN2213-10	1/2"	AL,BR,SS,ST
HFAN2213-12	3/4"	AL,BR,SS,ST
HFAN2213-16	1"	AL,BR,SS,ST



Male NPT To AN With 1/8"Port			
Part No	AN	Port	Material
HF-858-6	-6	1/4"	AL,BR,SS,ST
HF-858-6-1	-6	3/8"	AL,BR,SS,ST
HF-858-8	-8	1/4"	AL,BR,SS,ST
HF-858-8-1	-8	3/8"	AL,BR,SS,ST
HF-858-10	-10	1/2"	AL,BR,SS,ST



45°Male Flare Union With 1/8"Port			
Part No	AN	NPT	Material
HF2231-06-B	-6	1/8"	AL,SS,ST
HF2231-08-B	-8	1/8"	AL,SS,ST



90°Male Flare Union With 1/8"Port			
Part No	AN	NPT	Material
HF2229-06-B	-6	1/8"	AL,SS,ST
HF2229-08-B	-8	1/8"	AL,SS,ST



45°Male Flare Union AN		
Part No	AN	Material
HF-8103-3	-3	AL,SS,ST
HF-8104-4	-4	AL,SS,ST
HF-8106-6	-6	AL,SS,ST
HF-8108-8	-8	AL
HF-8110-10	-10	AL
HF-8112-12	-12	AL
HF-8116-16	-16	AL

ADAPTER FITTINGS



Y-adapter		
Part No	Inlet	Outlet
HF-957-1/8-3	1/8" NPT	3
HF-957-3-3	3	3
HF-957-4-3	4	3
HF-957-4-4	4	4
HF-957-6-6	6	6
HF-957-6-4	6	4
HF-957-8-6	8	6
HF-957-8-8	8	8
HF-957-10-8	10	8
HF-957-10-10	10	10
HF-957-8-12	8	12
HF-957-10-12	10	12
HF-957-12-12	12	12
HF-957-16-16	16	16



Fuel Pump Y Adaptor	
Part No	Size
HF-956-6	2XAN6
HF-956-8	2XAN8
HF-956-10	2XAN10



1/8NPT Female Y Adapters		
Part No	Inlet	Outlet
HF-954-61	1/8	1/8



Fuel Pump Y Adaptor	
Part No	Size
HF-955-6	2XAN6 Female
HF-955-8	2XAN8 Female



Straight Female Swivel Coupler		
Part No	AN	Colour
HF-4403-001	-3	Blue-Red / Black / Silver
HF-4404-001	-4	Blue-Red / Black / Silver
HF-4406-001	-6	Blue-Red / Black / Silver
HF-4408-001	-8	Blue-Red / Black / Silver
HF-4410-001	-10	Blue-Red / Black / Silver
HF-4412-001	-12	Blue-Red / Black / Silver
HF-4416-001	-16	Blue-Red / Black / Silver



45° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4403-045	-3	3/8X24	Blue-Red / Black / Silver
HF-4404-045	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-045	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-045	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-045	-10	7/8X14	Blue-Red / Black / Silver
HF-4412-045	-12	1-1/16X12	Blue-Red / Black / Silver
HF-4416-045	-16	1-5/16X12	Blue-Red / Black / Silver



Billet Y-block		
Part No	Thread	Popt
HF2279-1	IN 1/2" NPT OUT 3/8" NPT	1/2" NPT
HF2279-2	IN 3/8" NPT OUT 3/8" NPT	1/2" NPT
HF2279-3	IN 1/2" NPT OUT 1/2" NPT	1/2" NPT
HF2279-4	IN 1/2" NPT OUT 3/8" NPT	1/8" NPT
HF2279-5	IN 3/8" NPT OUT 3/8" NPT	1/8" NPT
HF2279-6	IN 1/2" NPT OUT 1/2" NPT	1/8" NPT



90°Forged Female Swivel Couplers		
Part No	AN	Coupler
HF-828-3	-3	AL,SS,ST
HF-828-4	-4	AL,SS,ST
HF-828-6	-6	AL,SS,ST
HF-828-8	-8	AL
HF-828-10	-10	AL
HF-828-12	-12	AL
HF-828-16	-16	AL



30° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4404-030	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-030	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-030	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-030	-10	7/8X14	Blue-Red / Black / Silver



45°Forged Female Swivel Couplers		
Part No	AN	Material
HF-827-3	-3	AL,SS,ST
HF-827-4	-4	AL,SS,ST
HF-827-6	-6	AL,SS,ST
HF-827-8	-8	AL
HF-827-10	-10	AL
HF-827-12	-12	AL
HF-827-16	-16	AL



60° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4404-060	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-060	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-060	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-060	-10	7/8X14	Blue-Red / Black / Silver



90° Female Swivel Coupler			
Part No	AN	Thread	Colour
HF-4403-090	-3	3/8X24	Blue-Red / Black / Silver
HF-4404-090	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-090	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-090	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-090	-10	7/8X14	Blue-Red / Black / Silver
HF-4412-090	-12	1-1/16X12	Blue-Red / Black / Silver
HF-4416-090	-16	1-5/16X12	Blue-Red / Black / Silver



120° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4404-120	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-120	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-120	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-120	-10	7/8X14	Blue-Red / Black / Silver



150° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4404-150	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-150	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-150	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-150	-10	7/8X14	Blue-Red / Black / Silver



180° Female Swivel Coupler			
Part No	AN	Thread	Coupler
HF-4403-180	-3	3/8X24	Blue-Red / Black / Silver
HF-4404-180	-4	7/16X20	Blue-Red / Black / Silver
HF-4406-180	-6	9/16X18	Blue-Red / Black / Silver
HF-4408-180	-8	3/4X16	Blue-Red / Black / Silver
HF-4410-180	-10	7/8X14	Blue-Red / Black / Silver

REUSABLE HOSE ENDS

ADAPTER FITTINGS



Tee With One Side NPT		
Part No	AN	NPT
HF-8123-1/8"	-3	1/8"
HF-8124-1/8"	-4	1/8"
HF-8126-1/4"	-6	1/4"
HF-8128-3/8"	-8	3/8"
HF-81210-1/2"	-10	1/2"
HF-81212-3/4"	-12	3/4"
HF-81216-1"	-16	1"
HF-81216-3/4"	-16	3/4"
HF-81220-1"	-20	1"
HF-81220-1-1/4"	-20	1-1/4"



Tee With One Side NPT		
Part No	AN	NPT
HF-8133-1/8"	-3	1/8"
HF-8134-1/8"	-4	1/8"
HF-8136-1/4"	-6	1/4"
HF-8138-3/8"	-8	3/8"
HF-81310-1/2"	-10	1/2"
HF-81312-3/4"	-12	3/4"
HF-81316-1"	-16	1"
HF-81316-3/4"	-16	3/4"
HF-81320-1"	-20	1"
HF-81320-1-1/4"	-20	1-1/4"



AN Tee One Side Female Swivel		
Part No	AN	Material
HF-836-3	-3	AL,SS,ST
HF-836-4	-4	AL,SS,ST
HF-836-6	-6	AL,SS,ST
HF-836-8	-8	AL
HF-836-10	-10	AL
HF-836-12	-12	AL
HF-836-16	-16	AL



AN Tee One Side Female Swivel		
Part No	AN	Material
HF-835-3	-3	AL,SS,ST
HF-835-4	-4	AL,SS,ST
HF-835-6	-6	AL,SS,ST
HF-835-8	-8	AL
HF-835-10	-10	AL
HF-835-12	-12	AL
HF-835-16	-16	AL



Flare Tee AN		
Part No	AN	Material
HF-8143-3	-3	AL,SS,ST
HF-8144-4	-4	AL,SS,ST
HF-8146-6	-6	AL,SS,ST
HF-8148-8	-8	AL
HF-81410-10	-10	AL
HF-81412-12	-12	AL
HF-81416-16	-16	AL



Flare Tee AN With 1/8"Port			
Part No	AN	NPT	Material
HF2230-6B	-6	1/8"	AL,SS,ST
HF2230-8B	-8	1/8"	AL,SS,ST



AN Male To Metric Female Adapter		
Part No	AN	Metric
HF2211-06-M1210	-6	M12X1.0
HF2211-06-M1215	-6	M12X1.5
HF2211-06-M1415	-6	M14X1.5
HF2211-06-M1615	-6	M16X1.5
HF2211-08-M1210	-8	M12X1.0
HF2211-08-M1215	-8	M12X1.5
HF2211-08-M1415	-8	M14X1.5
HF2211-08-M1615	-8	M16X1.5




AN Female Plugs		
Part No	AN	Material
HF-847-3	-3	AL,BR,SS,ST
HF-847-4	-4	AL,BR,SS,ST
HF-847-6	-6	AL,BR,SS,ST
HF-847-8	-8	AL,BR,SS,ST
HF-847-10	-10	AL,BR,SS,ST
HF-847-12	-12	AL,BR,SS,ST
HF847-16	-16	AL,BR,SS,ST
HF-847-20	-20	AL,BR,SS,ST



AN Flare Caps			
Part No	AN	ORB	Material
HF-2218-3B	-3	-3	AL,BR,SS,ST
HF-2218-4B	-4	-4	AL,BR,SS,ST
HF-2218-6B	-6	-6	AL,BR,SS,ST
HF-2218-8B	-8	-8	AL,BR,SS,ST
HF-2218-10B	-10	-10	AL,BR,SS,ST
HF-2218-12B	-12	-12	AL,BR,SS,ST
HF-2218-16B	-16	-16	AL,BR,SS,ST
HF-2218-20B	-20	-20	AL,BR,SS,ST



ORB To Metric Female Adapter			
Part No	ORB	Metric	Material
HFAN2212-06-M1215	AN6	M12X1.5	AL,BR,SS,ST
HFAN2212-06-M1815	AN6	M18X1.5	AL,BR,SS,ST
HFAN2212-08-M1215	AN8	M12X1.5	AL,BR,SS,ST
HFAN2212-08-M1815	AN8	M18X1.5	AL,BR,SS,ST




ADAPTER FITTINGS



AN Flare Caps		
Part No	AN	Material
HF-849-3	-3	AL,SS,ST,BR
HF-849-4	-4	AL,SS,ST,BR
HF-849-6	-6	AL,SS,ST,BR
HF-849-8	-8	AL,SS,ST,BR
HF-849-10	-10	AL,SS,ST,BR
HF-849-12	-12	AL,SS,ST,BR
HF-849-16	-16	AL,SS,ST,BR



ORB Port Plugs			
Part No	AN	ORB	Material
HF-848-3	-3	-3	AL,SS,ST,BR
HF-848-4	-4	-4	AL,SS,ST,BR
HF-848-6	-6	-6	AL,SS,ST,BR
HF-848-8	-8	-8	AL,SS,ST,BR
HF-848-10	-10	-10	AL,SS,ST,BR
HF-848-12	-12	-12	AL,SS,ST,BR
HF-848-16	-16	-16	AL,SS,ST,BR
HF-848-20	-20	-20	AL,SS,ST,BR



Flare Reducers			
Part No	AN (A)	AN (B)	Material
HF854-0604	-6	-4	AL,SS,ST,BR
HF854-0806	-8	-6	AL,SS,ST,BR
HF854-1006	-10	-6	AL,SS,ST,BR
HF854-1008	-10	-8	AL,SS,ST,BR
HF854-1208	-12	-8	AL,SS,ST,BR
HF854-1210	-12	-10	AL,SS,ST,BR



AN Swivel Nut Flare Caps		
Part No	AN	Material
HF-850-3	-3	AL,BR,SS,ST
HF-850-4	-4	AL,BR,SS,ST
HF-850-6	-6	AL,BR,SS,ST
HF-850-8	-8	AL,BR,SS,ST
HF-850-10	-10	AL,BR,SS,ST
HF-850-12	-12	AL,BR,SS,ST
HF-850-16	-16	AL,BR,SS,ST



ORB Port Plugs Slimline			
Part No	AN	ORB	Material
HF2225-03B	-3	-3	AL,SS,ST,BR
HF2225-04B	-4	-4	AL,SS,ST,BR
HF2225-06B	-6	-6	AL,SS,ST,BR
HF2225-08B	-8	-8	AL,SS,ST,BR
HF2225-10B	-10	-10	AL,SS,ST,BR
HF2225-12B	-12	-12	AL,SS,ST,BR
HF2225-16B	-16	-16	AL,SS,ST,BR
HF2225-20B	-20	-20	AL,SS,ST,BR




ORB To Metric Adapter			
Part No	ORB	Metric	Material
HFAN2214-06-M1215	-6	M12X1.5	AL,BR,SS,ST
HFAN2214-06-M1415	-6	M14X1.5	AL,BR,SS,ST
HFAN2214-06-M1615	-6	M16X1.5	AL,BR,SS,ST
HFAN2214-06-M1815	-6	M18X1.5	AL,BR,SS,ST
HFAN2214-08-M1215	-8	M12X1.5	AL,BR,SS,ST
HFAN2214-08-M1415	-8	M14X1.5	AL,BR,SS,ST
HFAN2214-08-M1615	-8	M16X1.5	AL,BR,SS,ST
HFAN2214-08-M1815	-8	M18X1.5	AL,BR,SS,ST



NPT Hex Head Plugs		
Part No	NPT	Material
HF2223-04	1/8"	AL,BR,SS,ST
HF2223-06	1/4"	AL,BR,SS,ST
HF2223-08	3/8"	AL,BR,SS,ST
HF2223-10	1/2"	AL,BR,SS,ST
HF2223-12	3/4"	AL,BR,SS,ST
HF2223-16	1"	AL,BR,SS,ST



Metric Plug		
Part No	Thread	Material
HF2228-M1610	M16X1.0	AL,SS,ST,BR



NPT Pipe Reducers			
Part No	NPT (A)	NPT (A)	Material
HF2215-1/4-1/8	1/8"	1/4"	AL,BR,SS,ST
HF2215-3/8-1/8	1/8"	3/8"	AL,BR,SS,ST
HF2215-3/8-1/4	1/4"	3/8"	AL,BR,SS,ST
HF2215-1/2-1/8	1/8"	1/2"	AL,BR,SS,ST
HF2215-1/2-1/4	1/4"	1/2"	AL,BR,SS,ST
HF2215-1/2-3/8	3/8"	1/2"	AL,BR,SS,ST
HF2215-3/4-1/4	1/4"	3/4"	AL,BR,SS,ST
HF2215-3/4-3/8	3/8"	3/4"	AL,BR,SS,ST
HF2215-3/4-1/2	1/2"	3/4"	AL,BR,SS,ST




NPT Plugs		
Part No	NPT	Material
HF2224-01	1/16"	AL,BR,SS,ST
HF2224-02	1/8"	AL,BR,SS,ST
HF2224-03	1/4"	AL,BR,SS,ST
HF2224-04	3/8"	AL,BR,SS,ST
HF2224-05	1/2"	AL,BR,SS,ST
HF2224-06	3/4"	AL,BR,SS,ST
HF2224-07	1"	AL,BR,SS,ST



37° Conical Seal	
Part No	I.D.
HF2226-06	12.15mm
HF2226-08	16.65mm
HF2226-10	19.55mm



Male Flare Reducers			
Part No	AN	ORB	Material
HF2227-03	-3	-3	AL,BR,SS,ST
HF2227-04	-4	-4	AL,BR,SS,ST
HF2227-06	-6	-6	AL,BR,SS,ST
HF2227-08	-8	-8	AL,BR,SS,ST
HF2227-10	-10	-10	AL,BR,SS,ST
HF2227-12	-12	-12	AL,BR,SS,ST
HF2227-16	-16	-16	AL,BR,SS,ST



REUSABLE HOSE ENDS



Barricade Fuel Injection Hose


Fuel injection engines, fuel pipelines, EEC/EGR, automobiles and light trucks, air pumps and PCV valves are compatible with gas/diesel and ethanol.
Caution: Do not immerse in fuel.

Haofa Racing Fuel Hose

We provide high-quality hoses suitable for our various accessories for the refitting and maintenance industry.

Installing barricade can protect the system from the corrosiveness of modern fuel and the influence of fuel mixture, which will reduce the performance of basic rubber hose and lead to leakage and failure.in addition, barricade can effectively prevent leakage and failure, and we provide you with the best hose-environmentally friendly at the same time.

- The first-class working pressure is 200psi (for fuel injection).
- Multi-fuel compatibility: It can be used with leaded and unleaded gasoline, diesel, E-85, methanol and ethanol.
- Hose fitting material: anodised aluminium(AL), brass(BR), stainless steel (SS), zinc plated steel(ST)



ADAPTER FITTINGS









45° Male NPT To Barb			
Part No	NPT	Barb(O.D.)	Material
HF-844-4B	1/8"	3/16"	AL,SS,ST
HF-844-4	1/8"	1/4"	AL,SS,ST
HF-844-05	1/8"	5/16"	AL,SS,ST
HF-844-05-06	3/8"	5/16"	AL,SS,ST
HF-844-6	1/4"	3/8"	AL,SS,ST
HF-844-06-06	3/8"	3/8"	AL,SS,ST
HF-844-06-08	1/2"	3/8"	AL,SS,ST
HF-844-8	3/8"	1/2"	AL,SS,ST
HF-844-08-08	1/2"	1/2"	AL,SS,ST
HF-844-10-06	3/8"	5/8"	AL,SS,ST
HF-844-10	1/2"	5/8"	AL,SS,ST
HF-844-12-08	1/2"	3/4"	AL,SS,ST
HF-844-12	3/4"	3/4"	AL,SS,ST

90° Male NPT To Barb			
Part No	NPT	Barb(O.D.)	Material
HF-843-4B	1/8"	3/16"	AL,SS,ST
HF-843-4	1/8"	1/4"	AL,SS,ST
HF-843-05	1/8"	5/16"	AL,SS,ST
HF-843-05-06	3/8"	5/16"	AL,SS,ST
HF-843-6	1/4"	3/8"	AL,SS,ST
HF-843-06-06	3/8"	3/8"	AL,SS,ST
HF-843-06-08	1/2"	3/8"	AL,SS,ST
HF-843-8	3/8"	1/2"	AL,SS,ST
HF-843-08-08	1/2"	1/2"	AL,SS,ST
HF-843-10-06	3/8"	5/8"	AL,SS,ST
HF-843-10	1/2"	5/8"	AL,SS,ST
HF-843-12-08	1/2"	3/4"	AL,SS,ST
HF-843-12	3/4"	3/4"	AL,SS,ST

Male NPT To Barb Straight			
Part No	NPT	Barb(O.D.)	Material
HF-841-4	1/8"	Φ5.86	AL,BR,SS,ST
HF-841-6	1/4"	Φ9.05	AL,BR,SS,ST
HF-841-8	3/8"	Φ11.5	AL,BR,SS,ST
HF-841-10	1/2"	Φ14.6	AL,BR,SS,ST
HF-841-10.5	1/4"	Φ10.5	AL,BR,SS,ST
HF-841-12	3/4"	Φ17.7	AL,BR,SS,ST
HF-841-6-1/8	1/8"	Φ9.05	AL,BR,SS,ST
HF-841-18	7/8X14	Φ18	AL,BR,SS,ST
HF-841-12-1	M12X1.5	Φ12	AL,BR,SS,ST
HF-841-9	M12X1.5	Φ9	AL,BR,SS,ST
HF-841-12-2	M14X1.5	Φ12	AL,BR,SS,ST
HF-841-12-3	9/16X18	Φ12	AL,BR,SS,ST
HF-841-9-2	M14X1.5	Φ9	AL,BR,SS,ST
HF-841-12-4	M18X1.5	Φ12	AL,BR,SS,ST
HF-841-5/8	1/2"	Φ5/8	AL,BR,SS,ST
HF-841-1/4	1/8"	Φ1/4	AL,BR,SS,ST
HF-841-1	3/4"	Φ1"	AL,BR,SS,ST
HF-841-9-3	9/16X18	Φ9.4	AL,BR,SS,ST


Metric To Barb Adapters			
Part No	Barb(O.D.)	Thread	Material
HF-876-1	Φ12.7	M18X1.5	AL,BR,SS,ST
HF-876-2	Φ19	M18X1.5	AL,BR,SS,ST
HF-876-3	8mm	M18X1.5	AL,BR,SS,ST
HF-876-4	15mm	M18X1.5	AL,BR,SS,ST
HF-876-5	Φ8	M12X1.5	AL,BR,SS,ST
HF-876-6	Φ9.5	M12X1.5	AL,BR,SS,ST
HF-876-7	5/8barb	M18X1.5	AL,BR,SS,ST
HF-876-8	Φ12	M12X1.5	AL,BR,SS,ST
HF-876-9	Φ9	M12X1.5	AL,BR,SS,ST
HF-876-10	1/4barb	M12X1.5	AL,BR,SS,ST
HF-876-11	1/2barb	M12X1.5	AL,BR,SS,ST
HF-876-12	9mm	M14X1.5	AL,BR,SS,ST
HF-876-13	3/8barb	M14X1.5	AL,BR,SS,ST
HF-876-14	3/8barb	M16X1.5	AL,BR,SS,ST
HF-876-15	3/8barb	M22X1.5	AL,BR,SS,ST
HF-876-16	1/2barb	M14X1.5	AL,BR,SS,ST
HF-876-17	8mm	M16X1.5	AL,BR,SS,ST
HF-876-18	5/16barb	M18X1.5	AL,BR,SS,ST
HF-876-19	3/8barb	M18X1.5	AL,BR,SS,ST
HF-876-20	Φ8	M14X1.5	AL,BR,SS,ST
HF-876-21	Φ8	M18X1.5	AL,BR,SS,ST



AN Flare To Barb Adapters			
Part No	AN	Barb(O.D.)	Material
HF-837-4-1/4	-4	1/4"	AL,SS,ST
HF-837-6-5/16	-6	5/16"	AL,SS,ST
HF-837-6-3/8	-6	3/8"	AL,SS,ST
HF-837-8-1/2	-8	1/2"	AL,SS,ST
HF-837-10-5/8	-10	5/8"	AL,SS,ST
HF-837-10-1/2	-10	1/2"	AL,SS,ST
HF-837-6-1/2	-6	1/2"	AL,SS,ST
HF-837-8-3/8	-8	3/8"	AL,SS,ST
HF-837-8-5/16	-8	5/16"	AL,SS,ST



ORB To Barb Adapter			
Part No	AN	Barb(O.D.)	Material
HF-875-4-3/8	-4	3/8barb	AL,BR,SS,ST
HF-875-4-1/4	-4	1/4barb	AL,BR,SS,ST
HF-875-4-5/16	-4	5/16barb	AL,BR,SS,ST
HF-875-6	-6	6mm	AL,BR,SS,ST
HF-875-6-5/16	-6	5/16barb	AL,BR,SS,ST
HF-875-6-3/8	-6	3/8barb	AL,BR,SS,ST
HF-875-6-12	-6	12mm	AL,BR,SS,ST
HF-875-8-5/16	-8	5/16mm	AL,BR,SS,ST
HF-875-8-3/8	-8	3/8mm	AL,BR,SS,ST
HF-875-8-1/2	-8	1/2mm	AL,BR,SS,ST
HF-875-10-1/2	-10	1/2mm	AL,BR,SS,ST
HF-875-10-5/8	-10	5/8mm	AL,BR,SS,ST
HF-875-10-3/8	-10	3/8mm	AL,BR,SS,ST



ORB To Barb Adapter			
Part No	ORB	Barb(O.D.)	Material
HF2232-06-D05	AN6	5/16"	AL,BR,SS,ST
HF2232-06-D06	AN6	3/8"	AL,BR,SS,ST
HF2232-06-D08	AN6	1/2"	AL,BR,SS,ST
HF2232-08-D06	AN8	3/8"	AL,BR,SS,ST
HF2232-08-D08	AN8	1/2"	AL,BR,SS,ST



ADAPTER FITTINGS



90°Male Flare Union AN		
Part No	AN	Material
HF-8113-3	-3	AL,SS,ST
HF-8114-4	-4	AL,SS,ST
HF-8116-6	-6	AL,SS,ST
HF-8118-8	-8	AL
HF-81110-10	-10	AL
HF-81112-12	-12	AL
HF-81116-16	-16	AL



45°Full Flow Union AN		
Part No	AN	Colour
HF-871-3	-3	Blue/Black/Silver
HF-871-4	-4	Blue/Black/Silver
HF-871-6	-6	Blue/Black/Silver
HF-871-8	-8	Blue/Black/Silver
HF-871-10	-10	Blue/Black/Silver
HF-871-12	-12	Blue/Black/Silver
HF-871-16	-16	Blue/Black/Silver
HF-871-20	-20	Blue/Black/Silver



90°Full Flow Union AN		
Part No	AN	Colour
HF-872-3	-3	Blue/Black/Silver
HF-872-4	-4	Blue/Black/Silver
HF-872-6	-6	Blue/Black/Silver
HF-872-8	-8	Blue/Black/Silver
HF-872-10	-10	Blue/Black/Silver
HF-872-12	-12	Blue/Black/Silver
HF-872-16	-16	Blue/Black/Silver
HF-872-20	-20	Blue/Black/Silver



45°NPT To AN Full Flow Adapters		
Part No	AN	NPT
HF-873-3	-3	1/8"
HF-873-4	-4	1/8"
HF-873-4-1	-4	1/4"
HF-873-6	-6	1/8"
HF-873-6-1	-6	1/4"
HF-873-6-2	-6	3/8"
HF-873-6-3	-6	1/2"
HF-873-8	-8	3/8"
HF-873-8-1	-8	1/4"
HF-873-8-2	-8	1/2"
HF-873-10	-10	3/8"
HF-873-10-1	-10	1/2"
HF-873-10-2	-10	3/4"
HF-873-12	-12	1/2"
HF-873-12-1	-12	3/4"
HF-873-16	-16	1"



90°NPT To AN Full Flow Adapters		
Part No	AN	NPT
HF-874-3	-3	1/8"
HF-874-4	-4	1/8"
HF-874-4-1	-4	1/4"
HF-874-6	-6	1/8"
HF-874-6-1	-6	1/4"
HF-874-6-2	-6	3/8"
HF-874-6-3	-6	1/2"
HF-874-8	-8	3/8"
HF-874-8-1	-8	1/4"
HF-874-8-2	-8	1/2"
HF-874-10	-10	3/8"
HF-874-10-1	-10	1/2"
HF-874-10-2	-10	3/4"
HF-874-12	-12	1/2"
HF-874-12-1	-12	3/4"



45°Female AN Swivel To Male		
Part No	AN	Thread
HF-869-4	-4	7/16X20
HF-869-6	-6	9/16X18
HF-869-8	-8	3/4X16
HF-869-10	-10	7/8X14
HF-869-12	-12	1-1/16X12
HF-869-16	-16	1-5/16X12



90°Female AN Swivel To Male		
Part No	AN	Thread
HF-870-4	-4	7/16X20
HF-870-6	-6	9/16X18
HF-870-8	-8	3/4X16
HF-870-10	-10	7/8X14
HF-870-12	-12	1-1/16X12
HF-870-16	-16	1-5/16X12




Male NPT To Female AN Straight		
Part No	AN	NPT
HF2219-3D	-3	1/8"
HF2219-4D	-4	1/8"
HF2219-4-4D	-4	1/4"
HF2219-6-2D	-6	1/8"
HF2219-6D	-6	1/4"
HF2219-6-6D	-6	3/8"
HF2219-7D	-8	1/4"
HF2219-8D	-8	3/8"
HF2219-8-8D	-8	1/2"
HF2219-10-6D	-10	3/8"
HF2219-10D	-10	1/2"
HF2219-12-8D	-12	1/2"
HF2219-12D	-12	3/4"
HF2219-16-12D	-16	3/4"
HF2219-16D	-16	1"



90°Metric Swivel To Male AN		
Part No	AN	Metric
HF2222-6-5	-6	M12X1.25
HF2222-6-6	-6	M12X1.5



90° NPT Swivel To Male AN Flare		
Part No	AN	NPT
HF-845-AN3	-3	1/8"
HF-845-AN4	-4	1/8"
HF-845-AN4-1/4	-4	1/4"
HF-845-AN6	-6	1/8"
HF-845-AN6-1/4	-6	1/4"
HF-845-AN6-3/8	-6	3/8"
HF-845-AN6-1/2	-6	1/2"
HF-845-AN8-1/4	-8	1/4"
HF-845-AN8-3/8	-8	3/8"
HF-845-AN8-1/2	-8	1/2"
HF-845-AN10-1/2	-10	3/8"
HF-845-AN10-3/8	-10	1/2"
HF-845-AN12-3/4	-12	1/2"
HF-845-AN12-1/2	-12	3/4"
HF-845-AN16-3/4	-16	3/4"
HF-845-AN16-1	-16	1"



REUSABLE HOSE ENDS

ADAPTER FITTINGS



90°NPT Swivel To Female AN		
Part No	AN	NPT
HF-846-3	-3	1/8"
HF-846-4	-4	1/8"
HF-846-4-1	-4	1/4"
HF-846-6	-6	M12X1.25
HF-846-6-1	-6	M12X1.5
HF-846-6-2	-6	1/4"
HF-846-6-3	-6	3/8"
HF-846-6-4	-6	1/4"
HF-846-8-1	-8	3/8"
HF-846-8-2	-8	1/2"
HF-846-8-3	-8	1/4"
HF-846-10-1	-10	3/8"
HF-846-10-2	-10	1/2"
HF-846-12-1	-12	1/2"
HF-846-12-2	-12	3/4"
HF-846-16-1	-16	3/4"
HF-846-16-2	-16	1"



90°ORB Swivel To Male AN		
Part No	AN	ORB
HF2220-6-1	-6	-4
HF2220-6-2	-6	-5
HF2220-6-3	-6	-6
HF2220-6-4	-6	-8
HF2220-6-7	-6	-10
HF2220-6-8	-6	9/16X24
HF2220-6-9	-6	5/8X18
HF2220-8-1	-8	-6
HF2220-8-2	-8	-8
HF2220-8-3	-8	-10
HF2220-8-4	-8	7/8X20
HF2220-10-1	-10	-8
HF2220-10-2	-10	-10
HF2220-10-3	-10	-12
HF2220-12-1	-12	-10
HF2220-12-2	-12	-12
HF2220-16-1	-16	-12
HF2220-16-2	-16	-16



45°NPT Female Pipe Tees		
Part No	NPT	Colour
HF-818-1/8"	1/8"	Blue/Black/Silver
HF-818-1/4"	1/4"	Blue/Black/Silver
HF-818-3/8"	3/8"	Blue/Black/Silver
HF-818-1/2"	1/2"	Blue/Black/Silver
HF-818-3/4"	3/4"	Blue/Black/Silver
HF-818-1"	1"	Blue/Black/Silver
HF-818-1-1/4"	1-1/4"	Blue/Black/Silver



90°NPT Female To Male NPT		
Part No	NPT	Colour
HF-819-1/8"	1/8"	Blue/Black/Silver
HF-819-1/4"	1/4"	Blue/Black/Silver
HF-819-3/8"	3/8"	Blue/Black/Silver
HF-819-1/2"	1/2"	Blue/Black/Silver
HF-819-3/4"	3/4"	Blue/Black/Silver
HF-819-1"	1"	Blue/Black/Silver
HF-819-1-1/4"	1-1/4"	Blue/Black/Silver



45°NPT To Male Flare Adapters		
Part No	AN	NPT
HF-816-AN3	-3	1/8"
HF-816-AN3	-3	1/4"
HF-816-AN4	-4	1/8"
HF-816-AN4-1	-4	1/4"
HF-816-AN4-2	-4	3/8"
HF-816-AN6	-6	1/8"
HF-816-AN6-1	-6	1/4"
HF-816-AN6-2	-6	3/8"
HF-816-AN6-4	-6	1/2"
HF-816-AN8	-8	1/4"
HF-816-AN8-1	-8	3/8"
HF-816-AN8-2	-8	1/2"
HF-816-AN8-4	-8	3/4"
HF-816-AN10	-10	3/8"
HF-816-AN10-1	-10	1/2"
HF-816-AN10-2	-10	3/4"
HF-816-AN12	-12	1/2"
HF-816-AN12-1	-12	3/4"
HF-816-AN16	-16	3/4"
HF-816-AN16-1	-16	1"
HF-816-AN20	-20	1"




90°NPT To Male Flare Adapters		
Part No	AN	NPT
HF-817-3	-3	1/8"
HF-817-3	-3	1/4"
HF-817-4	-4	1/8"
HF-817-4-1	-4	1/4"
HF-817-4-2	-4	3/8"
HF-817-6	-6	1/8"
HF-817-6-1	-6	1/4"
HF-817-6-2	-6	3/8"
HF-817-6-3	-6	1/2"
HF-817-8	-8	1/8"
HF-817-8-1	-8	1/4"
HF-817-8-2	-8	3/8"
HF-817-8-3	-8	1/2"
HF-817-8-4	-8	3/4"
HF-817-10	-10	1/2"
HF-817-10-1	-10	3/8"
HF-817-10-2	-10	3/4"
HF-817-12	-12	3/4"
HF-817-12-1	-12	3/8"
HF-817-12-2	-12	1/2"
HF-817-16	-16	1"
HF-817-16-1	-16	3/4"



45°Female/Male Flare Swivel		
Part No	AN	Colour
HF-833-3	-3	AL,SS,ST
HF-833-4	-4	AL,SS,ST
HF-833-6	-6	AL,SS,ST
HF-833-8	-8	AL
HF-833-10	-10	AL
HF-833-12	-12	AL
HF-833-16	-16	AL



90°Female/Male Flare Swivel		
Part No	AN	Colour
HF-834-3	-3	AL,SS,ST
HF-834-4	-4	AL,SS,ST
HF-834-6	-6	AL,SS,ST
HF-834-8	-8	AL
HF-834-10	-10	AL
HF-834-12	-12	AL
HF-834-16	-16	AL





ADAPTER FITTINGS



Straight Bulkhead AN		
Part No	AN	Material
HF-823-3	-3	AL,SS,ST
HF-823-4	-4	AL,SS,ST
HF-823-6	-6	AL,SS,ST
HF-823-8	-8	AL,SS,ST
HF-823-10	-10	AL,SS,ST
HF-823-12	-12	AL,SS,ST
HF-823-16	-16	AL,SS,ST
HF-823-20	-20	AL,SS,ST

45°Bulkhead AN		
Part No	AN	Material
HF-822-3	-3	AL,SS,ST
HF-822-4	-4	AL,SS,ST
HF-822-6	-6	AL,SS,ST
HF-822-8	-8	AL,SS,ST
HF-822-10	-10	AL,SS,ST
HF-822-12	-12	AL,SS,ST
HF-822-16	-16	AL,SS,ST
HF-822-20	-20	AL,SS,ST

90°Bulkhead AN		
Part No	AN	Material
HF-824-3	-3	AL,SS,ST
HF-824-4	-4	AL,SS,ST
HF-824-6	-6	AL,SS,ST
HF-824-8	-8	AL,SS,ST
HF-824-10	-10	AL,SS,ST
HF-824-12	-12	AL,SS,ST
HF-824-16	-16	AL,SS,ST

Bulkhead AN Tee On The Rum		
Part No	AN	Material
HF-821-3	-3	AL,SS,ST
HF-821-4	-4	AL,SS,ST
HF-821-6	-6	AL,SS,ST
HF-821-8	-8	AL,SS,ST
HF-821-10	-10	AL,SS,ST
HF-821-12	-12	AL,SS,ST
HF-821-16	-16	AL,SS,ST
HF-821-20	-20	AL,SS,ST



Bulkhead AN Tee		
Part No	AN	Metric
HF-825-3	-3	M12X1.0
HF-825-4	-4	M12X1.5
HF-825-6	-6	M14X1.5
HF-825-8	-8	M16X1.5
HF-825-10	-10	M12X1.0
HF-825-12	-12	M12X1.5
HF-825-16	-16	M14X1.5
HF-825-20	-20	M16X1.5

45°Full Flow Bulkhead AN		
Part No	AN	Colour
HF-2216-4	-4	Blue/Black/Silver
HF-2216-6	-6	Blue/Black/Silver
HF-2216-8	-8	Blue/Black/Silver
HF-2216-10	-10	Blue/Black/Silver
HF-2216-12	-12	Blue/Black/Silver

90°Full Flow Bulkhead AN		
Part No	AN	Colour
HF-2217-4	-4	Blue/Black/Silver
HF-2217-6	-6	Blue/Black/Silver
HF-2217-8	-8	Blue/Black/Silver
HF-2217-10	-10	Blue/Black/Silver
HF-2217-12	-12	Blue/Black/Silver

Bulkhead Nuts		
Part No	AN(A)	Material
HF-824-3	-3	AL,SS,ST
HF-824-4	-4	AL,SS,ST
HF-824-6	-6	AL,SS,ST
HF-824-8	-8	AL,SS,ST
HF-824-10	-10	AL,SS,ST
HF-824-12	-12	AL,SS,ST
HF-824-16	-16	AL,SS,ST
HF-824-20	-20	AL,SS,ST



NPT Female Couplers		
Part No	NPT	Material
HF-831-1/8" NPT	1/8"	AL,BR,SS,ST
HF-831-1/4" NPT	1/4"	AL,BR,SS,ST
HF-831-3/8" NPT	3/8"	AL,BR,SS,ST
HF-831-1/2" NPT	1/2"	AL,BR,SS,ST
HF-831-3/4" NPT	3/4"	AL,BR,SS,ST
HF-831-1" NPT	1"	AL,BR,SS,ST

90°NPT Female Couplers		
Part No	AN	Colour
HF-2216-4	-4	Blue/Black/Silver
HF-2216-6	-6	Blue/Black/Silver
HF-2216-8	-8	Blue/Black/Silver
HF-2216-10	-10	Blue/Black/Silver
HF-2216-12	-12	Blue/Black/Silver

NPT Female Pipe Tees		
Part No	NPT	Colour
HF-829-1/8"	1/8"	Blue/Black/Silver
HF-829-1/4"	1/4"	Blue/Black/Silver
HF-829-3/8"	3/8"	Blue/Black/Silver
HF-829-1/2"	1/2"	Blue/Black/Silver
HF-829-3/4"	3/4"	Blue/Black/Silver
HF-829-1"	1"	Blue/Black/Silver

Female Tee ORB		
Part No	AN	Colour
HF-830-3	-3	Blue/Black/Silver
HF-830-4	-4	Blue/Black/Silver
HF-830-6	-6	Blue/Black/Silver
HF-830-8	-8	Blue/Black/Silver
HF-830-10	-10	Blue/Black/Silver
HF-830-12	-12	Blue/Black/Silver
HF-830-16	-16	Blue/Black/Silver

Tube To Male & Female An Adapter



Tube To Male AN Adapter		
Part No	AN	Tube
HFM2209-04	-4	1/4″
HFM2209-05	-6	5/16″
HFM2209-06	-6	3/8″
HFM2209-08	-8	1/2″
HFM2209-10	-10	5/8″
HFM2209-12	-12	3/4″



Tube To Female AN Adapter		
Part No	AN	Tube
HFF2209-04	-4	1/4″
HFF2209-05	-6	5/16″
HFF2209-06	-6	3/8″
HFF2209-08	-8	1/2″
HFF2209-10	-10	5/8″
HFF2209-12	-12	3/4″

AN Tube Nuts & Sleeves



AN Tube Nuts			
Part No	Size	I.D.	Material
HF-923-3	-3	3/16″	AL,BR,SS,ST
HF-923-4	-4	1/4″	AL,BR,SS,ST
HF-923-6	-6	5/16&3/8″	AL,BR,SS,ST
HF-923-8	-8	1/2″	AL,BR,SS,ST
HF-923-10	-10	5/8″	AL,BR,SS,ST
HF-923-12	-12	3/4″	AL,BR,SS,ST
HF-923-16	-16	1″	AL,BR,SS,ST



AN Tube Sleeves		
Part No	I.D.	Material
HF-924-3	3/16″	AL,BR,SS,ST
HF-924-4	1/4″	AL,BR,SS,ST
HF-924-5	5/16″	AL,BR,SS,ST
HF-924-6	3/8″	AL,BR,SS,ST
HF-924-8	1/2″	AL,BR,SS,ST
HF-924-10	5/8″	AL,BR,SS,ST
HF-924-12	3/4″	AL,BR,SS,ST
HF-924-16	1″	AL,BR,SS,ST

Installation Tool
Braided Hose And AN Fittings



welding plug



Stainless steel welding plug		
Part No	AN Size	Material
HF-2235-7203	-3	S.S
HF-2235-7204	-4	S.S
HF-2235-7206	-6	S.S
HF-2235-7208	-8	S.S
HF-2235-7210	-10	S.S
HF-2235-7212	-12	S.S
HF-2235-7216	-16	S.S
HF-2235-7220	-20	S.S

Aluminum welding plug		
Part No	AN Size	Material
HF-2234-7103	-3	AL
HF-2234-7104	-4	AL
HF-2234-7106	-6	AL
HF-2234-7108	-8	AL
HF-2234-7110	-10	AL
HF-2234-7112	-12	AL
HF-2234-7116	-16	AL
HF-2234-7120	-20	AL

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

QUICK DISCONNECT FITTINGS




PRODUCT CATALOGUE

QUICK DISCONNECT FITTINGS









Fuel Line Use		
Part No	Description	Material
HF-865-4	AN4-5body	Aluminium
HF-865-6	AN6-5body	Aluminium
HF-865-6-1	AN6-8body	Aluminium
HF-865-8	AN8-8body	Aluminium
HF-865-10	AN10-12body	Aluminium
HF-865-12	AN12-12body	Aluminium
HF-865-16	AN16-16body	Aluminium

Fuel Line Use		
Part No	Description	Material
HF-867-3	AN3-3body	Titanium
HF-867-4	AN4-3body	Titanium
HF-867-4-1	AN4-5body	Titanium
HF-867-6	AN6-5body	Titanium
HF-867-6-1	AN6-8body	Titanium
HF-867-8	AN8-8body	Titanium
HF-867-10	AN10-12body	Titanium
HF-867-12	AN12-12body	Titanium
HF-867-16	AN16-16body	Titanium

Brake Fluid Use		
Part No	Description	Material
HF-866-3-3	AN3-3body	Aluminium
HF-866-4-3	AN4-3body	Aluminium
HF-866-4-5	AN4-5body	Aluminium
HF-866-6-5	AN6-5body	Aluminium
HF-866-6-8	AN6-8body	Aluminium
HF-866-8-8	AN8-8body	Aluminium
HF-866-10-12	AN10-12body	Aluminium
HF-866-12-12	AN12-12body	Aluminium

Brake Fluid Use		
Part No	Description	Material
HF-868-3	AN3-3body	Titanium
HF-868-4	AN4-3body	Titanium
HF-868-4-1	AN4-5body	Titanium
HF-868-6	AN6-5body	Titanium
HF-868-6-1	AN6-8body	Titanium
HF-868-8	AN8-8body	Titanium
HF-868-10	AN10-12body	Titanium
HF-868-12	AN12-12body	Titanium

HOSE FINISHER




The perfect way to finish off the end of a hose to give it the look and feel of a competition hose! Manufactured in a huge range of sizes from quality aluminium and then beautifully anodised to suit your application! Smaller sizes are machined from hex bar,with larger sizes from-16 and up machined round. Each fitting includes a stainless steel worm drive clamp to give a maximum working pressure of 50 psi.



Hex Finishers		
Part No	AN Size	I.D.
HF-2040-4	-4	12.8
HF-2040-6	-6	16
HF-2040-8	-8	17.75
HF-2040-10	-10	21
HF-2040-12	-12	25
HF-2040-16	-16	30.58



LOGO SERVICE




Custom Logo Print Different Position

SHOW TIME

We can provide logo laser engraving service





Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

BRAKE HOSE KIT




BUILD YOUR BRAKE HOSE ASSEMBLY !






BRAKE HOSES





PTFE Brake hose

Part No	Size	I.D.	O.D.	W.P.	W.P.	M.B.R.
	inch	mm	mm	mpa	mpa	mm
HF-PTFE-36-3	1/8	3.2	7.5	27.6	49	80





Nylon Brake Hose

Part No	Size	I.D.	O.D.	W.P.	B.P.	M.B.R.
	inch	mm	mm	mpa	mpa	mm
HF-Nylon-36-3	1	3.2	7.5	27.6	49	85



BANJO & BOLTS

We manufacture a full range of Banjo Bolts to suit our 14.5mm eye and new 16 & 18mm Banjo.
Common uses indude oil lines, fuel pumps, flters and carburettors.EFI & power steering.



20°Banjo			
Part No	I.D.	Size	Material
HF-916-01	10.2mm	AN3/AN4	SS
HF-916-01	11.2mm	AN3/AN4	SS



30°Banjo			
Part No	I.D.	Size	Material
HF-916-28	10.2mm	AN3/AN4	SS



45°Banjo			
Part No	I.D.	Size	Material
HF-916-45	10.2mm	AN3/AN4	SS
HF-916-45	11.2mm	AN3/AN4	SS



90°Banjo			
Part No	I.D.	Size	Material
HF-916-90	10.2mm	AN3/AN4	SS
HF-916-90	11.2mm	AN3/AN4	SS



Stainless Steel 0°Banjo Crimp		
Part No	Size	Material
HF-918-0	AN3-0°	SS



Stainless Steel 28°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-918-28	28	10mm	SS



Stainless Steel 45°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-918-45	45	10mm	SS



Stainless Steel 90°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-918-90	90	10mm	SS



Straight Banjo To Male AN			
Part No	AN	I.D.	Material
HF2254-1	-3	10.2mm	SS
HF2254-2	-3	12.2mm	SS
HF2254-3	-4	10.2mm	SS
HF2254-4	-4	12.2mm	SS



20°Banjo To AN			
Part No	AN	I.D.	Material
HF2255-1	-3	10.2mm	SS
HF2255-2	-3	11.3mm	SS
HF2255-3	-4	12.2mm	SS



45°Banjo To AN			
Part No	AN	I.D.	Material
HF2256-1	-3	10.2mm	SS
HF2256-2	-3	12.2mm	SS
HF2256-3	-4	10.2mm	SS
HF2256-4	-4	12.2mm	SS



90°Banjo To AN			
Part No	AN	I.D.	Material
HF2257-1	-3	10.2mm	SS
HF2257-2	-3	12.2mm	SS
HF2257-3	-3	11.5mm	SS
HF2257-4	-4	10.2mm	SS
HF2257-5	-4	11.5mm	SS



Crimped End			
Part No	Hose	Degree	Material
HF-919-3-01	AN3	0°	SS,ST
HF-919-4-01	AN4	0°	SS,ST



Crimped End			
Part No	Hose	Degree	Material
HF-919-3-28	AN3	28°	SS,ST
HF-919-4-28	AN4	28°	SS,ST



Crimped End			
Part No	Hose	Degree	Material
HF-919-3-45	AN3	45°	SS,ST
HF-919-4-45	AN4	45°	SS,ST



Crimped End			
Part No	Hose	Degree	Material
HF-919-3-90	AN3	90°	SS,ST
HF-919-4-90	AN4	90°	SS,ST



PTFE Hose End Brake Fitting		
Part No	Size	Material
HF-931-3	AN3	SS
HF-929-1	AN4	SS



45° PTFE Hose End Brake Fitting		
Part No	Size	Material
HF-929-3-045	AN3	SS
HF-929-4-045	AN4	SS



90° PTFE Hose End Brake Fitting		
Part No	Size	Material
HF-929-3-090	AN3	SS
HF-929-4-090	AN4	SS



Hex Brake Locator		
Part No	Thread	Material
HF-925-3	AN3 Φ6	SS,ST
HF-925-10	M10X1	SS,ST
HF-925-5	AN3	SS,ST

REUSABLE HOSE ENDS

BANJO & BOLTS

We manufacture a full range of Banjo Bolts to suit our 14.5mm eye and new 16 & 18mm Banjo. Common uses indude oil lines, fuel pumps, flters and carburettors.EFI & power steering.




Banjo Brake Fitting		
Part No	Size	Material
HF-916-3-01	AN3	Aluminum
HF-916-4-01	AN4	Aluminum



Banjo Brake Fitting		
Part No	Size	Material
HF-916-3-28	AN3	Aluminum
HF-916-4-28	AN4	Aluminum



Banjo Brake Fitting		
Part No	Size	Material
HF-916-3-45	AN3	Aluminum
HF-916-4-45	AN4	Aluminum



Banjo Brake Fitting		
Part No	Size	Material
HF-916-3-90	AN3	Aluminum
HF-916-4-90	AN4	Aluminum



Carbon Steel 0°Banjo Crimp		
Part No	Size	Material
HF-22580-0	AN3-0°	ST



Carbon Steel 28°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-22580-28	28	10mm	ST



Carbon Steel 45°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-22580-45	45	10mm	ST



Carbon Steel 90°Banjo Crimp			
Part No	DEG	I.D.	Material
HF-22580-90	90	10mm	ST



Metric Crimped End			
Part No	AN	NPT	Material
HF-922-3	AN3	M10X1.0	SS



Alloy AN Banjos			
Part No	AN	A(mm)	Material
HF-882-6	6	M1215	SS
HF-882-8	8	M1215	SS



Alloy AN Banjos Sets For Oil Tank			
Part No	Size	Thread	Material
HF-884-8	8	M2215	SS
HF-884-10	10	M2215	SS




Double Ended AN Banjos			
Part No	AN	I.D.	Material
HF2233-03	-3	10.2mm	SS
HF2233-04	-4	12.5mm	SS
HF2233-06	-6	14.5mm	SS



Banjo Bolts			
Part No	Thread	Length	Material
HF-905-1	M10X1.0	20mm	BR,SS,ST
HF-905-2	M10X1.0	24mm	BR,SS,ST
HF-905-3	M10X1.25	20mm	BR,SS,ST
HF-905-4	M10X1.25	24mm	BR,SS,ST
HF-905-5	M10X1.5	25mm	BR,SS,ST
HF-905-6	M12X1.0	31mm	BR,SS,ST
HF-905-7	M12X1.0	24mm	BR,SS,ST
HF-905-8	M12X1.25	31mm	BR,SS,ST
HF-905-9	M12X1.25	24mm	BR,SS,ST
HF-905-10	M12X1.5	31mm	BR,SS,ST
HF-905-11	M12X1.5	24mm	BR,SS,ST
HF-905-12	AN3	20mm	BR,SS,ST
HF-905-13	AN3	25mm	BR,SS,ST
HF-905-14	AN4	25mm	BR,SS,ST
HF-905-15	AN4	32mm	BR,SS,ST



Double Banjo Bolts			
Part No	Thread	Length	Material
HF-906-1	M10X1.0	30mm	BR,SS,ST
HF-906-2	M10X1.0	38mm	BR,SS,ST
HF-906-3	M10X1.25	30mm	BR,SS,ST
HF-906-4	M10X1.25	39mm	BR,SS,ST
HF-906-5	AN3	31mm	BR,SS,ST
HF-906-6	AN3	40mm	BR,SS,ST
HF-906-7	AN4(7/16X20)	30mm	BR,SS,ST
HF-906-8	AN4(7/16X20)	38.5mm	BR,SS,ST
HF-906-9	7/16X24	30mm	BR,SS,ST
HF-906-10	7/16X24	38.5mm	BR,SS,ST



Female Inverted Flare Hose Ends			
Part No	Thread	Hose	Material
HF-937-3	M10X1.0	AN3	SS,ST
HF-937-3-2	M10X1.25	AN3	SS,ST
HF-937-3-4	M10X1.5	AN3	SS,ST



AN Banjo			
Part No	Thread	Hose	Material
HF-880-3	AN3	AN3	SS,ST
HF-880-4	AN4	AN4	SS,ST
HF-880-6	AN6	AN6	SS,ST



AN Banjo			
Part No	Thread	Hose	Material
HF-916-0	0°	AN3	SS,ST
HF-916-28	28°	AN3	SS,ST
HF-916-90	90°	AN3	SS,ST

BANJO & BOLTS

We manufacture a full range of Banjo Bolts to suit our 14.5mm eye and new 16 & 18mm Banjo.
Common uses indude oil lines, fuel pumps, flters and carburettors.EFI & power steering.



AN Tube Nuts			
Part No	AN	Hose	Material
HF-921-3	3	Φ6.5	SS,ST
HF-921-10	M10X1	Φ5	SS,ST
HF-921-5	3	Φ5	SS,ST
HF-921-9	9/16-18	Φ5	SS,ST
HF-921-6	M10X1	Φ5	SS,ST



AN Tube Nuts		
Part No	Size	Material
HF-923-3	AN3	SS,ST
HF-923-4	AN4	SS,ST
HF-923-6	AN6	SS,ST



Alloy AN Banjos Sets		
Part No	Technic	Material
HF-881	Washer No Anodized	AL,SS,ST



Concave Male Crimped End						
Part No	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Material
HF-920-1	25.8	12	9	74°	Φ3.65	SS,ST
HF-920-2	32.3	18.5	15	90°	Φ3.65	SS,ST
HF-920-3	27.3	13.5	10	90°	Φ3.65	SS,ST
HF-920-4	24.3	7.3		74°	Φ5.3	SS,ST



Bulkhead			
Part No	A	B	Material
HF-908-3-3	3	3	BR,SS,ST
HF-908-4-4	4	4	BR,SS,ST
HF-908-10-3	M10X1	3	BR,SS,ST




AN Tube Nuts							
Part No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	Material
HF-920-1	28.3	14.5	14.5	90°	Φ3.65	Φ8	SS,ST
HF-920-2	34	21.2	21.2	90°	Φ3.65	Φ10	SS,ST
HF-920-3	35.3	21.5	21.5	90°	Φ3.65	Φ10	SS,ST
HF-920-4	33.3	19.5	19.5	90°	Φ5.3	Φ8	SS,ST



Male Flare Union			
Part No	AN	Thread	Material
HF-902-3	-3	AN3	BR,SS,ST
HF-902-4	-3	AN4	BR,SS,ST
HF-902-5	-3	M10X1.0	BR,SS,ST
HF-902-6	M10X1.0	M10X1.0	BR,SS,ST
HF-902-7	-3	M10X1.25	BR,SS,ST
HF-902-8	-3	M10X1.5	BR,SS,ST
HF-902-9	-3	M10X1.0	BR,SS,ST
HF-902-10	-3	M10X1.25	BR,SS,ST
HF-902-11	-3	M10X1.5	BR,SS,ST
HF-902-12	-3	M10X1.5	BR,SS,ST
HF-902-13	-4	AN4	BR,SS,ST



Bleed Nipples		
Part No	Thread	Material
HF-907-24	7/16-24	AL,BR,SS,ST
HF-907-3	3	AL,BR,SS,ST
HF-907-4	4	AL,BR,SS,ST
HF-907-1	M10X1.0	AL,BR,SS,ST
HF-907-1.25	M10X1.25	AL,BR,SS,ST



AN To NPT Straicht			
Part No	AN	NPT	Material
HF-900-3-1/8	-3	1/8"	BR,SS,ST
HF-900-4-1/8	-4	1/8"	BR,SS,ST
HF-900-3-1/4	-3	1/4"	BR,SS,ST
HF-900-4-1/4	-4	1/4"	BR,SS,ST
HF-900-6-1/8	-6	1/8"	BR,SS,ST
HF-900-3-1/16	-3	1/16"	BR,SS,ST
HF-900-4-1/16	-4	1/16"	BR,SS,ST



Stainless Steel Inverted Sead Adapter			
Part No	AN	Thread	Material
HF-903-8	-3	M10X1.0	BR,SS,ST
HF-903-9	-3	M10X1.25	BR,SS,ST
HF-903-10	-3	M10X1.5	BR,SS,ST

REUSABLE HOSE ENDS

BANJO & BOLTS

We manufacture a full range of Banjo Bolts to suit our 14.5mm eye and new 16 & 18mm Banjo.
Common uses indude oil lines, fuel pumps, flters and carburettors.EFI & power steering.



AN Banjos Fitting			
Part No	AN	I.D.	Material
HF-880-3-85	-3	8.5mm	AL,BR,SS,ST
HF-880-3-11	-3	11mm	AL,BR,SS,ST
HF-880-3-12	-3	12mm	AL,BR,SS,ST
HF-880-3-14	-3	14mm	AL,BR,SS,ST
HF-880-4-M8	-4	8.5mm	AL,BR,SS,ST
HF-880-4-M10	-4	10.1mm	AL,BR,SS,ST
HF-880-4-M12	-4	12.5mm	AL,BR,SS,ST
HF-880-4-105	-4	10.5mm	AL,BR,SS,ST
HF-880-4-11	-4	11mm	AL,BR,SS,ST
HF-880-4-13	-4	13mm	AL,BR,SS,ST
HF-880-4-145	-4	14.5mm	AL,BR,SS,ST
HF-880-6-121	-6	12.1mm	AL,BR,SS,ST
HF-880-6-105	-6	10.5mm	AL,BR,SS,ST
HF-880-6-123	-6	12.3mm	AL,BR,SS,ST
HF-880-6-125	-6	12.5mm	AL,BR,SS,ST
HF-880-6-13	-6	13mm	AL,BR,SS,ST
HF-880-6-145	-6	14.5mm	AL,BR,SS,ST
HF-880-6-165	-6	16.5mm	AL,BR,SS,ST
HF-880-6-185	-6	18.5mm	AL,BR,SS,ST
HF-880-8-105	-8	10.5mm	AL,BR,SS,ST
HF-880-8-125	-8	12.5mm	AL,BR,SS,ST
HF-880-8-145	-8	14.5mm	AL,BR,SS,ST
HF-880-8-165	-8	16.5mm	AL,BR,SS,ST
HF-880-8-185	-8	18.5mm	AL,BR,SS,ST
HF-880-8-M22	-8	22.2mm	AL,BR,SS,ST
HF-880-10-165	-10	16.5mm	AL,BR,SS,ST
HF-880-10-185	-10	18.5mm	AL,BR,SS,ST
HF-880-10-M22	-10	22.2mm	AL,BR,SS,ST
HF-880-12-185	-12	18.5mm	AL,BR,SS,ST
HF-880-12-M22	-12	22.2mm	AL,BR,SS,ST



Banjo Bolts			
Part No	Therad	Length	Material
HF-879-1	M8X1.0	20mm	AL,BR,SS,ST
HF-879-2	M8X1.25	20mm	AL,BR,SS,ST
HF-879-3	M10X1.0	20mm	AL,BR,SS,ST
HF-879-4	M10X1.25	20mm	AL,BR,SS,ST
HF-879-5	M12X1.0	20mm	AL,BR,SS,ST
HF-879-6	M12X1.25	20mm	AL,BR,SS,ST
HF-879-7	M12X1.5	24mm	AL,BR,SS,ST
HF-879-8	M12X1.5	20mm	AL,BR,SS,ST
HF-879-9	M14X1.25	22mm	AL,BR,SS,ST
HF-879-10	M14X1.5	22mm	AL,BR,SS,ST
HF-879-11	M14X1.5	32mm	AL,BR,SS,ST
HF-879-12	M16X1.5	24mm	AL,BR,SS,ST
HF-879-13	M16X1.5	32mm	AL,BR,SS,ST
HF-879-14	M18X1.5	26mm	AL,BR,SS,ST
HF-879-15	M18X1.5	33.2mm	AL,BR,SS,ST
HF-879-16	M18X1.5	32.2mm	AL,BR,SS,ST
HF-879-17	M18X1.5	38mm	AL,BR,SS,ST
HF-879-18	M22X1.5	29.5mm	AL,BR,SS,ST
HF-879-19	5/8-20"	24mm	AL,BR,SS,ST
HF-879-20	3/4UNF	33.2mm	AL,BR,SS,ST
HF-879-21	M10X1.0	23mm	AL,BR,SS,ST
HF-879-22	M10X1.25	23mm	AL,BR,SS,ST
HF-879-23	M10X1.5	23mm	AL,BR,SS,ST
HF-879-24	M11X1.0	23mm	AL,BR,SS,ST
HF-879-25	1/2-20"	22mm	AL,BR,SS,ST
HF-879-26	7/16-24"	19mm	AL,BR,SS,ST
HF-879-27	9/16-24"	23mm	AL,BR,SS,ST
HF-879-28	9/16-18"	23mm	AL,BR,SS,ST
HF-879-29	3/8-20"	23mm	AL,BR,SS,ST
HF-879-30	3/8-24"	23mm	AL,BR,SS,ST
HF-879-31	7/16-20"	23mm	AL,BR,SS,ST
HF-879-32	7/16-24"	23mm	AL,BR,SS,ST



Stainless Banjo Straight Double			
Part No	Hole	Hose	Material
HF-915-3-10.2	Φ10.2	3	AL,SS,ST
HF-915-3-11.2	Φ11.2	3	AL,SS,ST



Stainless Steel Banjo Crimp		
Part No	Size	Material
HF-918-0	AN3-0°	AL,SS,ST
HF918-28	AN3-28°	AL,SS,ST
HF918-45	AN3-45°	AL,SS,ST

SELECT COLOR





Brake Hose Fitting		
Part No	Size	Material
HF2248	AN3/AN4	SS,ST

BANJO & BOLTS

We manufacture a full range of Banjo Bolts to suit our 14.5mm eye and new 16 & 18mm Banjo.
Common uses indude oil lines, fuel pumps, flters and carburettors.EFI & power steering.



Tee Block With Mount Tab		
Part No	Hose	Material
HF-904	AN3	SS,ST



Tee Block		
Part No	Hose	Material
HF-943	AN3	SS,ST



Tee Block With Mount Tab			
Part No	Thread	Hose	Material
HF-941	3(3/8X24)	AN3	SS,ST




Tee Block			
Part No	Thread	Hose	Material
HF-944	3/8X24	AN3	SS,ST



Tee Block With Mount Tab			
Part No	Thread	Hose	Material
HF-942	1/8BSP	AN3	SS,ST



Tee Block With Mount Tab		
Part No	Thread	Material
HF-939	3/8X24	SS,ST



Y Block		
Part No	Size	Material
HF-945-3	-3	SS,ST
HF-945-4	-4	SS,ST



Stainless AN3 Way Divider		
Part No	Size	Material
HF-947-3	AN3	SS,ST
HF-947-4	AN4	SS,ST



Y Block		
Part No	Size	Material
HF-946-3	AN3	SS,ST
HF-946-4	AN4	SS,ST



Y Block		
Part No	O.D.	Material
HF2243	Φ9.4mm	SS,ST



Brake Lines



Delivers precise presure metering and strenght form a compact bilet design.
Presure adjustments range from 100-1000 PSI.
This adjustment alows you
to fine tune the front to rear braking balance.

Brake Proportioning Valve	
Part No	Descripion
HF2259	1/8" NPT Ports,2X1/8" NPT To AN3 Inv.Fitting

HYDRAULIC HAND BRAKE SYSTEM



Twin Bore Proprtioning Valve	
Part No	In-out Thread
HF2260	M10X1.0



Master Cylinder				
Part No	Description	In	Out	Thr(A)
HF2261-1	0.75"	AN4	AN3	5/16-24
HF2261-2	0.7"	AN4	AN3	5/16-24
HF2261-3	0.625"	AN4	AN3	5/16-24



Tandem Handbrake Cylinder				
Part No	Description	In	Out	Thr(A)
HF2262	0.75"	M10X1.0	M10X1.0	5/16-24



Parking Lock Valve(Knob Type)	
Part No	In-Out
HF2263	1/8NPT

Hengshui Speed Drive Technology Co., Ltd.

China Made Performance Hose Fittings

COMPANY INFORMATION

Hengshui Speed Drive is specialized in the fluid transnaśsion solutions, we provide high performance braided fuel lines and fittings which are widely use to street car, racing vehicles, racing boats etc.
Our fuel lines are mainly two types, braided rubber fuel line and braided PTFE fuel line, which work well to the fittings we provided.

- ALL PRODUCTS ARE MADE IN CHINA
-COMPLETE RANGE FROM -3AN TO-20AN
-HOSE WITH FLAME RETARDANT AND CORROSION RESISTANCE
-STAINLESS STEEL BRAIDED AND NYLON BRAIDED HOSE
-FITTINGS WITH GOOD ANODIZED FINISH
-BILLET 6061 ALUMINUM MATERIAL FITTINGS
-VARIOUS TYPES OF FITTINGS TO CHOOSE
-CUTTER STYLE HOSE ENDS
-EACH BATCH PRODUCTS ARE UNDER ISO9001 QUANLITY CONTROL



Custom anodized

Henfgshui Speed Drive has an internal anodizing program, and we have recently expanded our functions to give us

Hengshui Speed Drive

We also have expanded our color range, and now we have the ability to customize the accessories of various common colors for anodizing. Following color series that can be used in any combination. Other colors can be specially ordered. For more information, please contact us.





PRODUCT CATALOGUE